

Combined Single Output for the Script File
(With all scenarios Included)

```
SQL> CREATE TABLE savings_accounts (  
    account_id NUMBER PRIMARY KEY,  
    customer_name VARCHAR2(50),  
    balance NUMBER...  
Show more...
```

Table SAVINGS_ACCOUNTS created.

Elapsed: 00:00:00.030

```
SQL> CREATE TABLE employees (  
    employee_id NUMBER PRIMARY KEY,  
    employee_name VARCHAR2(50),  
    department VARCHAR2(30),...  
Show more...
```

Table EMPLOYEES created.

Elapsed: 00:00:00.020

```
SQL> CREATE TABLE accounts (  
    account_id NUMBER PRIMARY KEY,  
    customer_name VARCHAR2(50),  
    balance NUMBER...  
Show more...
```

```
SQL> INSERT INTO savings_accounts VALUES (101,'Vaibhav',10000)
```

1 row inserted.

Elapsed: 00:00:00.019

```
SQL> INSERT INTO savings_accounts VALUES (102,'Rahul',20000)
```

1 row inserted.

Elapsed: 00:00:00.003

```
SQL> INSERT INTO savings_accounts VALUES (103,'Anjali',15000)
```

1 row inserted.

Elapsed: 00:00:00.002

```
SQL> INSERT INTO employees VALUES (1,'Amit','IT',50000)
```

Elapsed: 00:00:00.002

SQL> INSERT INTO employees VALUES (1,'Amit','IT',50000)

1 row inserted.

Elapsed: 00:00:00.019

SQL> INSERT INTO employees VALUES (2,'Priya','IT',60000)

1 row inserted.

Elapsed: 00:00:00.003

SQL> INSERT INTO employees VALUES (3,'Rohan','HR',45000)

1 row inserted.

Elapsed: 00:00:00.002

The screenshot shows a SQL IDE interface. On the left is a 'Navigator' pane with a 'Files' tab showing 'Exercise3_StoredProcedures.sql'. The main area is divided into a script editor at the top and a query results pane at the bottom. The script editor contains SQL code for creating 'savings' and 'employees' tables. The query results pane shows the output of two queries: 'SELECT * FROM employees' and 'SELECT * FROM accounts'. The first query result is a table with 3 rows: Amit (IT, 50000), Priya (IT, 60000), and Rohan (HR, 45000). The second query result is a table with 2 rows: Vaibhav (25000) and Rahul (18000).

Exercise3_StoredProcedures.sql

```
1 CREATE TABLE savings accounts (
2     account_id NUMBER PRIMARY KEY,
3     customer_name VARCHAR2(50),
4     balance NUMBER
5 );
6
7 CREATE TABLE employees (
8     employee_id NUMBER PRIMARY KEY,
9     employee_name VARCHAR2(50),
```

Query result | Script output | DBMS output | Explain Plan | SQL history

Commit complete.
Elapsed: 00:00:00.002

SQL> SELECT * FROM employees

EMPLOYEE_ID	EMPLOYEE_NAME	DEPARTMENT	SALARY
1	Amit	IT	50000
2	Priya	IT	60000
3	Rohan	HR	45000

Elapsed: 00:00:00.010
3 rows selected.

SQL> SELECT * FROM accounts

ACCOUNT_ID	CUSTOMER_NAME	BALANCE
201	Vaibhav	25000
202	Rahul	18000

Elapsed: 00:00:00.007
2 rows selected.

```
Procedure PROCESSMONTHLYINTEREST compiled
```

```
Elapsed: 00:00:00.161
```

```
SQL> BEGIN
      ProcessMonthlyInterest;
    END;
```

```
monthly interest processed successfully.
```

```
PL/SQL procedure successfully completed.
```

```
Elapsed: 00:00:00.007
```

```
SQL> SELECT * FROM savings_accounts
```

ACCOUNT_ID	CUSTOMER_NAME	BALANCE
101	Vaibhav	10100
102	Rahul	20200
103	Anjali	15150

```
Elapsed: 00:00:00.001
```

```
3 rows selected.
```

```
SQL> CREATE OR REPLACE PROCEDURE UpdateEmployeeBonus(
```

```
    p_department IN VARCHAR2,
    p_bonus_percentage IN NUMBER...
```

```
Show more...
```

```
Procedure UPDATEEMPLOYEEBONUS compiled
```

```
Elapsed: 00:00:00.150
```

```
SQL> BEGIN
      UpdateEmployeeBonus('IT',10);
    END;
```

```
employee bonus updated successfully.
```

```
PL/SQL procedure successfully completed.
```

```
Elapsed: 00:00:00.013
```

```
SQL> SELECT * FROM employees
```

```
SQL> SELECT * FROM employees
```

EMPLOYEE_ID	EMPLOYEE_NAME	DEPARTMENT	SALARY
1	Amit	IT	55000
2	Priya	IT	66000
3	Rohan	HR	45000

```
Elapsed: 00:00:00.001
3 rows selected.
```

```
SQL> CREATE OR REPLACE PROCEDURE TransferFunds(
```

```
    p_from_account IN NUMBER,
    p_to_account IN NUMBER,...
```

```
Show more...
```

```
Procedure TRANSFERFUNDS compiled
```

```
Elapsed: 00:00:00.019
```

```
SQL> BEGIN
```

```
    TransferFunds(201,202,5000);
END;
```

```
    TransferFunds(201,202,5000);
END;
```

```
funds transferred successfully.
```

```
PL/SQL procedure successfully completed.
```

```
Elapsed: 00:00:00.012
```

```
SQL> SELECT * FROM accounts
```

ACCOUNT_ID	CUSTOMER_NAME	BALANCE
201	Vaibhav	20000
202	Rahul	23000

```
Elapsed: 00:00:00.002
2 rows selected.
```

```
SQL> DELETE FROM LOANS
WHERE
```

```
    LOAN_ID = :LOAN_ID
    AND CUSTOMER_ID = :CUSTOMER_ID...
```

```
Show more...
```