Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \to \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \to \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \to \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \to \left(\begin{array}{c\|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \to \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \to \cdots$ where α_{11} is 1×1, λ_{11} is 1×1, υ_{11} is 1×1
6	$\{$ $\}$
8	update line 1 : update line n
7	$\{$ $\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	{ }
4	where
2	
3	while do
2,3	$\wedge$
5a	where
6	{ }
8	
7	{ }
5b	
2	
	endwhile
2,3	$\wedge$ $\neg($ $)$
1b	{ }

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	where
2	$\left\{ \right\}$
3	while do
2,3	$\left\{ \wedge \right\}$
5a	where
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	
2	$\left\{ \right\}$
	endwhile
2,3	$\left\{ \wedge \atop \neg( ) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ \hfill $\}$
4	where
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while \hfill do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \right\}$
5a	
	where
6	$\{$ \hfill $\}$
8	
7	$\{$ \hfill $\}$
5b	
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \right.$ \\ $\left. \neg(\qquad) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ \hfill $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	
	where
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	
	where
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\left\{A = L\backslash U \wedge LU = \widehat{A}\right.$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \to \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right), L \to \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right), U \to \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	where
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	
2	$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	$\color{red}{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c\|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right)}$, $\color{red}{\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots}$, $\color{red}{\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots}$ where α_{11} is 1×1, λ_{11} is 1×1, υ_{11} is 1×1
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	$\color{red}{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right)}$, $\color{red}{\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots}$, $\color{red}{\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots}$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \to \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \to \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \to \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A)\right\}$
5a	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \to \left(\begin{array}{c\|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \to \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \to \cdots$ where α_{11} is 1×1, λ_{11} is 1×1, υ_{11} is 1×1
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
	endwhile
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A))\right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \to \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \to \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \to \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \to \left(\begin{array}{c\|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \to \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \to \cdots$ where α_{11} is 1×1, λ_{11} is 1×1, v_{11} is 1×1
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \to \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \to \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \to \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A)\right\}$
5a	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \to \left(\begin{array}{c\|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \to \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \to \cdots$ where α_{11} is 1×1, λ_{11} is 1×1, υ_{11} is 1×1
6	$\{$ $\}$
8	update line 1 : update line n
7	$\{$ $\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
	endwhile
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A))\right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

	Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$
	$A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right)$, $L \rightarrow \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array} \right)$, $U \rightarrow \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array} \right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
	while $m(A_{TL}) < m(A)$ do
	$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) \rightarrow \left(\begin{array}{c|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array} \right)$, $\left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array} \right) \rightarrow \cdots$, $\left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array} \right) \rightarrow \cdots$ where α_{11} is 1×1, λ_{11} is 1×1, υ_{11} is 1×1
	update line 1 $\vdots$ update line n
	$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) \leftarrow \left(\begin{array}{cc|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array} \right)$, $\left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array} \right) \leftarrow \cdots$, $\left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array} \right) \leftarrow \cdots$
	endwhile

Algorithm: $A := \text{LU\_UNB\_VAR4}(A)$

$$A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \;,\; L \rightarrow \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \;,\; U \rightarrow \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$$

where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0

while $m(A_{TL}) < m(A)$ do

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|cc} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ A_{20} & a_{21} & A_{22} \end{array}\right) , \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$$

where α_{11} is 1×1, λ_{11} is 1×1, v_{11} is 1×1

update line 1

:

update line n

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc|c} A_{00} & a_{01} & A_{02} \\ a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right) , \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$$

endwhile