<table>
<tr><td>Step</td><td>Algorithm: $A := \mathrm{LU\_BLK\_VAR4}(A)$</td></tr>
<tr><td>1a</td><td>$\{ A = \widehat{A} \}$</td></tr>
<tr><td>4</td><td>$A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \rightarrow \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \rightarrow \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$
where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0</td></tr>
<tr><td>2</td><td>$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$</td></tr>
<tr><td>3</td><td>while $m(A_{TL}) < m(A)$ do</td></tr>
<tr><td>2,3</td><td>$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$</td></tr>
<tr><td>5a</td><td>Determine block size b
$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots$, $\left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$
where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$</td></tr>
<tr><td>6</td><td>$\{ \}$</td></tr>
<tr><td>8</td><td>update line 1
:
update line n</td></tr>
<tr><td>7</td><td>$\{ \}$</td></tr>
<tr><td>5b</td><td>$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$</td></tr>
<tr><td>2</td><td>$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$</td></tr>
<tr><td></td><td>endwhile</td></tr>
<tr><td>2,3</td><td>$\left\{ \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$</td></tr>
<tr><td>1b</td><td>$\{ A = L\backslash U \wedge LU = \widehat{A} \}$</td></tr>
</table>

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{ \qquad \}$
4	where
2	$\left\{ \qquad \right\}$
3	while do
2,3	$\left\{ \qquad \wedge \right\}$
5a	**Determine block size** b where
6	$\{ \qquad \}$
8	
7	$\{ \qquad \}$
5b	
2	$\left\{ \qquad \right\}$
	endwhile
2,3	$\left\{ \qquad \wedge \\ \neg(\qquad) \right\}$
1b	$\{ \qquad \}$

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A} \quad \}$
4	where
2	$\left\{ \quad \right\}$
3	while do
2,3	$\left\{ \quad \wedge \right\}$
5a	**Determine block size** b where
6	$\{ \quad \}$
8	
7	$\{ \quad \}$
5b	
2	$\left\{ \quad \right\}$
	endwhile
2,3	$\left\{ \quad \wedge \quad \neg(\quad) \right\}$
1b	$\{A = L \backslash U \wedge LU = \widehat{A} \quad \}$

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{ A = \widehat{A} \}$
4	where
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L \backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL} U_{TL} = \widehat{A}_{TL} & L_{TL} U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL} U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L \backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL} U_{TL} = \widehat{A}_{TL} & L_{TL} U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL} U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \right\}$
5a	**Determine block size** b where
6	$\{ \}$
8	
7	$\{ \}$
5b	
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L \backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL} U_{TL} = \widehat{A}_{TL} & L_{TL} U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL} U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array} \right) = \left(\begin{array}{c\|c} L \backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array} \right) \wedge \begin{array}{c\|c} L_{TL} U_{TL} = \widehat{A}_{TL} & L_{TL} U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL} U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(\quad) \right\}$
1b	$\{ A = L \backslash U \wedge LU = \widehat{A} \}$

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}\}$
4	where
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	**Determine block size** b where
6	$\{ \}$
8	
7	$\{ \}$
5b	
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}\}$

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	**Determine block size** b where
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \mathrm{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}$ $\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right)$, $U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	**Determine block size** b $\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c\|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$ where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$
6	$\{$ $\}$
8	
7	$\{$ $\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right)$, $\left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots$, $\left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}$ $\}$

Step	Algorithm: $A := \mathrm{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right), L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right), U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	**Determine block size** b $\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c\|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$ where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$
6	$\{\}$
8	
7	$\{\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}\}$

Step	Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right), L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right), U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A) \right\}$
5a	**Determine block size** b $\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c\|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$ where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$
6	$\{ \quad \}$
8	
7	$\{ \quad \}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$
2	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \right\}$
	endwhile
2,3	$\left\{ \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR} \end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A)) \right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}\}$

Step	Algorithm: $A := \mathrm{LU\_BLK\_VAR4}(A)$
1a	$\{A = \widehat{A}\}$
4	$A \rightarrow \left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right), L \rightarrow \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR}\end{array}\right), U \rightarrow \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR}\end{array}\right)$ where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR}\end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
3	while $m(A_{TL}) < m(A)$ do
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR}\end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge m(A_{TL}) < m(A)\right\}$
5a	**Determine block size b** $\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) \rightarrow \left(\begin{array}{c\|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22}\end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR}\end{array}\right) \rightarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR}\end{array}\right) \rightarrow \cdots$ where A_{11} is $b\times b$, L_{11} is $b\times b$, U_{11} is $b\times b$
6	$\{\quad\}$
8	update line 1 : update line n
7	$\{\quad\}$
5b	$\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) \leftarrow \left(\begin{array}{cc\|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22}\end{array}\right), \left(\begin{array}{c\|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR}\end{array}\right) \leftarrow \cdots, \left(\begin{array}{c\|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR}\end{array}\right) \leftarrow \cdots$
2	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR}\end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array}\right\}$
	endwhile
2,3	$\left\{\left(\begin{array}{c\|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR}\end{array}\right) = \left(\begin{array}{c\|c} L\backslash U_{TL} & U_{TR} \\ \hline L_{BL} & \widehat{A}_{BR}\end{array}\right) \wedge \begin{array}{c\|c} L_{TL}U_{TL} = \widehat{A}_{TL} & L_{TL}U_{TR} = \widehat{A}_{TR} \\ \hline L_{BL}U_{TL} = \widehat{A}_{BL} & \end{array} \wedge \neg(m(A_{TL}) < m(A))\right\}$
1b	$\{A = L\backslash U \wedge LU = \widehat{A}\}$

Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$

$$A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right), L \rightarrow \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right), U \rightarrow \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$$

where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0

while $m(A_{TL}) < m(A)$ do

Determine block size b

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$$

where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$

update line 1

:

update line n

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$$

endwhile

Algorithm: $A := \text{LU\_BLK\_VAR4}(A)$

$$A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right), L \rightarrow \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right), U \rightarrow \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right)$$

where A_{TL} is 0×0, L_{TL} is 0×0, U_{TL} is 0×0

while $m(A_{TL}) < m(A)$ do

Determine block size b

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|cc} A_{00} & A_{01} & A_{02} \\ \hline A_{10} & A_{11} & A_{12} \\ A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \rightarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \rightarrow \cdots$$

where A_{11} is $b \times b$, L_{11} is $b \times b$, U_{11} is $b \times b$

update line 1

:

update line n

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{cc|c} A_{00} & A_{01} & A_{02} \\ A_{10} & A_{11} & A_{12} \\ \hline A_{20} & A_{21} & A_{22} \end{array}\right), \left(\begin{array}{c|c} L_{TL} & L_{TR} \\ \hline L_{BL} & L_{BR} \end{array}\right) \leftarrow \cdots, \left(\begin{array}{c|c} U_{TL} & U_{TR} \\ \hline U_{BL} & U_{BR} \end{array}\right) \leftarrow \cdots$$

endwhile