```
function MeshData = generate1Dmesh(Nelem,x1 lim1,x1 lim2)
% $Author : Vignesh Ramakrishnan$
% $RIN : 662028006$ $Date : November 10, 2021$
% $Code Version: 1.0$
% This function generates a 1D mesh.
% Inputs: Nelem : Number of elements required on the 1D mesh
         x1 lim1 : the lower limit of the domain considered
         x2 lim2 : the upper limit of the domain considered
% Output: MeshData : This is a structure that contains all the necessary
                     information about the domain being meshed
용
                   : The dimension of the domain - 1D
용
         dim
         num elem : Number of elements present in the domain
용
용
         num node : Number of nodes present in the domain
용
         DOF
                  : Array containing the DOF ID of each node in the mesh
용
         BoundaryDOF: Array containing the DOF assigned to the boundary nodes
                  : A cell array containing the spatial location of the
                      nodes present in each element
   x = x1_{lim1}: (x1_{lim2} - x1_{lim1})/Nelem : x1_{lim2};
   Nnodes = Nelem + 1;
   GridFn = cell(1, Nnodes);
   DOF = zeros(1, Nnodes);
   boundary_dof = zeros(1,2);
   b_dof = 1;
    for i=1:Nnodes
       DOF(i) = i;
        GridFn{i} = x(i); % storing the position data in a GridFn
        if i==1 || i==Nnodes
            boundary_dof(b_dof) = i;
            b_dof = b_dof + 1;
        end
    end
   MeshData.dim = 1;
   MeshData.num elem = Nelem;
   MeshData.num node = Nnodes;
   MeshData.DOF = DOF;
   MeshData.BoundaryDOF = boundary dof;
   MeshData.GridFn = GridFn;
end
```