CLASS: M.Sc. CS **SEM:** I(2022-

2023)

SUBJECT:- BIOINFORMATICS PAPER: 3


NAME: RAVI YADAV ROLL NO.: 542

Aim: Write a Python/Java code to perform pairwise alignment. Take 2 sequences from user and calculate the score.

```
Code:
se1=input("Enter the first sequence::")
se2=input("Enter the second sequence::")
seq1=list(se1)
seq2=list(se2)
score=[]
def Pairwise_alignment(a,b):
  gap(a,b)
  print(a)
  print(b)
  value=0
  length=len(a)
  for i in range(0,length):
     if(a[i]==b[i]):
       score.append('1')
        value=value+1
     else:
       score.append('0')
  print(score)
  print(value)
def gap(a,b):
  if(len(a) == len(b)):
     print()
  else:
     k=int(input("enter the position to insert::"))
     if (len(a) < len(b)):
        a.insert(k,'-')
     else:
        b.insert(k,'-')
  return(a,b)
```

Pairwise_alignment(seq1,seq2)


Output:



Aim: Write a Python/Java code to find the identity value of a given sequences. Take the sequence fromuser.

```
Code:
se1=input("Enter the first sequence::")
se2=input("Enter the second sequence::")
seq1=list(se1)
seq2=list(se2)
def find_identity(a,b):
  gap(a,b)
  print(a)
  print(b)
  score=0
  length=len(a)
  total_elements=len(a)*len(b)
  for i in range(0,length):
     for j in range(0,length):
       if(a[i]==b[i]):
          score=score+1
  identity=(score/total_elements)*100
  print("Matching Score::",score)
  print("Identity of the sequences::",identity)
def gap(a,b):
  if(len(a) == len(b)):
     print()
  else:
     k=int(input("enter the position to insert gap ::"))
     if (len(a) < len(b)):
        a.insert(k,'-')
     else:
        b.insert(k,'-')
  return(a,b)
find_identity(seq1,seq2)
```

Output:




Practical No: 3

Aim: Write a Python/Java code to find the Similarity value of a given sequences. Take the sequence fromuser.

```
sequence one=input("Enter the first sequence: ")
sequence_two=input("Enter the second sequence: ")
how_many=int(input("How many elements for similarity condition?"))
similarities=[]
for i in range(0,how_many):
  a=input("Enter an element: ")
  c=int(input("How many elements is it similar to? "))
  similarities.append(□)
  similarities[i].append(a)
  for j in range(0,c):
     b=input("What is it similar to?")
     similarities[i].append(b)
def compare(o,t,s):
  print(o)
  print(t)
  print(s)
  #checking if similar
  score=0
  for i in range(len(o)):
     for j in range(len(s)):
```

print(compare(list(sequence_one),list(sequence_two),similarities),"%")

Output:




Aim: Enter genome of five different organism and write a python/java program to find consensus sequence using Multiple Sequence Alignment (MSA) technique.

```
import java.io.*;
import java.util.*;
public class Consensus
{
    public static void main(String str[]) throws IOException
    {
        int n, i,j,k,count;
        String seq[],cons[];
        ArrayList<Integer> a = new ArrayList<Integer>();
        ArrayList s = new ArrayList();
        BufferedReader br=new BufferedReader(new InputStreamReader(System.in));
        System.out.println("Enter the no of Sequences");
        n=Integer.parseInt(br.readLine());
        seq=new String[n];
        System.out.println("Enter sequences");
        for(i=0;i<n;i++)</pre>
```

```
seq[i]=br.readLine();
    cons=new String[seq[0].length()];
    for(j=0;j < seq[0].length();j++)
    cons[j]=" ";
    for(j=0;j < seq[0].length();j++)
     {
     a.clear();
     s.clear();
     for(i=0;i< n;i++)
       count=1;
       for(k=i+1;k< n;k++)
        if(seq[i].charAt(j)==seq[k].charAt(j))
        count++;
       }
       System.out.println("count="+count);
       a.add(count);
       s.add(seq[i].charAt(j));
      }
     /**Updated Snippet 1**/
     Set<String> set = new HashSet<>(s);
     ArrayList setlist = new ArrayList(set);
  Collections.sort(setlist);
     if (setlist.contains('-') &&setlist.size()==2){
     cons[j]+="-"+setlist.get(1);
     else if (setlist.size()==1){
     cons[j]+="-"+setlist.get(0);
      }
     else{
     int m = Collections.max(a);
```

```
int index=a.indexOf(m);
   System.out.println("Max="+m);
   cons[j]+=s.get(index);
   System.out.println("index="+index);
   for(i=index+1;i<a.size();i++)
   {
   if(a.get(i)==m)
   cons[j]+="/"+s.get(i);
   }
  System.out.println("Consensus=");
  for(j=0;j < seq[0].length();j++){
    /**Updated Snippet 2**/
  if(cons[j].length()==2)
  System.out.print(cons[j].toLowerCase());\\
  else if(cons[j].length()==3)
  System.out.print(cons[j].replace("-",""));
  else
  System.out.print(cons[j]);
Output:
```







Aim: Perform a BLAST search on a specific gene sequence of a specify organism.

Steps:


Go to the National Center for Biotechnology Information Site https://www.ncbi.nlm.nih.gov/

Select Nucleotide from All Databases and find any organism in a search bar.







Run BLAST option we have to select



BLAST



Here the result will be display



Aim: Write a Python/Java code to find motif in a given sequence.

Code:

```
import random
l=int(input("Enter the length of motif"))
file=open("mot.txt","r")
r=file.read()
print("Sequence",r)
size=len(r)
print("Size of the sequence",size)
pos=random.randint(0,len(r)-5)
#pos=1
print("Position",pos)
motif=r[pos:pos+l]
print("Motif",motif)
i=pos+1
while(i<=size-1):
  if(motif == r[i:i+1]):
     str1=r[i:i+1]
    print("Match motif",str1)
    file1=open("motoutput.txt","a")
    file1.write(str1+" ")
  i+=1
Output:
 Enter the length of motif4
Sequence AGAAGTTCGAGAAGCCGTAGT
Size of the sequence 21
Position 0
```

Motif AGAA

```
import random
l=int(input("Enter the length of motif"))
file=open("mot.txt","r")
r=file.read()
print("Sequence",r)
size=len(r)
print("Size of the sequence",size)
pos=random.randint(0,len(r)-5)
#pos=1
print("Position",pos)
motif=r[pos:pos+l]
print("Motif",motif)
i=pos+1
while(i<=size-1):
  if(motif == r[i:i+1]):
    str1=r[i:i+1]
    print("Match motif",str1)
    file1=open("motoutput.txt","a")
    file1.write(str1+" ")
  i+=1
Output:
 Enter the length of motif4
Sequence\ AGAAGTTCGAGAAGCCGTAGT
Size of the sequence 21
Position 0
Motif AGAA
```

Aim: Perform a BLAST search on any genes sequence and writer a java/python code to count the no of repetition of each nucleotide in the sequence.

```
file=open("genes.txt","r")
r=file.read()
size=len(r)
score_A=0
score_C=0
score_T=0
score_G=0
for i in range(size):
  if(r[i]=='A'):
     score\_A+=1
   elif (r[i]=='C'):
     score\_C+=1
   elif (r[i]=='T'):
      score\_T+=1
   elif (r[i]=='G'):
     score\_G+=1
print("score of A is ",score_A)
print("score of C is ",score_C)
print("score of T is ",score_T)
print("score of G is ",score_G)
Output:
score of A is 6
score of C is 4
```

```
score of T is 7
score of G is 6
```

Aim: Generate a regular expression enter three protein sequence of three different organism. Write Python/Java code to find regular expression for this sequences.

```
def gen_reg_exp(seq_list, no_of_col):
    final_list=[]
    for colnum in range(no_of_col):
        collist=[]
        for colseq in seq_list:
            collist.append(colseq[colnum])
        if len(set(collist))==len(collist):
            #print(final_list)
            final_list.append('x')
        else:
            if len(set(collist))==1:
                 final_list.append(collist[0])
        else:
                 final_list.append(".join(set(collist))))
        display_output(final_list)
```

```
def display_output(final_list):
  print(*final_list, sep='-')
no_of_seq=int(input("Enter the number of sequence: "))
print("Enter all the sequences")
seq_list=[]
for _ in range(no_of_seq):
  seq_list.append(list(map(str, input("").split())))
gen_reg_exp(seq_list, len(seq_list[0]))
Output:
Enter the number of sequence: 4
Enter all the sequences
ADLGAVFALCDRYFQ
SDVGPRSCFCERFYQ
ADLGRTQLRCDRYYQ
ADIGQPHSLCERYFQ
SA-D-IVL-G-x-x-x-FRL-C-ED-R-YF-YF-Q
```

Aim: Enter six protein sequence of different organism and write a program to find a fingerprint of sequence.

```
def solve_fingerprint(seq_list, no_of_col):
    seq_dict=dict()
    for colnum in range(no_of_col):
        counta,countc,countt,countg=0,0,0,0
        for colseq in seq_list:
```

```
if colseq[colnum]=='A':
          counta+=1
       elif colseq[colnum]=='T':
          countt+=1
       elif colseq[colnum]=='C':
          countc+=1
       elif colseq[colnum]=='G':
          countg+=1
     seq_dict[colnum]=[counta,countc,countt,countg]
  display_results(seq_dict)
def display_results(seq_dict):
  print("\tA \tC \tT \tG")
  for key in seq_dict:
     print("\n",*seq_dict[key],sep="\t")
no_of_seq=int(input("Enter the number of sequence: "))
print("Enter all the sequences")
seq_list=[]
for _ in range(no_of_seq):
  seq_list.append(list(map(str, input("").split())))
solve_fingerprint(seq_list,len(seq_list[0]))
```

Output:

Enter the number of sequence: 4

Enter all the sequences

ACTGATG

ATCAGAA

ATAAGCA

AGTTAGC

A C T G

4 0 0 0

0 1 2 1

1 1 2 0

2 0 1 1

2 0 0 2

1 1 1 1

2 1 0 1