
ICARUS MC
ν_μCC0π Signal Selection
NuMI 2.57×10^{20} POT
Exiting μ±
Fractional Uncertainty
0.25
0.20
0.15
0.10
0.05
0.00
−1.00 −0.75 −0.50 −0.25 0.00 0.25 0.50 0.75 1.00
cos(θ_μ)^{reco} w.r.t. NuMI
ZExpPCAB1CCQE (0.7%)
ZExpPCAB2CCQE (4.3%)
ZExpPCAB3CCQE (3.2%)
ZExpPCAB4CCQE (3.6%)
RPA_CCQE (5.6%)
CoulombCCQE (0.3%)
VecFFCCQEshape (1.5%)
NormCCMEC (9.8%)
NormNCMEC (0.0%)
DecayAngMEC (0.9%)
MaNCEL (0.1%)
EtaNCEL (0.0%)
MaCCRES (4.0%)
MvCCRES (3.4%)
MaNCRES (0.4%)
MvNCRES (0.1%)
RDecBR1gamma (0.0%)
RDecBR1eta (0.4%)
Theta_Delta2Npi (0.4%)
ThetaDelta2NRad (0.0%)
NonRESBGvpCC1pi (0.1%)
NonRESBGvpCC2pi (0.3%)
NonRESBGvpNC1pi (0.0%)
NonRESBGvpNC2pi (0.1%)
NonRESBGvnCC1pi (0.3%)
NonRESBGvnCC2pi (0.4%)
NonRESBGvnNC1pi (0.2%)
NonRESBGvnNC2pi (0.0%)
NonRESBGvbarpCC1pi (0.0%)
NonRESBGvbarpCC2pi (0.1%)
NonRESBGvbarpNC1pi (0.0%)
NonRESBGvbarpNC2pi (0.0%)
NonRESBGvbarnCC1pi (0.0%)
NonRESBGvbarnCC2pi (0.1%)
NonRESBGvbarnNC1pi (0.0%)
NonRESBGvbarnNC2pi (0.0%)
MFP_pi (1.0%)
MFP_N (1.9%)
FrCEx_pi (2.3%)
FrCEx_N (1.8%)
FrInel_pi (1.6%)
FrInel_N (0.7%)
FrAbs_pi (4.2%)
FrAbs_N (1.4%)
FrPiProd_pi (0.6%)
FrPiProd_N (0.5%)
NormCCCOH (0.1%)
NormNCCOH (0.0%)
AhtBY (0.0%)
BhtBY (0.0%)
CV1uBY (0.0%)
CV2uBY (0.0%)
Total Systematic (16.3%)