



complying with complying with coding style is crucial

complying with complying with coding style is crucial

- you will always work in a team

clean code

code that is *focused* and *understandable*, which means it must be readable, logical, and changeable

good code is not the one computers understand; it is the one
humans can understand

good code is not the one computers understand; it is the one
humans can understand

code, in general, can be organized in several ways

good code is not the one computers understand; it is the one
humans can understand

code, in general, can be organized in several ways

good practice implies you will choose the version that will be easiest
to read and understand

good code is not the one computers understand; it is the one
humans can understand

code, in general, can be organized in several ways

good practice implies you will choose the version that will be easiest
to read and understand

assumption:

at your workplace, you will always type code <u>cleanly</u> - as simple as possible, perfectly organized, maintaining a steady logical flow

when assigning names to variables or SQL objects,

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

		Sales		
	purchase_number	date_of_purchase	customer_id	item_code
	1	9/3/2016	1	A_1
<pre>customer_purchase_uniqu</pre>	ue_number 2	12/2/2016	2	C_1
	3	4/15/2017	3	D_1
	4	5/24/2017	1	B_2
	5	5/25/2017	4	B_2
	6	6/6/2017	2	B_1
	7	6/10/2017	4	A_2
	8	6/10/2017	3	C_1
	9	7/20/2017	1	A_1
	10	8/11/2017	2	B_1

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

			Sales		
	purchase_nur	mber	date_of_purchase	customer_id	item_code
		1	9/3/2016	1	A_1
<pre>customer_purchase_uniqu</pre>	ie_number	2	12/2/2016	2	C_1
		3	4/15/2017	3	D_1
		4	5/24/2017	1	B_2
		5	5/25/2017	4	B_2
		6	6/6/2017	2	B_1
		7	6/10/2017	4	A_2
		8	6/10/2017	3	C_1
		9	7/20/2017	1	A_1
		10	8/11/2017	2	B_1

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

	Sales			
ри	urchase_number	date_of_purchase	customer_id	item_code
	1	9/3/2016	1	A_1
<pre>customer_purch e_unique</pre>	_number 2	12/2/2016	2	C_1
	3	4/15/2017	3	D_1
	4	5/24/2017	1	B_2
	5	5/25/2017	4	B_2
	6	6/6/2017	2	B_1
	7	6/10/2017	4	A_2
	8	6/10/2017	3	C_1
	9	7/20/2017	1	A_1
	10	8/11/2017	2	B_1

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

when assigning names to variables or SQL objects,
always chose shorter, meaningful names, conveying specific information

pronounceable, where one word per concept has been picked

- names will constitute more than 80% of your code



```
CREATE TABLE sales
(
    purchase_number INT,
    date_of_purchase DATE,
    customer_id VARCHAR(255),
    item_code VARCHAR(255),
PRIMARY KEY (purcase_number)
);
```

	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

purchase_number

	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

purchase_number

PurchaseNumber

	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

purchase_number

PurchaseNumber

purchase number

	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

purchase_number

PurchaseNumber





	Sales		
purchase_number	date_of_purchase	customer_id	item_code
1	9/3/2016	1	A_1
2	12/2/2016	2	C_1
3	4/15/2017	3	D_1
4	5/24/2017	1	B_2
5	5/25/2017	4	B_2
6	6/6/2017	2	B_1
7	6/10/2017	4	A_2
8	6/10/2017	3	C_1
9	7/20/2017	1	A_1
10	8/11/2017	2	B_1

<u>readability</u>

<u>readability</u>

- horizontal and vertical organization of code

<u>readability</u>

- horizontal and vertical organization of code
- colour



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently

- time is a factor



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently

- time is a factor
- unification of coding style is a top-priority



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently

- time is a factor
- unification of coding style is a top-priority

it is unprofessional to merge code written in the same language but in a different style



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently



use the relevant analogical tool provided in Workbench



use <u>ad-hoc software</u> that re-organizes code and colours different words consistently



use the relevant analogical tool provided in Workbench



intervene manually and adjust your code as you like

comments

lines of text that Workbench will not run as code; they convey a message to someone who reads our code

comments

lines of text that Workbench will not run as code; they convey a message to someone who reads our code

```
/* ... */ (for large comments)
```

comments

lines of text that Workbench will not run as code; they convey a message to someone who reads our code

```
/* ... */  (for large comments)
# or --  (for one-line comments)
```