

Top-20 Training Program (Adhoc Thinking)

Apply the solution building strategies discussed in class to solve following problems.

Group1: Duplicate Detection/Removal Variations

Remove Duplicates-I: <https://leetcode.com/problems/remove-duplicates-from-sorted-array/description/>

Remove Duplicates-II: <https://leetcode.com/problems/remove-duplicates-from-sorted-array-ii/description/>

Remove Duplicates-III: <https://leetcode.com/problems/remove-element/description/>

Contains Duplicate-I: <https://leetcode.com/problems/contains-duplicate/description/>

Contains Duplicate-II: <https://leetcode.com/problems/contains-duplicate-ii/description/>

Group2: Missing/Repeated Numbers Variations

Find the Difference: <https://leetcode.com/problems/find-the-difference/description/>

Repeated & Missing Number: <https://leetcode.com/problems/set-mismatch/description/>

First Missing Positive: <https://leetcode.com/problems/first-missing-positive/description/>

Duplicate Number: <https://leetcode.com/problems/find-the-duplicate-number/description/>

Find All Missing Numbers: <https://leetcode.com/problems/find-all-numbers-disappeared-in-an-array/description/>

Group3: Array Based Problems

Rotate String: <http://www.lintcode.com/en/problem/rotate-string/>

Student Attendance Record-I: <https://leetcode.com/problems/student-attendance-record-i/description/>

Increasing Triplet Subsequence: <https://leetcode.com/problems/increasing-triplet-subsequence/description/>

Contiguous Subarray Sum: <https://leetcode.com/problems/continuous-subarray-sum/description/>

Group4: 2-D Array/Matrix Problems

Spiral Matrix-I <https://leetcode.com/problems/spiral-matrix/description/>

Spiral Matrix-II: <https://leetcode.com/problems/spiral-matrix-ii/description/>

Set Matrix Zeroes: <https://leetcode.com/problems/set-matrix-zeroes/description/>

Top-20 Training Program (Adhoc Thinking)

Group5: Miscellaneous Problems

Remove Mystery Length:

Given an array of alpha-numeric characters with the length appended to the string, write an efficient function to remove the length part of it.

Function Prototype:

```
void removeLength(char[ ] s)
```

Example:

Input: JamesBond00712 where, 12 is length of string JamesBond007

Output: JamesBond007

Merge Arrays:

Given an array of size M+N in which first M numbers are sorted in non-decreasing order and last N slots are empty. Also given an another array of size N which is sorted in nondecreasing order. Write an efficient function to merge these two arrays without using any extra space so that the array of M+N size is sorted.

Function Prototype:

```
void merge(int[ ] a1, int[ ] a2, int m, int n) // array a1 is of size m+n
```

Polynomial Evaluation:

Given a real number x, and a sequence of real numbers c0, c1, ...cn, write an efficient function to find out the value of following polynomial of degree 'n':

$$p_n(x) = c_n x^n + c_{n-1} x^{n-1} + \dots + c_2 x^2 + c_1 x + c_0$$

Function Prototype:

```
double evalPolynom(int[ ] coef, int x, int n)
```