

| | |
|-------------------------|------------------------------|
| MICROLABS LTD | |
| PLOT NO:16 | |
| BANGALORE-560100 | |
| | |
| | 080/27848094/95 |
| BOARD NUMBERS | 080/27848242/43/46/47 |
| ISD NUMER | 080/27848248 |
| FAX NUMBER | 080/27848021 |

| Extension Number | Contact Person / Department |
|-------------------------|---|
| 300 | Mr.Sanjay Gopinath-Plant head |
| 301 | Receptionist |
| 9 | |
| 101 | |
| 302 | Mrs.Sreedevi and QMS Team |
| 303 | Mr.kavimani and Team |
| 304 | Mr.Prajith and Review team |
| 305 | QC PM TESTING |
| 306 | QC Instrumentation |
| 307 | PM Store office |
| 308 | RM Store office |
| 309 | FG Store |
| 310 | Mr.Rajagopal and Mr.Perumal - Enginering Store |
| 311 | Mr. Vijay Kumar- Engg Head |
| 312 | Mr.Rajesh Bissa-Accounts |
| 313 | Service Floor |
| 314 | AQA |
| 315 | IT - Ravichandar |
| 316 | Packing Hall |
| 317 | Production Office |
| 318 | IPQA |
| 319 | BACTOCLAV |
| 320 | Safety |
| 321 | Engineering office |
| 322 | HR Office |
| 323 | Security |
| 324 | Go down |
| 325 | Mr.Sridhar reddy-QC Head |
| 326 | Stability Area |
| 327 | New Utility |
| 328 | Not in Use |
| 329 | Conference |
| 330 | Mr. SM Mudda |
| 331 | Mr. Prakash Mudda |
| 332 | Training Hall |

| | |
|------------|--|
| 333 | Miss.Prameela-Planning |
| 334 | Mr.Satishbabu-QA Head |
| 335 | Mrs.Rajeshwari-RM/PM store Head |
| 336 | Linen Room |
| 337 | Dispensing booth |
| 338 | Microbiology |
| 339 | Mr.Madhusudhan-Safety Head |
| 340 | Water Plant |
| 341 | Mr.Vivek and Team- Prod Engg |
| 342 | Not in Use |
| 343 | Mr.Veerabara and Team-New IPQA |