



Git Hub Commands

1. Login to Git and create new repository

I. URL: <https://github.com>





Credence IT Professional Training Institute




GIT commands

II. Enter repository name and click on create repository

Create a new repository


A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)


Owner * Repository name *

 TusharSir /  Naukriprofile 

Great repository names are short and memorable. Need inspiration? How about [fantastic-palm-tree?](#)

Description (optional)


☒  **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**
You choose who can see and commit to this repository.


Initialize this repository with:
Skip this step if you're importing an existing repository.


☐ **Add a README file**
This is where you can write a long description for your project. [Learn more.](#)


Add .gitignore
Choose which files not to track from a list of templates. [Learn more.](#)




Choose a license
A license tells others what they can and can't do with your code. [Learn more.](#)



 You are creating a public repository in your personal account.





Credence IT Professional Training Institute

GIT commands

III. Copy repository link

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH <https://github.com/TusharSir/Naukriprofile.git>


Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# Naukriprofile" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/TusharSir/Naukriprofile.git
git push -u origin main
```

...or push an existing repository from the command line


```
git remote add origin https://github.com/TusharSir/Naukriprofile.git
git branch -M main
git push -u origin main
```




Credence IT Professional Training Institute

GIT commands

2. Right click on project folder and Select “Git bash here” option






Credence IT Professional Training Institute

GIT commands


3. Below window will open and execute Git Command




Create Git repository for project at local

Command to initialize local repository:

→ **git init**





Credence IT Professional Training Institute

GIT commands

4. Connect your local Git with Global Git repository

→ git remote add origin https://github.com/TusharSir/OrangeHRM_Git.git

```
MINGW64:/d/Credence Python Projects by Tushar Sir/NaukriProfile

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git init
Reinitialized existing Git repository in D:/Credence Python Projects by Tushar Sir/NaukriProfile/.git/

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git remote add origin https://github.com/TusharSir/Naukriprofile.git

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

5. Enter User name to connect Global Git repository

Command:

→ git config --global user.name "username"


```
MINGW64:/d/Credence Python Projects by Tushar Sir/NaukriProfile

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git init
Reinitialized existing Git repository in D:/Credence Python Projects by Tushar Sir/NaukriProfile/.git/

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git remote add origin https://github.com/TusharSir/Naukriprofile.git

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git config --global user.name "tusharsir"

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```



Credence IT Professional Training Institute

GIT commands

6. Enter User email to connect Global Git repository

Command:

→ `git config --global user.email "user@gmail.com"`

```
MINGW64:/d/Credence Python Projects by Tushar Sir/NaukriProfile


HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git init
Reinitialized existing Git repository in D:/Credence Python Projects by Tushar Sir/NaukriProfile/.git/

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git remote add origin https://github.com/TusharSir/NaukriProfile.git

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git config --global user.name "tusharsir"

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git config --global user.email "tusharsir@gmail.com"

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```



Credence IT Professional Training Institute

GIT commands

7. To check Status of repository

Command:


➔ git status

```
MINGW64:/d/Credence Python Projects by Tushar Sir/NaukriProfile
$ git config --global user.name "tusharsir"
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git config --global user.email "kathalkartushar@gmail.com"
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .idea/
        Configurations/
        Logs/
        Reports/
        ScreenShots/
        TestData/
        main.py
        pageObjects/
        pytest
        report.html
        testCases/
        utilities/

nothing added to commit but untracked files present (use "git add" to track)
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$
```

Credence IT Professional Training Institute

GIT commands

8. Need to add data in staging

This is standard process of git, we have to follow this


Command:

➔ git add -A

```
MINGW64:/d/Credence Python Projects by Tushar Sir/NaukriProfile
Configurations/
Logs/
Reports/
ScreenShots/
TestData/
main.py
pageObjects/
pytest
report.html
testCases/
utilities/

nothing added to commit but untracked files present (use "git add" to track)
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git add -A
warning: in the working copy of '.idea/inspectionProfiles/Project_Default.xml',
LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.idea/inspectionProfiles/profiles_settings.xml',
LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'utilities/XLUtils.py', LF will be replaced by CRLF the next time Git touches it
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$
```

Note: This will show error if any file open or used by other application



Credence IT Professional Training Institute


GIT commands

9. Commit the code into rep

Command:

→ `git commit -m "first commit"`

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git commit -m "first commit"
[master (root-commit) a7ec455] first commit
49 files changed, 1718 insertions(+)
create mode 100644 .idea/.gitignore
create mode 100644 .idea/NaukriProfile.iml
create mode 100644 .idea/inspectionProfiles/Project_Default.xml
create mode 100644 .idea/inspectionProfiles/profiles_settings.xml
create mode 100644 .idea/misc.xml
create mode 100644 .idea/modules.xml
create mode 100644 .idea/vcs.xml
create mode 100644 Configurations/config.ini
create mode 100644 Logs/__init__.py
create mode 100644 Reports/assets/style.css
create mode 100644 Reports/report.html
create mode 100644 ScreenShots/__init__.py
create mode 100644 ScreenShots/test_login_fail.png
create mode 100644 ScreenShots/test_login_pass.png
create mode 100644 TestData/CandidateMockresult.xlsx
create mode 100644 TestData/Credence- Naukri Profile details (Responses).xlsx
create mode 100644 TestData/Credence_MockClearedList.xlsx
create mode 100644 main.py
create mode 100644 pageObjects/NaukriLogin.py
create mode 100644 pageObjects/Profile_details.py
create mode 100644 pageObjects/__init__.py
create mode 100644 pageObjects/__pycache__/NaukriLogin.cpython-311.pyc
create mode 100644 pageObjects/__pycache__/Profile_details.cpython-311.pyc
create mode 100644 pageObjects/__pycache__/__init__.cpython-311.pyc
create mode 100644 pytest
create mode 100644 report.html
create mode 100644 testCases/.pytest_cache/v/cache/lastfailed
create mode 100644 testCases/.pytest_cache/v/cache/nodeids
create mode 100644 testCases/.pytest_cache/v/cache/stepwise
create mode 100644 testCases/__pycache__/conftest.cpython-311-pytest-7.2.1.pyc
create mode 100644 testCases/__pycache__/conftest.cpython-311-pytest-7.2.2.pyc
create mode 100644 testCases/__pycache__/test_ProdileDetails.cpython-311-pytest-7.2.2.pyc
create mode 100644 testCases/__pycache__/test_login.cpython-311-pytest-7.2.1.pyc
create mode 100644 testCases/__pycache__/test_login.cpython-311-pytest-7.2.2.pyc
create mode 100644 testCases/__pycache__/test_login.cpython-311.pyc
create mode 100644 testCases/__pycache__/test_logindd.cpython-311-pytest-7.2.1.pyc
create mode 100644 testCases/__pycache__/test_logindd.cpython-311-pytest-7.2.2.pyc
create mode 100644 testCases/conftest.py
create mode 100644 testCases/logfile.log
create mode 100644 testCases/naukri profile.py
create mode 100644 testCases/test_ProdileDetails.py
create mode 100644 testCases/test_login.py
create mode 100644 testCases/test_logindd.py
create mode 100644 utilities/XLUtills.py
```



Credence IT Professional Training Institute

GIT commands

10. Check Git status again

Command:

→ git status


```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git status
On branch master
nothing to commit, working tree clean

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

11. To push your build to Global Git repository and repository configuration completed

Command:

→ git push -u origin master




Credence IT Professional Training Institute

GIT commands

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git push -u origin master
Enumerating objects: 64, done.
Counting objects: 100% (64/64), done.
Delta compression using up to 4 threads
Compressing objects: 100% (56/56), done.
Writing objects: 100% (64/64), 272.75 KiB | 7.37 MiB/s, done.
Total 64 (delta 6), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/TusharSir/Naukriprofile.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

12. If you have created some new files at repository




Credence IT Professional Training Institute

GIT commands

Credence (D:) > Credence Python Projects by Tushar Sir > NaukriProfile

<input type="checkbox"/>	Name	Date modified	Type	Size
<input type="checkbox"/>	.git	09-Apr-23 11:08 PM	File folder	
<input type="checkbox"/>	.idea	09-Apr-23 10:47 PM	File folder	
<input type="checkbox"/>	.pytest_cache	21-Mar-23 6:32 PM	File folder	
<input type="checkbox"/>	Configurations	21-Mar-23 1:36 PM	File folder	
<input type="checkbox"/>	Logs	25-Mar-23 12:28 AM	File folder	
<input type="checkbox"/>	pageObjects	04-Apr-23 7:00 PM	File folder	
<input type="checkbox"/>	Reports	21-Mar-23 8:12 PM	File folder	
<input type="checkbox"/>	ScreenShots	21-Mar-23 7:56 PM	File folder	
<input type="checkbox"/>	testCases	09-Apr-23 10:54 PM	File folder	
<input type="checkbox"/>	TestData	04-Apr-23 7:03 PM	File folder	
<input type="checkbox"/>	tushar	31-Mar-23 10:43 AM	File folder	
<input type="checkbox"/>	utilities	25-Mar-23 12:27 AM	File folder	
<input type="checkbox"/>	venv	31-Mar-23 11:19 AM	File folder	
<input checked="" type="checkbox"/>	gittestdemo.txt	09-Apr-23 11:12 PM	Text Document	0 KB
<input type="checkbox"/>	main.py	21-Mar-23 9:59 AM	JetBrains PyCharm C...	1 KB
<input type="checkbox"/>	pytest	25-Mar-23 8:54 PM	File	0 KB
<input type="checkbox"/>	report.html	25-Mar-23 9:01 PM	Chrome HTML Docu...	15 KB

I. Check Status this will show the new files:



Credence IT Professional Training Institute

GIT commands

Command → git status

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        gittestdemo.txt


nothing added to commit but untracked files present (use "git add" to track)
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

II. To add new files:

Command → git add -A

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git add -A

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```



Credence IT Professional Training Institute

GIT commands

III. To commit new files:

Command:

→ git commit -m "demo file added"

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git commit -m "demo file added"
[master 65650c5] demo file added
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 gittestdemo.txt
```

IV. To push your build to Global Git repository:


Command:

→ git push -u origin master

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 245 bytes | 245.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/TusharSir/NaukriProfile.git
a7ec455..65650c5 master -> master
branch 'master' set up to track 'origin/master'.

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

V. Newly added files will be available at Global Git repository:



Credence IT Professional Training Institute

GIT commands

TusharSir / Naukriprofile Public

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

master 1 branch 0 tags Go to file Add file <> Code


tusharsir demo file added 65650c5 4 minutes ago 2 commits

.idea	first commit	16 minutes ago
Configurations	first commit	16 minutes ago
Logs	first commit	16 minutes ago
Reports	first commit	16 minutes ago
ScreenShots	first commit	16 minutes ago
TestData	first commit	16 minutes ago
pageObjects	first commit	16 minutes ago
testCases	first commit	16 minutes ago
utilities	first commit	16 minutes ago
gittestdemo.txt	demo file added	4 minutes ago
main.py	first commit	16 minutes ago
pytest	first commit	16 minutes ago
report.html	first commit	16 minutes ago

Help people interested in this repository understand your project by adding a README. Add a README


13.To get files at local repository which are created at Global repository

- I. Click on add file button to Create new file




Credence IT Professional Training Institute

GIT commands




II. Enter file name and click on commit new file button



Credence IT Professional Training Institute


GIT commands



III. To get new file at local repository

Command:

→ git pull



Credence IT Professional Training Institute

GIT commands

```
HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ git pull
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 681 bytes | 48.00 KiB/s, done.
From https://github.com/TusharSir/NaukriProfile
  65650c5..c421449 master    -> origin/master
Updating 65650c5..c421449
Fast-forward
 global_git_demo_file | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 global_git_demo_file

HP@Tushar-Pc MINGW64 /d/Credence Python Projects by Tushar Sir/NaukriProfile (master)
$ |
```

IV. File will be available at local repository

Credence (D:) > Credence Python Projects by Tushar Sir > NaukriProfile

Name	Date modified	Type	Size
.git	09-Apr-23 11:28 PM	File folder	
.idea	09-Apr-23 10:47 PM	File folder	
.pytest_cache	21-Mar-23 6:32 PM	File folder	
Configurations	21-Mar-23 1:36 PM	File folder	
Logs	25-Mar-23 12:28 AM	File folder	
pageObjects	04-Apr-23 7:00 PM	File folder	
Reports	21-Mar-23 8:12 PM	File folder	
ScreenShots	21-Mar-23 7:56 PM	File folder	
testCases	09-Apr-23 10:54 PM	File folder	
TestData	04-Apr-23 7:03 PM	File folder	
tushar	31-Mar-23 10:43 AM	File folder	
utilities	25-Mar-23 12:27 AM	File folder	
venv	31-Mar-23 11:19 AM	File folder	
gittestdemo.txt	09-Apr-23 11:12 PM	Text Document	0 KB
global_git_demo_file	09-Apr-23 11:28 PM	File	1 KB
main.py	21-Mar-23 9:59 AM	JetBrains PyCharm C...	1 KB
pytest	25-Mar-23 8:54 PM	File	0 KB
report.html	25-Mar-23 9:01 PM	Chrome HTML Docu...	15 KB