# Org-Mode Reference Card (1/2)

(for version 6.01c)

### **Getting Started**

 $\label{localist} $$ (add-to-list 'auto-mode-alist '("\\corg*" . org-mode)) $$ (define-key global-map "\C-cl" 'org-store-link)^1 $$ (define-key global-map "\C-ca" 'org-agenda)^1 $$$ 

For the many customization options try  $\,$  M-x org-customize To read the on-line documentation try  $\,$  M-x org-info

# Visibility Cycling

rotate current subtree between states rotate entire buffer between states	TAB S-TAB
show the whole file	C-c C-a
reveal context around point	C-c C-r
show subtree in indirect buffer, ded. frame	C-c C-k

### Motion

next/previous heading	C-c $C-n/p$
next/previous heading, same level	C-c C-f/b
backward to higher level heading	C-c C-u
jump to another place in document	C-c C-j
previous/next plain list item	${\tt S-UP/DOWN}^3$

### Structure Editing

insert new heading/item at current level	M-RET
insert new heading after subtree	C-RET
insert new TODO entry/checkbox item	M-S-RET
promote current heading up one level	M-LEFT
demote current heading down one level	M-RIGHT
promote current subtree up one level	M-S-LEFT
demote current subtree down one level	M-S-RIGHT
move subtree/list item up/down refile subtree kill subtree copy subtree yank subtree narrow buffer to current subtree	M-S-UP/DOWN C-c C-w C-c C-x C-w C-c C-x M-w C-c C-x C-y C-x n s

# Archiving

toggle ARCHIVE tag	C-c C-x	a
force cycling of an ARCHIVEd tree	C-TAB	
move to Attic Sibling	C-c C-x	Α
move subtree to archive file	C-c C-x	C-s

# Filtering and Sparse Trees

construct a sparse tree by various criteria	C-c	/
view TODO's in sparse tree	C-c	C-v
global TODO list in agenda mode	C-c	$t^1$
time sorted view of current org file	C-c	a L

### Tables

#### Creating a table

just start typing, e.g.	Name Phone Age RET  - TAB
convert region to table	C-c
separator at least 3 spaces	C-3 C-c

#### Commands available inside tables

The following commands work when the cursor is *inside a table*. Outside of tables, the same keys may have other functionality.

#### Re-aligning and field motion

re-align the table without moving the cursor	C-c C-c
re-align the table, move to next field	TAB
move to previous field	S-TAB
re-align the table, move to next row	RET

### Row and column editing

move the current column left	M-LEFT/RIGHT
kill the current column	M-S-LEFT
insert new column to left of cursor position	M-S-RIGHT
move the current row up/down kill the current row or horizontal line insert new row above the current row insert hline below (C-u: above) current row sort lines in region	M-UP/DOWN M-S-UP M-S-DOWN C-c -

#### Regions

cut rectangular region	C-c C-x C-w
copy rectangular region	C-c C-x M-w
paste rectangular region	C-c C-x C-y
fill paragraph across selected cells	C-c C-q

#### Miscellaneous

to limit column width to N characters, use	<n>  </n>
edit the current field in a separate window	C-c '
make current field fully visible	C-u TAB
export as tab-separated file M-x	org-table-export
import tab-separated file M-x	org-table-import
sum numbers in current column/rectangle	C-c +

#### Tables created with the table.el package

insert a new table.el table	С-с	~
recognize existing table.el table	C-c	C-c
$convert\ table\ (Org\text{-}mode\ \leftrightarrow\ table.el)$	C-c	~

#### Spreadsheet

Formulas typed in field are executed by TAB, RET and C-c C-c. = introduces a column formula, := a field formula.

Example: Add Col1 and Col2 with printf format specification with constants from constants.el sum from 2nd to 3rd hline apply current column formula	=\$1+\$2    =\$1+\$2;%.2f   =\$1/\$c/\$cm   :=vsum(@II@III)
set and eval column formula set and eval field formula re-apply all stored equations to current lire-apply all stored equations to entire tabilitate table to stability rotate calculation mark through # *! ^_ show line, column, formula reference toggle coordinate grid toggle formula debugger	ole C-u C-c * C-u C-u C-c *

#### Formula Editor

edit formulas in separate buffer	C-c '
exit and install new formulas	C-c C-c
exit, install, and apply new formulas	C-u C-c C-c
abort	C-c C-q
toggle reference style	C-c C-r
pretty-print Lisp formula	TAB
complete Lisp symbol	M-TAB
shift reference point	S-cursor
shift test line for column references	M-up/down
scroll the window showing the table	M-S-up/down
toggle table coordinate grid	C-c }

### Links

globally store link to the current location	C-c 1 <sup>1</sup>
insert a link (TAB completes stored links)	C-c C-1
insert file link with file name completion	C-u C-c C-1
edit (also hidden part of) link at point	C-c C-1
open file links in emacsforce open in emacs/other window open link at pointforce open in emacs/other window	C-c C-o C-u C-c C-o mouse-1/2 mouse-3
record a position in mark ring	C-c %
jump back to last followed link(s)	C-c &
Find next link	C-c C-x C-n
Find previous link	C-c C-x C-p

#### Internal Links

< <my target="">&gt;</my>	target
<< <my target="">&gt;&gt;</my>	radio target <sup>2</sup>
[[*this text]]	find headline
[[this text]]	find target or text in buffer
[[this text][description]]	optional link text

#### **External Links**

<pre>file:/home/dominik/img/mars.jpg file:papers/last.pdf</pre>	file, absolute file, relative
file:projects.org::*that text	find headline
file:projects.org::find me	find trgt/string
http://www.astro.uva.nl/~dominik	on the web
mailto:adent@galaxy.net	Email address
news:comp.emacs	Usenet group
bbdb:Richard Stallman	BBDB person
gnus:group	GNUS group
gnus:group#id	GNUS message
vm wl mhe rmail:folder	Mail folder
vm wl mhe rmail:folder#id	Mail message
info:emacs:Regexps	Info file:node
shell:ls *.org	shell command
elisp:(calendar)	elisp form
[[external link][description]]	optional link text

### Completion

In-buffer completion completes TODO keywords at headline start, TeX macros after "\", option keywords after "#-", TAGS after ":", and dictionary words elsewhere.

Complete word	at point	M-TAB
---------------	----------	-------

# Org-Mode Reference Card (2/2)

(for version 6.01c)

### **TODO Items and Checkboxes**

· / I	C-c C-t S-LEFT/RIGHT C-S-LEFT/RIGHT C-c C-v C-3 C-c C-v
set the priority of the current item remove priority cookie from current item raise/lower priority of current item	C-c , [ABC] C-c , SPC S-UP/DOWN <sup>3</sup>
insert new checkbox item in plain list toggle checkbox(es) in region/entry/at poitoggle checkbox at point checkbox statistics cookies: insert [/] or	C-c C-c [%]
update checkbox statistics (C-u: whole fil	le) C-c #

# Tags

set tags for current heading	C-c C-c
realign tags in all headings	C-u C-c C-c
create sparse tree with matching tags	C-c \
globally (agenda) match tags at cursor	C-c C-o

# Properties and Column View

set property special commands in property lines next/previous allowed value turn on column view capture columns view in dynamic block	C-c C-x p C-c C-c S-left/right C-c C-x C-c C-c C-x r
quit column view next/previous allowed value next/previous allowed value edit value edit allowed values list show value make column wider/narrower move column left/right add new column Delete current column	q S-left/right n / p e a v > / < M-left/right M-S-right M-S-left

# **Timestamps**

#### Clocking time

start clock on current item	C-c C-x C-i
stop clock on current item	C-c C-x C-o
cancel current clock	C-c C-x C-x
display total subtree times	C-c C-x C-d
remove displayed times	C-c C-c
insert/update table with clock report	C-c C-x C-r

### Agenda Views

add/move current file to front of agenda remove current file from your agenda cycle through agenda file list set/remove restriction lock	C-c C-x  C-c [ C-c [
compile agenda for the current week	C-c a $\mathtt{a}^1$
compile global TODO list	C-c a $\mathtt{t}^1$
compile TODO list for specific keyword	C-c a T $^{ m 1}$
match tags in agenda files	C-c a $\mathtt{m}^1$
match tags in TODO entries	C-c a M $^{ m 1}$
find stuck projects	C-c a # $^{ m 1}$
show timeline of current org file	C-c a $\mathtt{L}^1$
configure custom commands	C-c a $\mathtt{C}^1$
configure stuck projects	C-c a ! $^{ m 1}$
agenda for date at cursor	C-c C-o

#### Commands available in an agenda buffer

### View Org file

show original location of item	SPC/mouse-3
show and recenter window	L
goto original location in other window	TAB/mouse-2
goto original location, delete other windows	RET
show subtree in indirect buffer, ded. frame	b
toggle follow-mode	f
Change display	
delete other windows	0
switch to day/week/month/year view	dwmy
toggle inclusion of diary entries	ח

switch to day/week/month/year view	dwmy
toggle inclusion of diary entries	D
toggle time grid for daily schedule	G
toggle display of logbook entries	1
refresh agenda buffer with any changes	r / g
save all org-mode buffers	s
display the following org-agenda-ndays	RIGHT
display the previous org-agenda-ndays	LEFT
goto today	

### Remote editing

0-9
t
C-k
\$ / a / A
T
:
a
p
$ exttt{S-UP/DOWN}^3$
P
C-c C-s/d
$ t S-LEFT/RIGHT^3$
>
i

start/stop/cancel the clock on current item jump to running clock entry	I / O / X J
Misc	
Open link in current line	C-c C-o
Calendar commands	
find agenda cursor date in calendar compute agenda for calendar cursor date show phases of the moon show sunrise/sunset times show holidays convert date to other calendars	c c M S H C
Quit and Exit	
quit agenda, remove agenda buffer exit agenda, remove all agenda buffers	q x

### Calendar and Diary Integration

Include Emacs diary entries into Org-mode agenda with:
(setq org-agenda-include-diary t)

### LaTeX and cdlatex-mode

preview LaTeX fragment	C-c C-x C-l
Expand abbreviation (cdlatex-mode)	TAB
Insert/modify math symbol (cdlatex-mode)	'/,

# **Exporting and Publishing**

Exporting creates files with extensions .txt and .html in the current directory. Publishing puts the resulting file into some other place.

export/publish dispatcher	C-c C-e
export visible part only	C-c C-e v
insert template of export options	C-c C-x t
toggle fixed width for entry or region	C-c :

#### Comments: Text not being exported

Text before the first headline is not considered part of the document and is therefore never exported. Lines starting with # are comments and are not exported. Subtrees whose header starts with COMMENT are never exported.

toggle COMMENT keyword on entry C-c;

# **Dynamic Blocks**

update dynamic block at point	C-c C-x C-u
update all dynamic blocks	C-u C-c C-x C-u

#### Notes

- $^{1}$  This is only a suggestion for a binding of this command. Choose you own key as shown under INSTALLATION.
- $^2$  After changing a #+KEYWORD or <<<target>>> line, press C-c C-c with the cursor still in the line to update.
- <sup>3</sup> Keybinding affected by org-CUA-compatibility.

Copyright © 2008 Free Software Foundation, Inc. v6.01c for Org-Mode 6.01c, 2008 Author: Philip Rooke

based on refcard design and format by Stephen Gildea

Permission is granted to make and distribute copies of this card provided the copyright notice and this permission notice are preserved on all copies.