

# Domoticz MicroPython Projects - Block Diagrams - <Have Fun/>

Addendum to the [Domoticz Homeautomation Workbook](#).

By rwbl

# Introduction

## **Purpose**

To explore how to use the MicroPython programming language running on embedded hardware, the Microcontroller Unit MCU, interfacing with the Domoticz Home Automation System.

The core of the projects uses the Raspberry Pi Pico W, with actuators & sensors, acting as a Web Server to communicate with the Domoticz Home Automation System.

The projects can function as a base for projects or to trigger ideas for use.

The intention is to provide some practical guidance and not to explain Domoticz nor programming languages.



## **Prerequisites**

Basic knowledge of


- Domoticz Home Automation System.
- Domoticz Automation Event system dzVents & Lua.
- Programming languages Python and MicroPython.
- Raspberry Pi Pico / Pico W and ESP microcontrollers.
- Thonny Integrated Development Environment.
- JavaScript Object Notation (JSON).
- Message Queuing Telemetry Transport MQTT and MQTT Autodiscover.

# Workbench

## *Overview of the Author's workbench*




# Blockdiagram Setup



# Project LED Control

*Domoticz Switch Device triggers Device On/Off/Brightness Action to set the Pico W LED1 of the Pico Breadboard Kit.*




# Project LED Control - Direct Action

*Domoticz Switch Device triggers Device On/Off Action to set the Pico W LED1 of the Pico Breadboard Kit On/Off.*

Domoticz Hardware Dummy

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled



**Create Virtual Sensor**

Name: LED1 Control

Sensor Type: Switch

OK Cancel


Device created

Idx ^	Hardware ^	ID ^	Unit ^	Name ^	Type ^	SubType ^	Data ^
16	VirtualSensors	00014060	1	LED1 Control	Light/Switch	Switch	On

## Device Widget


LED1 Control

On



Last Seen: 2023-02-23 19:12:58

Type: Light/Switch, Switch, On/Off



Log

Edit


Timers

Notifications

Idx: 16

Name: LED1 Control

Switch Type: On/Off

Switch Icon:  Default  
Default icon

On Delay: 0 (Seconds) 0 = Disabled

Off Delay: 0 (Seconds) 0 = Disabled

On Action: http://picow-ip/led1/on

Off Action: http://picow-ip/led1/off


Protected: ☐

Description: Control the Raspberry Pi Pico W LED1 via HTTP GET request to the Pico W running as a Webserver (MicroPython).

Edit Switch Device Properties with HTTP  
GET request actions set to switch the  
Pico W LED1 On / Off

On/Off Action Command:  
http://picow-ip/led1/on or off

## Device HTTP On / Off Actions to Pico W Web Server



## Thonny - Pico W Web Server MicroPython Script & Log

```
Thonny - C:\Data\projects\homeautomation\domicotic-microcontroller-workbook\Chapter1\Raspberry Pi Pico W\Projects\LEDControl\Source...
File Edit View Run Tools Help
Python 3.11.4
New (Ctrl+N)
ledcontrol.py
This computer
C:\Data\projects\homeautomation\domicotic-microcontroller-workbook\Chapter1\Raspberry Pi Pico W\Projects\LEDControl\Source
config.py
ledcontrol_events
ledcontrol.py
Raspberry Pi Pico
lib
config.py
ledcontrol.py
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
10
```




# Project LED Control - Custom Event

*Domoticz Switch Device State Change triggers Automation Event to set the Pico W LED1 of the Pico Breadboard Kit On/Off.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled



Create Virtual Sensor

Name: LED1 Control

Sensor Type: Switch

OK Cancel


## Domoticz Devices

Idx ^	Hardware ^	ID ^	Unit ^	Name ^	Type ^	SubType ^	Data ^
16	VirtualSensors	00014060	1	LED1 Control	Light/Switch	Switch	On

## Device Widget


LED1 Control

On



Last Seen: 2023-02-23 19:12:58

Type: Light/Switch, Switch, On/Off




Log

Edit

Timers

Notifications




Domoticz Automation Event dzVents  
triggered by state change of the  
Domoticz Switch device (IDX=16).

The event submits a HTTP GET request to the Pico W Web Server to switch the LED1 On/Off.

## Device HTTP On / Off Actions to the Pico W Web Server

### Pico W with Breadboard Kit & LED1 On



## Thonny - Pico W Web Server MicroPython Script & Log

The screenshot displays the PyCharm IDE interface. The top toolbar includes icons for File, Edit, View, Run, Tools, and Help. The left sidebar shows a project tree with folders like 'Data1', 'projects', 'homeautomation', 'domoticz', 'microcontroller', 'workbook', 'Chapters', 'Raspberry Pi', 'Projects', and 'LEDControl'. The main editor window displays the file 'ledcontrol.py' with the following Python code:

```

1 # Return Command, i.e. /led1/on
2 def getCommand(request):
3     cmd = "UNKNOWN"
4     # Split the decoded request string into a list
5     data = str(request.decode()).split(CRLF)
6     # Check if there is data to get the first item
7     if (len(data) > 0):
8         # print(data[0])
9         # Split the command string into 3 list with 3 items
10        cmd = data[0].split(SPACE)
11        # Check and get the 2nd item
12        if len(cmd) == 3:
13            cmd = cmd[1]
14        # Return the command, i.e. /led1/on etc.
15        print(f'HTTP Command: {cmd}')
16        return cmd
17
18 # Main
19 print(f'({NAME}) (VERSION)')
20
21 # Connect to the network and listen for incoming connections
22 server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
96
```

# Project DHT22 - HTTP API/JSON

*Pico W samples DHT22 sensor data and triggers updating the Domoticz Temp + Humidity device.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

**Create Virtual Sensor**


Name:

Sensor Type:

## Domoticz Devices


Idx	Hardware	ID	Unit	Name	Type	SubType	Data
15	VirtualSensors	1405F	1	DHT22	Temp + Humidity	THGN122/123/132, THGR122/228 /238/268	17.0 C, 58 %

**DHT22** 17° C / 58%

 Normal, Dew Point: 8.68° C  
Last Seen: 2023-02-24 15:57:26

Pico W Web Server HTTP API/JSON GET request to Domoticz to update the device.  
Example HTTP URL:  
<http://domoticz-ip:8080/json.htm?type=command&param=udevice&idx=15&nvalue=0&svalue=17;58;0>

## Pico W with Breadboard Kit & DHT22



Get DHT22 Data

## Thonny - Pico W Web Server MicroPython Script & Log

```
Thonny - C:\Users\pico\Documents\domoticz-microcontroller-workbook\Chapters\Raspberry Pi Pico W\Projects\DHT22\Server\dh22domoticz.py @ 50.1
File Edit View Run Tools Help
dh22domoticz.py
This computer
C:\Users\pico\Documents\domoticz-microcontroller-workbook\Chapters\Raspberry Pi Pico W\Projects\DHT22\Server\dh22domoticz.py
Raspberry Pi Pico
dh22domoticz.py
23 import json
24 from machine import Pin
25 from utime import sleep
26 # DHT22 micropython internal lib
27 from dht import DHT22
28 # Configuration (must be updated to the picow)
29 import config
30
31 # Constants
32 VERSION = "PicoW-DHT22toDomoticz v20230224"
33
34 CRLF = chr(13) + chr(10)
35 SPACE = chr(32)
36
37 # Init the LED objects led using data from config.py
38 # Create the onboard LED object to indicate controller is up and network connected
39 ledstatus = Pin("LED", Pin.OUT)
40 ledstatus.off()
41 # Create the led object indicating dht22 measurement in progress
42 led = Pin(config.PIN_LED1, Pin.OUT)
43
44 # DHT22
45 ## DHT22 Signal Pin GP22 #Pin 20
46 PIN_DHT22 = 22
47
48 ## DHT22 measurement sampling rate in seconds
49 SAMPLING_RATE_DHT22 = 60
50
51 ## DHT22 ID of the Domoticz TempHum device
52 IDX_DHT22 = 15
53 ## URL Domoticz
54 ## Note the idx of the domoticz device ( see GUI > Setup > Devices)
55 ## The svalue is added in the main loop after getting the data from the DHT22 module.
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
23
```



# Project DHT22 - Custom Event

*Pico W samples DHT22 sensor data and triggers Automation Event to update the Domoticz Temp + Humidity device.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

Create Virtual Sensor

Name: DHT22

Sensor Type: Temp+Hum

OK

Cancel

## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	Data
15	VirtualSensors	1405F	1	DHT22	Temp + Humidity	THGN122/123/132, THGR122/228 /238/268	17.0 C, 58 %

DHT22

Normal, Dew Point: 8.68° C  
Last Seen: 2023-02-24 15:57:26

17° C / 58%

Log

Edit

Notifications

```
1 -- picow_dht22_customew
2 -- Listen to picow webserver request custom event command and update the temp+hum dev
3 -- 20230225 rubi
4
5 -- Test:
6 -- http://192.168.1.179:8080/json.htm?type=command&param=customevent&event=DHT22&data={
7 -- [{"
8 2023-02-24 16:33:03.190 Status: dzVents: Info: Handling Domoticz custom event for: "DHT22"
9 2023-02-24 16:33:03.190 Status: dzVents: Info: Start Internal script: picow_d
10 2023-02-24 16:33:03.191 Status: dzVents: Info: [{"isXML"}]=false, [{"isSystem"}]=false,
11 2023-02-24 16:33:03.191 Status: dzVents: Info: [{"t"}]=19, [{"h"}]=58, [{"s"}]=0
12 2023-02-24 16:33:03.192 Status: dzVents: Info: t=19,h=58,s=0
13 2023-02-24 16:33:03.192 Status: dzVents: Info: ----- Finished picow_dht22_customew
14 ]}
15
16 local IDX_DHT22 = 15
17 local CUSTOM_EVENT_NAME = "DHT22"
18
19 -- return {
20 --   on = {
21     customEvents = { CUSTOM_EVENT_NAME }
22   },
23   data = {},
24   logging = {},
25   execute = function(domoticz, triggeredItem)
26     if (triggeredItem.isCustomEvent) then
27       domoticz.log(triggeredItem)
28       domoticz.log(triggeredItem.data)
29       local data = triggeredItem.json
30       domoticz.log(string.format("t=%d,h=%d,s=%d", data.t, data.h, data.s))
31       domoticz.devices(IDX_DHT22).updateTempHum(data.t, data.h, data.s)
32       -- Take any other action based on temp or hum or hum_stat
33     end
34   end
35 }
```


Domoticz Automation Event dzVents  
Trigger: Custom Event

Pico W Web Server HTTP API/JSON POST request to Domoticz Automation Event to update the device.

Example HTTP URL:

[http://domoticz-ip:8080/json.htm?type=command&param=customevent&event=DHT22&data={\"h\": 58, \"t\": 17, \"s\": 0}](http://domoticz-ip:8080/json.htm?type=command&param=customevent&event=DHT22&data={\)

## Pico W with Breadboard Kit & DHT22




Get DHT22 Data

## Thonny - Pico W Web Server MicroPython Script & Log

```
1 import json
2 from machine import Pin
3 from utime import sleep
4 # DHT22 module internal lib
5 from dht import DHT22
6 # Configuration (must be uploaded to the Pico W)
7 import config
8
9 # Constants
10 VERSION = "PicoW-DHT22toDomoticz v20230224"
11
12 CRLF = chr(13) + chr(10)
13 SPACE = chr(32)
14
15 # Init the LED objects led using data from config.py
16 # Create the onboard LED object to indicate controller is up and network connected
17 ledstatus = Pin("LED", Pin.OUT)
18 ledstatus.off()
19 # Create the led object indicating dht22 measurement in progress
20 led = Pin(config.PIN_LED1, Pin.OUT)
21
22 # DHT22
23 # DHT22 Signal Pin GP22 WPin 29
24 PIN_DHT22 = 22
25
26 # DHT22 measurement sampling rate in seconds
27 SAMPLING_RATE_DHT22 = 60
28
29 # DHT22 ID of the Domoticz Temp+Hum device
30 IDX_DHT22 = 15
31
32 # URL Domoticz
33 # Note the idea of the domoticz device ( see GUI > Setup > Devices)
34 # The swalue is added in the main loop after getting the data from the DHT22 module.
35
36 # Main loop
37 while True:
38     # Read data from DHT22
39     data = DHT22(PIN_DHT22).read_data()
40     # Send data to Domoticz
41     url = "http://domoticz-ip:8080/json.htm?type=command&param=customevent&event=DHT22&data={\"h\": %d, \"t\": %d, \"s\": 0}" % (data.h, data.t)
42     response = requests.post(url)
43     # Log the response
44     print(response.text)
```

# Project DHT22 - MQTT Autodiscover

*Pico W publishes MQTT Config & State Messages to Domoticz MQTT Auto Discovery Client Gateway.*



# Project LCD LED Control

*Domoticz Switch Device State Change triggers Automation Event to set the Pico W LED1 & LCD2004 display.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

**Create Virtual Sensor**

Name:


Sensor Type:


## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	Data
16	VirtualSensors	00014060	1	LED1 Control	Light/Switch	Switch	On

## Device Widget

**LED1 Control** On

 Last Seen: 2023-02-23 19:12:58  
Type: Light/Switch, Switch, On/Off



```
16 on = { devices = { IDX_SWITCH }, httpResponses = { RES_HTTP },  
20 logging = { level = domoticz.LOG_INFO, marker = LOG_MARKER },  
21 }  
22 -- Domoticz  
23 -- For tests the trigger is an switch type onoff  
24 IDX_SWITCH = 16  
25  
26  
27 URL_SERVER = "http://pico-w-ip"  
28 CMD_LED_ON = "({state:'on'})"  
29 CMD_LED_OFF = "({state:'off'})"  
30  
31 RES_HTTP = "RES_PICOW_LCDLEDCONTROL"  
32 LOG_MARKER = "LOG_PICOW_LCDLEDCONTROL"  
33  
34  
35  
36 -- Listen to switch device changes and HTTP responses  
37 on = { devices = { IDX_SWITCH }, httpResponses = { RES_HTTP },  
38 logging = { level = domoticz.LOG_INFO, marker = LOG_MARKER },  
39 }  
40 execute = function(domoticz, item)  
41   domoticz.log(item)  
42   if (item.isDevice) then  
43     local state = item.state  
44     domoticz.log(string.format('Device %s state changed to %s', item.name, state))  
45     if (item.state == 'On') then cmd = CMD_LED_ON end  
46     if (item.state == 'Off') then cmd = CMD_LED_OFF end  
47     -- Submit remote HTTP POST request to set the LCD display  
48     domoticz.domip({  
49       url = URL_SERVER,  
50       method = 'POST',  
51       headers = { ['Content-type'] = 'application/json' },  
52       postData = cmd,  
53       callback = RES_HTTP,  
54     })  
55   end  
56  
57   if (item.isHTTPResponse) then  
58     domoticz.log(item)  
59     if (item.isJSON) then  
60       local data = item.json  
61       domoticz.log(string.format('LED1 status=%s, title=%s, message=%s', data['state'], data['title'], data['message']))  
62     end  
63   end  
64 end  
65  
66  
67 }
```

Domoticz Automation Event dzVents triggered by state change of the Domoticz Switch device (IDX=16).

The event submits a HTTP POST request to the Pico W Web Server to switch the LED1 On/Off and set the state on the LCD2004.

## Pico W with Breadboard Kit & LCD 20x4 & LED1 On



## Thonny - Pico W Web Server Script & Log

```
109 return server  
110 except OSError as e:  
111   ledstatus.off()  
112   cl.close()  
113   raise RuntimeError('[ERROR] M  
114  
115 # Get the command from the HTTP response  
116 # The last line of the HTTP response  
117 # The HTTP response is decoded and split  
118 # Example {"state":"on"}  
119 # Return Command  
120  
121 def getCommand(request):  
122   cmd = {"state":config.MESSAGE_CMD  
123   # Split the decoded request string  
124   data = str(request.decode()).split()  
125   # print(data)  
126   # Check if there is data to get  
127   if (len(data) == 9):  
128     # JSON parse the last list item  
129     # Convert the string to a JSON object  
130     cmd = json.loads(data[8])  
131   else:  
132     print('[ERROR] HTTP POST request  
133     # Return the command as JSON object  
134     print(f'HTTP Command: {cmd}')  
135     return cmd
```

# Project LCD Motherboard

*Domoticz sends RPi Motherboard sensor data to set the LCD 20x4 I2C display connected to the Pico W.*


## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
5	RPi Motherboard	Yes	Motherboard sensors			Disabled

## Domoticz Devices (selective)

Idx	Hardware	ID	Unit	Name	Type	SubType	
18	RPi Motherboard	0001	1	Internal Temperature	Temp	LaCrosse TX3	38.9 C
26	RPi Motherboard	0000044D	1	CPU_Usage	General	Percentage	0.41%
22	RPi Motherboard	0000044C	1	Memory Usage	General	Percentage	18.35%

Pico W with  
Breadboard Kit & LCD 20x4



```
On Off picow_lcdmotherboard
44 -- setSensor(3,5,'T',round(domoticz.devices(IDX_INTERNALTEMPERATURE
45 - local function setSensor(row,col,pre,data)
46   return setText(row,col,string.format('%s%s', pre, tostring(data))
47 end
48 -- [{"internaltemperature"}]= [{"col"}]=5, [{"data"}]= "T:39.4", [{"row"}]=3
49
50
51 - local function getMotherboardData(domoticz)
52   local data = {}
53
54   -- row=1, col=15, data=HH:MM len=5, range = 15+5-1=19
55   data['timestamp'] = setText(1, 15, string.sub(domoticz.time.rawT,
56
57   -- row=3, col=0, data=T:NN len=4, range = 0+4-1=3
58   data['internaltemperature'] = setSensor(3, 0, 'T:', round(domoti
59   -- row=3, col=6, data=C:NN.NN len=5, range = 6+5-1=10
60   data['cpuusage'] = setSensor(3, 6, 'C:', round(domoti
61   -- row=3, col=14, data=M:NN len=4, range = 14+4-1=17
62   data['memoryusage'] = setSensor(3, 14, 'M:', round(domoti
63
64
65
66 --[[
67 data['internaltemperature'] = round(domoticz.devices(IDX_INTERNA
68 data['armclockspeed'] = round(domoticz.devices(IDX_ARMCLOC
69 data['v3dclockspeed'] = round(domoticz.devices(IDX_V3DCLOC
70 data['coreclockspeed'] = round(domoticz.devices(IDX_CORECLOC
71 data['memoryusage'] = round(domoticz.devices(IDX_MEMORYUS
72 data['processusage'] = round(domoticz.devices(IDX_PROCESSU
73 data['hddboot'] = round(domoticz.devices(IDX_HDDBOOT)
74 data['hdd'] = round(domoticz.devices(IDX_HDD)
75 data['cpuusage'] = round(domoticz.devices(IDX_CPUUSAG
76 ]])
77
78 -- Test embedding json: r=row 0-3, c=col 0-19, d=data
79 --[[
80 local x = {}
81 x['r']=3
82 x['c']=5
83 x['d']=string.format('T:%s', tostring(data['internaltemperature']
84 data['temp'] = x
85 ]])
86 domoticz.log(data)
87 return data
88 end
```

## Domoticz Automation Event dzVents

Trigger: Timer

An event is reading in regular intervals the RPi motherboard data.

The data is converted to a JSON object and sent as HTTP POST request to the Pico W Web Server.


```
{
  ["internaltemperature"]=
  { ["col"]=0, ["text"]="T:38", ["row"]=3},
  ["timestamp"]=
  { ["col"]=15, ["text"]="16:19", ["row"]=1},
  ["memoryusage"]=
  { ["col"]=14, ["text"]="M:21", ["row"]=3},
  ["cpuusage"]=
  { ["col"]=6, ["text"]="C:0.35", ["row"]=3}
}
```

## Thonny - Pico W Web Server Script & Log

```
Files
This computer
C:\Daten\projects\homeautomation\
domoticz\
domoticz-microcontroller-workbook\
Chapters\ Raspberry Pi Pico W \
Experiments\LCDMotherboard\ Source
  lcdmotherboard.dzvents
  lcdmotherboard.py
Raspberry Pi Pico
  lcd_api.py
  machine_i2c_lcd.py
  config.py
lcdmotherboard.py
139 raise RuntimeError('[ERROR] Network Connection closed')
140
141 # Get the data from the HTTP response.
142 # The last line of the HTTP response contains the data.
143 # The HTTP response is decoded and split as a string list.
144 # Return data
145 def getHttpData(request):
146   # Split the decoded request string into a list
147   data = str(request.decode()).split(CRLF)
148   # print(data)
149   # Check if there is data to get the first item
150   if (len(data) == 0):
151     # JSON parse the last list item holding the data as JSON
152     # Convert the string to a JSON object
153     data = json.loads(data[len(data) - 1])
154   else:
155     print('[ERROR] HTTP POST request not valid.')
156   # Return the data as JSON object
157   print(f'HTTP POST Data from Domoticz: {CRLF}{data}')
158   return data
159
160 # Main
161 # Listen for incoming connections from the Domoticz Automation Event
162 print(f'NAME (VERSION)')
163
164 # Set the LCD display object
165 lcd = setLCD(LCD_I2C_ADDRESS, LCD_PIN_SDA, LCD_PIN_SCL, LCD_ROWS,
166
167 # Show initial info on the LCD. Waiting is replaced by RPi mother
168 setLCDWelcome(NAME, VERSION, '', WAITING)
169
Shell
>>> %Run -c $EDITOR_CONTENT
Domoticz Motherboard v20230222
==: [39]
Domoticz-ip - red. IP: 192.168.1.108
Network - Client connected from 192.168.1.23
HTTP POST Data from Domoticz:
{'timestamp': {'text': '11:51', 'col': 15, 'row': 1}, 'memoryusage':
ture': {'text': 'T:38', 'col': 0, 'row': 3}}
HTTP Response to Domoticz:
{'status': 'OK', 'title': 'Set LCD', 'message': ''}
```

# Project LCD Text Input

*Domoticz sends text from a Text Device enabling Input to set the LCD 20x4 I2C display connected to the Pico W.*



Inspired by [this](#) Domoticz Forum Post (thanks for sharing).

# Project LED Display TM1637

*Domoticz sends RPi Motherboard Internal Temperature to set the 4-Digit 7-Segment display connected to the Pico W.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
5	RPi Motherboard	Yes	Motherboard sensors			Disabled

## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	Value
18	RPi Motherboard	0001	1	Internal Temperature	Temp	LaCrosse TX3	37.0 C

```
picow_tm1637_motherboard_internal_temperature x +
On Off picow_tm1637_motherboard
20 HTTP_RES = 'RES_PICOW_LCDLEDCONTROL'
21
22 LOG_MARKER = 'LOG_PICOW_LCDLEDCONTROL'
23
24 TIMER_RULE = "every minute"
25
26 -- Helpers
27 local function round(number, decimals)
28     local power = 10^decimals
29     return math.floor(number * power) / power
30 end
31
32 -- Post Data to the Pico W Webserver.
33 -- The data is a JSON object with the temperature rounded
34 local function HTTPPost(domoticz)
35     local data = {}
36     data['data'] = domoticz.devices(IDX_INTERNAL_TEMPERATURE).value
37     domoticz.log(string.format('device=%s, temperature=%s', data['data'], data['data']))
38     domoticz.log(data)
39     -- Submit remote HTTP POST request to set the tm1637 display
40     domoticz.openURL({
41         url = HTTP_URL,
42         method = 'POST',
43         headers = { ['content-type'] = 'application/json' },
44         postData = data,
45         callback = HTTP_RES,
46     })
47 end
```

Domoticz Automation Event dzVents  
Trigger: Timer or Switch  
An event is reading in regular intervals the RPi motherboard internal temperature sensor.


The data is converted to a JSON object and sent as HTTP POST request to the Pico W Web Server.

```
{
  ["data"]=40.900001525879
}
```

## Thonny - Pico W Web Server Script & Log

```
tm1637.py
146 # Create the HTTP response JSON object
147 response = {}
148
149 # Init title (holding the command as JSON object)
150 response[config.KEY_TITLE] = getCommand(request)
151 response[config.KEY_STATE] = config.STATE_ERROR
152 response[config.KEY_MESSAGE] = config.MESSAGE_OKAY
153
154 # TM1637 display set
155 tm.show(' ')
156 sleep(.3)
157
158 # Select the command from the response[config.KEY_TITLE]
159 cmd = response[config.KEY_TITLE]
160 # Get the temperature rounded (no digits)
161 temperature = round(cmd['data'])
162 # Set the display - number only, i.e. 41
163 # tm.number(temperature)
164 # Set the display NN°C
165 tm.temperature(temperature)
```

Pico W with Breadboard Kit & TM1637





# Project Servo Control

*Domoticz Dimmer Device State Change triggers Automation Event to set the angle of a servo motor connected to the Pico W.*



## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	
1	VirtualSensors	00014051	1	Servo Control	Light/Switch	Switch	Set Level: 83 %

## Device Widget



Edit Set Switch  
Type to Dimmer  
and Switch Icon  
to Irrigation

```
On Off picow_servocontrol
35 LOG_MARKER = "LOG_PICOW_SERVOCONTROL"
36
37 -- Helpers
38 -- Round to the nearest number
39 local function roundNearest(number)
40     return math.floor(number + 0.5)
41 end
42
43 -- Post Data to the Pico W Webserver.
44 -- The data is a JSON object with the servo angle and
45 local function HTTPPost(domoticz, angle)
46     local data = {}
47     data['angle'] = angle
48     --data['angle'] = domoticz.devices(IDX_INTERNAL_1)
49     domoticz.log(string.format("device=%s, angle=%d",
50     domoticz.openURL({
51         url = HTTP_URL,
52         method = "POST",
53         headers = { ['content-type'] = 'application/json' },
54         postData = data,
55         callback = HTTP_RES,
56     })
57 end
58
59 return {
60     -- Listen to dimmer device changes and HTTP response
61     on = {
62         devices = { IDX_DIMMER },
63         httpResponses = { HTTP_RES },
64     },
65     logging = { level = domoticz.LOG_INFO, marker = LOG_MARKER },
66     execute = function(domoticz, item)
67         -- domoticz.log(item)
68         if (item.isDevice) then
69             -- Check if state is on, Get the slider
```


Domoticz Automation Event dzVents triggered by state change of the Domoticz Dimmer device (IDX=1). The servo angle is converted from the dimmer level 0-100% to 0-180 deg. 83% = 149 deg.

The event submits HTTP POST request to the Pico W Web Server to set the servo angle. The post-data is a JSON Object:


```
{"angle": 149}
```

Device HTTP POST Request to Pico W Web Server

## Thonny - Pico W Web Server MicroPython Script & Log




## Pico W with Breadboard Kit & Servo Motor SG90




Servo Angle  
149 deg

# Project Button Control

*Pico W with Pushbutton to set the state of a Domoticz Switch On/Off Device.*




Pico W with Breadboard Kit Button K4 connected




# Project Button Control - MQTT Autodiscover

*Pico W Push button set state of Domoticz Push On Button Device using Domoticz MQTT Auto Discovery Client Gateway.*




# Project RFID Reader

*Pico W to read RFID cards/tokens via RFID-RC522 module and send the UID to a Domoticz Text Device.*




```
http://domoticz-ip:port
/json.htm
?type=command
&param=udevice
&idx=IDX_RFID
&nvalue=0
&svalue=879739599
```

Pico W with Breadboard Kit & RFID-RC522 connected




Domoticz Text Device Widget



The RFID card/token UID is:  
879739599 (HEX 346FC2CF).  
The card type is 10.

Domoticz Text Device Log

Date	UID
2023-03-19 12:04:31	1446518016
2023-03-19 12:04:26	879739599
2023-03-19 12:04:19	249942437
2023-03-19 11:39:08	879739599
2023-03-19 11:39:04	1446518016
2023-03-19 11:37:42	879739599
2023-03-19 11:37:22	1446518016
2023-03-19 11:32:21	879739599




Domoticz Text Device Log with Flag


Date	UID
2023-03-20 10:42:01	879739599,0,NOT VALID
2023-03-20 10:42:01	879739599
2023-03-20 10:41:49	879739599,VALID
2023-03-20 10:41:49	879739599

# Project TM1638 LED&KEY

*Pico W with TM1638 to trigger Domoticz device action or Domoticz to set TM1638 LED or Display.*



Pico W with Breadboard Kit & TM1638 LED&KEY





# Project OLED Motherboard



*Domoticz sends RPi Motherboard sensor data to set the 0,96" I2C OLED display connected to the Pico W.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
5	RPi Motherboard	Yes	Motherboard sensors			Disabled

## Domoticz Devices (selective)

Idx	Hardware	ID	Unit	Name	Type	SubType	
18	RPi Motherboard	0001	1	Internal Temperature	Temp	LaCrosse TX3	38.9 C
26	RPi Motherboard	0000044D	1	CPU_Usage	General	Percentage	0.41%
22	RPi Motherboard	0000044C	1	Memory Usage	General	Percentage	18.35%





# Project OLED Motherboard /2


*Domoticz sends RPi Motherboard sensor data to set the 0,96" I2C OLED display connected to the Pico W.  
The sensor data is displayed in up-to 6 blocks with title & value*

OLED Display 6 Blocks Setup  
Each block 2 rows with 4 characters

Col	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Row																
0																
1																
2																
3																

Block Data generated by Domoticz Automation Event.  
Example JSON array with 6 blocks:


```
[
  {'block': 1, 'title': 'Time', 'value': '0947'},
  {'block': 2, 'title': 'Temp', 'value': 42},
  {'block': 3, 'title': 'CPU', 'value': 0.33},
  {'block': 4, 'title': 'Mem', 'value': 22},
  {'block': 5, 'title': 'ARM', 'value': 600},
  {'block': 6, 'title': 'HDD', 'value': 39}
]
```




Pico W with OLED Display showing 6 blocks with RPi Motherboard sensor data

# Project PIR Motion Sensor

*PicoW to detect motion and sent message to a Domoticz Alert sensor.*





Pico W with PIR connected, and motion detected



Note: The yellow LED from the LED traffic light is not used.

# Project BMP280


*Pico W samples BMP280 sensor data and triggers updating the Domoticz Temp+Baro device.*




Note: The green LED is used only from the LED traffic light.

# Project Potentiometer Dimmer

*Pico W to set the level of a Domoticz Switch Dimmer device via Potentiometer.*




Pico W with Breadboard Kit & Potentiometer & LED




Note: The red LED is used only from the LED traffic light.

# Project DS18B20 - Custom Event

*Pico W samples DS18B20 sensor data and triggers Automation Event to update the Domoticz Temperature devices.*



Pico W with Breadboard Kit & DS18B20 & LED




Note: There are two DS18B20 connected (DS18B20-1, DS18B20-2).  
From the LED traffic light, the red LED is used only.



# Project DS18B20 - Node-RED (PULL)


*Pico W Web Server listens to HTTP POST request from Node-RED and sends response with DS18B20 sensor data.*





# Project DS18B20 - Domoticz (PULL)

*Pico W Web Server listens to HTTP POST request from Domoticz and sends response with DS18B20 sensor data.*



# Project Stepper Motor – Selector Switch Angle Move

*Domoticz Selector Switch Device State Change triggers Automation Event to move the Stepper Motor by Angle.*


## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

## Domoticz Devices


Idx	Hardware	ID	Unit	Name	Type	SubType	
43	VirtualSensors	0001407B	1	Stepper	Light/Switch	Selector Switch	Set Level: 20 %

## Device Widget



Device properties with


- custom icon
- 3 levels; Off level hidden.



Domoticz Automation Event dzVents triggered by state change of the Domoticz Selector Switch device (IDX=43).  
The stepper angle moves 5° (hardcoded in the Automation event script).  
The event submits HTTP POST request to the Pico W Web Server to move the stepper motor by the angle specified.

The post-data is a JSON Object:  
{ "angle": 5 } or { "angle": -5 }

Pico W with Breadboard Kit & UNL2003 driver & 28BYJ-48 stepper motor



# Project Stepper Motor - Blind Simulation

*Simulate Domoticz Blind Device State Change triggers Automation Event to move the Angle of a Stepper Motor.*


## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled


## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	Open
42	VirtualSensors	0001407A	1	Blind	Light/Switch	Switch	Open

## Device Widget



Idx: 42
Name: Blind
Switch Type: Blinds




Domoticz Automation Event dzVents triggered by state change of the Domoticz Blinds device (IDX=42).  
The stepper angle to move is for state Open 180° and Closed -180°.  
The event submits HTTP POST request to the Pico W Web Server to move the stepper motor by the angle specified.

The post-data is a JSON Object:  
{ "angle": 180 } or { "angle": -180 }

Note: Instead of using the command "angle", the command "rotate" N times is another possibility.

Pico W with Breadboard Kit & UNL2003 driver & 28BYJ-48 stepper motor



# Project Stepper Motor – Timer Run Stop

*Domoticz Selector Switch State Change triggers Automation Event to run or stop a Stepper Motor.*

## Domoticz Hardware

Idx	Name	Enabled	Type	Address	Port	Data Timeout
3	VirtualSensors	Yes	Dummy (Does nothing, use for virtual switches only) <a href="#">Create Virtual Sensors</a>			Disabled

## Domoticz Devices

Idx	Hardware	ID	Unit	Name	Type	SubType	Off
43	VirtualSensors	0001407B	1	Stepper	Light/Switch	Selector Switch	Off

## Device Widget

**Stepper** **Run Clockwise**

Last Seen: 2023-05-06 17:55:18  
Type: Light/Switch, Selector Switch, Selector

Stop

Run Clockwise


Run Anti-Clockwise

Log

Edit


Timers

Notifications

Idx: 43  
Name: Stepper  
Switch Type: Selector  
Switch Icon: 

On Delay: 0 (Seconds) 0 = Disable  
Off Delay: 0 (Seconds) 0 = Disable  
Protected: ☒  
Selector Style: ☒ Button set ☐ Select menu  
Hide Off level: ☒

Level	Level name
0	Stop
10	Run Clockwise
20	Run Anti-Clockwise



Domoticz Automation Event dzVents triggered by state change of the Domoticz Selector Switch device (IDX=43).

The event submits HTTP POST request to the Pico W Web Server to run or stop the stepper motor.

The post-data is a JSON Object depending action:

- Stop = {"command"="stop"}
- Run Clockwise = {"command"="run", "direction"=1}
- Run Anti-Clockwise = {"command"="run", "direction"=-1}

Pico W with Breadboard Kit & UNL2003 driver & 28BYJ-48 stepper motor

