You are A: Super Admin, Facilitator and Database Checker

You run the call, keep time, announce each phase, read the emails out loud, and run the database checks. You also have every tab, so you are the one who can see everything.

Played by	_____
Sign in with	**erik@rwcll.org**
Password	**erikRWCLL111**
Tabs you should see	Administration, Games, Field board, Reports, Families, Payments
Session 1 (setting up)	You take part (11 steps)
Session 2 (game day and after)	You take part (19 steps)

Rules of the day

- This is a test of the APP, not of you. If something is confusing, that IS the finding: write it down.
- Use your own device (a phone if you can). If you play two people, use two browser windows, one of them private, and keep their pretend clocks separate.
- Do only what your sheet says, when your cue arrives. The facilitator announces each phase on the call.
- Stuck for 3 minutes? Write down the step number and what you saw, tell the facilitator, and move on.
- Do NOT fix or change anything your sheet does not ask for.
- Everything runs on the TEST database. All emails go only to the facilitator's inbox, marked [TEST for ...]. No real person receives anything, and no money moves.
- Tick Pass or Fail for every step. The words on the screen may differ slightly from the sheet: that is fine, but note if a button was hard to find.
- Pretend time (the bar at the top of the page) only changes YOUR browser. Press Use real time when a phase says so.
- A star after a step number (for example 3.1 ★) marks a MUST-PASS step: the minimum the app has to do.

Good to know

- Pretend time changes what the screens, check-in and notes see. A few database rules (such as the date limit when the treasurer works out earnings) use the real date, which is why Phase 7 uses last month's real seeded games.
- The app sends email about every 5 minutes by itself. During the test the facilitator runs the sender by hand, so messages arrive when announced.
- The sign-up email in step 1.1 is the real sign-up system (it goes to a real address), unlike every other message.
- Stripe (real payments) is not built yet. Step 7.11 is a placeholder where your opinion is the result.
- The consent wording is DEMO wording. The real wording will come from the board.
- Written on the sheets: logins and the shared test password. These accounts exist only on the TEST database.

Session 1: Setting up: your steps (A: Super Admin + Facilitator + DB)

Wait for the facilitator to announce each phase. Within a phase, do a step when its Start when cue happens. Steps for ALL are for everyone.

Session 1: Setting up

Get everyone signed in, add a new umpire, link a parent, build Saturday's schedule, and handle the younger umpire who needs consent. About 70 minutes. The Treasurer can skip this session.

#	Start when	Where	What to do	What you should see	Result	Notes
Phase 0: Before we start Facilitator only, then everyone signs in and checks their screen. About 15 minutes.						
0.1	*Before anyone joins the call*	Supabase SQL Editor (TEST project)	If the TEST database has not had the newest seed.sql run on it, run it now. Make sure every database update is applied to TEST too (npx supabase db push --linked, including 20261111100000 and 20261111110000) and that run-all-checks.ps1 passes. Then run the first check below.	seed.sql finishes with no error. Its last result lists every account as OK, EXCEPT Rita Miller (parent5@rwcll.test), who shows PROBLEM: profile not approved: that is expected, she is the waiting registration. The check shows 41 accounts and demo_clock_allowed = true.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 0.1 of testday_db_checks.sql. Select the query and press Run.**
	`-- accounts exist`
	`select count(*) as accounts, 41 as expected`
	`from auth.users where email like '%@rwcll.test';  -- 30 umpires + 10 parents + Casey Turner`
	
	`select value as demo_clock_allowed from public.app_settings where key = 'demo_clock_allowed';  -- true`					

0.2 ★	*After 0.1*	Supabase SQL Editor (TEST project)	Run the starting-state check below.	Every row shows n equal to expected. If any row is wrong, run testday_cleanup.sql (TEST only), then run this check again.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 0.2 of testday_db_checks.sql. Select the query and press Run.**
	`-- starting state (every row: n should equal expected)`
	`select 'games on Nov 14' as what, count(*) as n, 24 as expected`
	`from public.games where (starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`union all select 'assignments on Nov 14', count(*), 17`
	`from public.game_assignments a join public.games g on g.id = a.game_id`
	`where (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`union all select 'youth pay rates (6 divisions x plate and field)', count(*), 12 from public.pay_rates r where r.classification = 'youth' and r.position in ('plate', 'field') and r.effective_on = '2026-09-12'`
	`union all select 'adult pay rates', count(*), 0 from public.pay_rates r where r.classification = 'adult'`
	`union all select 'earnings', count(*), 0 from public.earnings`
	`union all select 'payrolls', count(*), 0 from public.payrolls`
	`union all select 'queued or sent emails', count(*), 0 from public.email_outbox`
	`union all select 'consents', count(*), 0 from public.parental_consents`
	`union all select 'waiting parent registrations (Rita Miller)', count(*), 1`
	`from public.profiles where registration_kind = 'parent_guardian' and account_status = 'pending'`
	`union all select 'Sam Young linked to Maria Smith', count(*), 1`
	`from public.family_links l join public.umpires u on u.id = l.umpire_id join public.profiles p on p.id = l.parent_id`
	`where u.display_name = 'Sam Young' and p.display_name = 'Maria Smith' and l.ended_at is null`
	`union all select 'Casey Turner is a youth', count(*), 1`					

#	Start when	Where	What to do	What you should see	Result	Notes
	`from public.umpires where display_name = 'Casey Turner' and classification = 'youth';` `-- If any row is wrong, run testday_cleanup.sql and then this check again.`					
0.3 ★	*After 0.2*	Supabase SQL Editor (TEST project)	Switch email to SAFE mode, so that every test email goes to ONE inbox that you read. This changes settings (TEST only). In the Supabase SQL Editor paste the block below, then change ONE thing: replace PUT-YOUR-REAL-EMAIL-HERE with the address where you want to read the test emails (your everyday inbox). Press Run. That is all: it is a single block. (It is section 0.3 of testday_actions.sql: copy from its heading line down to the line before the 4.2 heading.)	The result shows four rows: app_url (the site address), email_mode = safe, email_safe_allowlist = empty, email_safe_redirect = your address. From now on no message can reach a real person: all of it arrives at your address marked [TEST for ...].	[ ] Pass [ ] Fail	

DB	**ACTION: THIS CHANGES DATA. It is section 0.3 of testday_actions.sql: run only this section, only at this step.**
	`-- ACTION: email safe mode (one block: change PUT-YOUR-REAL-EMAIL-HERE to the inbox you read, then run the whole block)`
	`update public.sending_settings set value = 'safe' where key = 'email_mode';`
	`update public.sending_settings set value = 'PUT-YOUR-REAL-EMAIL-HERE' where key = 'email_safe_redirect';`
	`update public.sending_settings set value = 'https://rwclldb.github.io/rwcll-umpire-scheduler/' where key = 'app_url';`
	`-- clear the safe list, so that NOBODY receives their own messages: every message goes to the redirect address only`
	`-- (you can put your addresses back in email_safe_allowlist after the test)`
	`update public.sending_settings set value = '' where key = 'email_safe_allowlist';`
	`select key, value from public.sending_settings where key in ('email_mode', 'email_safe_redirect', 'email_safe_allowlist', 'app_url') order by key;`
	`-- email_mode must say safe, the redirect must be YOUR address, and email_safe_allowlist must be empty.`
	`-- Every message goes to the redirect address, marked [TEST for ...].`					

0.4	*After 0.3*	The app: Administration, then Outbox	Press Send me a test message. Then run the sender once from PowerShell (the Invoke-RestMethod command in EMAIL-SENDING.md, Part 3, step 2).	The Outbox banner says SAFE MODE. A test email marked [TEST for ...] arrives within a minute at the address you chose in 0.3 (check spam too), and the Outbox shows it as Sent.	[ ] Pass [ ] Fail	
0.5	*When everyone has joined*	Video call	Welcome everyone and read out the Rules of the day (page 1 of every sheet). Share your screen with your inbox open, so everyone can see the emails as they arrive.	Everyone knows: write down anything confusing, move on after 3 minutes if stuck, do not fix anything, and wait for the call before starting a new phase.	[ ] Pass [ ] Fail	
0.6 ★	*After 0.5 (Facilitator)*	Your own device (a phone if you can)	Open the TEST site address from the facilitator. Sign in with the login on your cast sheet. Look at the tabs across the top. Press Sign out, then sign in again.	You land signed in and the tabs match the list on your sheet. Sign out works. Write down anything odd, such as slow loading or a layout that does not fit your phone.	[ ] Pass [ ] Fail	
0.7	*After 0.6*	Top of the page: the Pretend time bar	Press Set pretend time, pick any date and time, press Set. Then press Use real time.	A bar says Pretend time: (the time you chose) (not real). After Use real time it goes away. (Pretend time only affects your own browser.)	[ ] Pass [ ] Fail	

Phase 1: New people join

A new umpire signs up and a waiting parent is approved and linked to a child. About 15 minutes.

#	Start when	Where	What to do	What you should see	Result	Notes
1.7	*After 1.6 (Umpire Chief)*	Supabase SQL Editor	Run the check below.	The new Test umpire is approved with the adult_umpire role. Rita Miller is approved with parent_guardian. Oliver Miller has one active parent link: Rita Miller.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 1.7 of testday_db_checks.sql. Select the query and press Run.**
	`-- the new people`
	`select p.display_name, p.email, p.account_status, string_agg(ur.role_id, ', ') as roles`
	`from public.profiles p left join public.user_roles ur on ur.user_id = p.id`
	`where p.display_name like 'Test %' or p.display_name = 'Rita Miller'`
	`group by p.display_name, p.email, p.account_status order by 1;`
	`-- The new umpire (named "Test ..."): approved, with the adult_umpire role.  Rita Miller: approved, parent_guardian.`
	
	`select u.display_name as child, p.display_name as parent, l.relationship, l.created_by_name`
	`from public.family_links l join public.umpires u on u.id = l.umpire_id join public.profiles p on p.id = l.parent_id`
	`where u.display_name = 'Oliver Miller' and l.ended_at is null;`
	`-- One row: Oliver Miller / Rita Miller / mother, made by the person who linked her.`				

Phase 2: Building the schedule

Assign umpires to Saturday Nov 14, confirm, take a game, set availability, and try the umpire suggestions. About 25 minutes.

2.11	*After 2.7 (Adult Umpire)*	Supabase SQL Editor	Run the assignments check below.	In addition to the 17 seeded rows you see Liam Smith (plate, 9:00, confirmed) and Michael Chang's new plate game at 9:00 (confirmed), next to his seeded plate games at 12:30 and 17:00 (both assigned).	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 2.x of testday_db_checks.sql. Select the query and press Run.**
	`-- who is assigned on Nov 14 (run after steps 2.4 to 2.8, and any time)`
	`select (g.starts_at at time zone 'America/Los_Angeles')::time as local_start, u.display_name, a.position, a.status, a.attendance, a.self_assigned`
	`from public.game_assignments a join public.games g on g.id = a.game_id join public.umpires u on u.id = a.umpire_id`
	`where (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`order by 1, 3;`
	`-- Before Phase 2 there are 17 rows. After Phase 2 you also see Liam Smith (plate, 9:00) and Michael Chang's new plate game at 9:00,`
	`-- on top of his two seeded games (plate 12:30 and plate 17:00): 19 rows in all.`				

Phase 3: A younger umpire needs a parent's consent

Sam Young is 11. The system must refuse until his mother consents. About 15 minutes.

3.6	*After 3.4 (Scheduler)*	Supabase SQL Editor	Run the check below.	One row: Sam Young, Maria Smith, text_version 2026-11-demo, not withdrawn.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 3.6 of testday_db_checks.sql. Select the query and press Run.**
	`-- consent`
	`select u.display_name as child, p.display_name as parent, c.text_version, c.given_at, c.withdrawn_at`
	`from public.parental_consents c join public.umpires u on u.id = c.umpire_id join public.profiles p on p.id = c.parent_id`
	`order by c.given_at;`
	`-- After step 3.3: one row, Sam Young / Maria Smith / 2026-11-demo, not withdrawn.`					

#	Start when	Where	What to do	What you should see	Result	Notes
3.7	*After 3.5 (Parent)*	Supabase SQL Editor, then your inbox	Run the sender (see 0.4). Then run the email queue check and look in your inbox.	Messages marked [TEST for ...] arrive: Liam's assignment, 'Copy for Liam Smith: ...' for his mother's address (parent1@rwcll.test), and 'Copy for Sam Young: ...' for Maria (Sam has no email of his own). Read them out loud. They should be clear and contain no secrets.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section mail of testday_db_checks.sql. Select the query and press Run.**
	`-- the email queue (newest first; run it at any time)`
	`select created_at at time zone 'America/Los_Angeles' as local_time, status, to_email, left(subject, 90) as subject, last_error`
	`from public.email_outbox order by created_at desc limit 40;`
	`-- status 'queued' = waiting for the sender; 'sent' = sent to YOUR inbox (because of safe mode); 'failed' shows why.`					

Notes and problems (A: Super Admin + Facilitator + DB, Session 1)

Write one line for each problem. Blocker = I could not continue. Annoying = it worked but was confusing or slow. Idea = something that would help.

Step #	What happened, or what confused you	Blocker / Annoying / Idea	Who saw it too?

My score, from 1 (I would not trust it) to 5 (I would happily use it next season): _____

The three most confusing moments:

1. _____
2. _____
3. _____

One thing that worked well: _____

Session 2: Game day and after: your steps (A: Super Admin + Facilitator + DB)

Wait for the facilitator to announce each phase. Within a phase, do a step when its Start when cue happens. Steps for ALL are for everyone.

Session 2: Game day and after

The day before, game day, the reports, payroll, and the later changes (consent withdrawn, turning 18), then the things that must not work. About 2 hours. Everyone takes part.

#	Start when	Where	What to do	What you should see	Result	Notes
Phase 4: The day before (pretend Friday Nov 13) Reminders go out, and parents are copied. About 15 minutes.						
CLOCK: Everyone sets pretend time to Fri 11/13/2026, 9:00 AM.						
4.0a ★	*Before everyone joins Session 2*	Supabase SQL Editor (TEST project)	SESSION 2 STARTS HERE. If Session 1 was on another day, first check that email is still in safe mode and the database was not cleaned up. Run the check below. (If you are running back to back, run it anyway: it takes a minute.)	Every row shows n equal to expected: Liam and Michael assigned, Sam Young's consent and assignment, Rita Miller linked, the new Test umpire approved, and safe mode on. If a row is wrong, a Session 1 step did not happen: do that step by hand now (the person named in the row has it on their sheet), then run this again.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 4.0a of testday_db_checks.sql. Select the query and press Run.**
	`-- SESSION 2 STARTING CHECK (the results of Session 1 must still be there)`
	`select 'Liam Smith is the plate umpire of a Nov 14 game' as what, count(*) as n, 1 as expected`
	`from public.game_assignments a join public.games g on g.id = a.game_id join public.umpires u on u.id = a.umpire_id`
	`where u.display_name = 'Liam Smith (Youth)' and a.position = 'plate' and (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`union all select 'Michael Chang has three Nov 14 games (9:00 new, 12:30 and 17:00 seeded)', count(*), 3`
	`from public.game_assignments a join public.games g on g.id = a.game_id join public.umpires u on u.id = a.umpire_id`
	`where u.display_name = 'Michael Chang' and (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`union all select 'Sam Young has his mother''s consent', count(*), 1`
	`from public.parental_consents c join public.umpires u on u.id = c.umpire_id where u.display_name = 'Sam Young' and c.withdrawn_at is null`
	`union all select 'Sam Young is assigned to a Nov 14 game', count(*), 1`
	`from public.game_assignments a join public.games g on g.id = a.game_id join public.umpires u on u.id = a.umpire_id`
	`where u.display_name = 'Sam Young' and (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14'`
	`union all select 'Rita Miller is approved and linked to Oliver Miller', count(*), 1`
	`from public.family_links l join public.umpires u on u.id = l.umpire_id join public.profiles p on p.id = l.parent_id`
	`where u.display_name = 'Oliver Miller' and p.display_name = 'Rita Miller' and p.account_status = 'approved' and l.ended_at is null`
	`union all select 'the new Test umpire is approved', count(*), 1`
	`from public.profiles where display_name like 'Test %' and account_status = 'approved'`
	`union all select 'email is in safe mode', count(*), 1`
	`from public.sending_settings where key = 'email_mode' and value = 'safe';`
	`-- Every row: n = expected. A row that is wrong means a Session 1 step did not happen (or the test was cleaned up`
	`-- between sessions): do that step quickly by hand (it is on the sheet of the person named in the row), then run this again.`				

4.0b	*After 4.0a*	Your own device	Open the TEST site and sign in with your login (if you were in Session 1 and are still signed in, just check). Look at your tabs. If you were not in Session 1, read page 1 of your sheet first.	You are signed in and your tabs match your sheet. The Treasurer, who skipped Session 1, does steps 0.6 and 0.7 here instead (sign in, then try the pretend time bar).	[ ] Pass [ ] Fail	

#	Start when	Where	What to do	What you should see	Result	Notes
4.1	*Phase 4 begins*	Supabase SQL Editor	Run the count check below.	15 assignments are waiting for a reminder.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 4.1 of testday_db_checks.sql. Select the query and press Run.**
	`-- how many reminders to expect`
	`select count(*) as assignments_to_remind`
	`from public.game_assignments a join public.games g on g.id = a.game_id`
	`where g.status = 'scheduled' and a.reminded_at is null`
	`  and g.starts_at >  '2026-11-13 09:00:00-08'::timestamptz + interval '20 hours'`
	`  and g.starts_at <= '2026-11-13 09:00:00-08'::timestamptz + interval '28 hours';`
	`-- 15: the 12 seeded assignments on games that start by 1:00 PM, plus Liam, Michael Chang's new 9:00 game and Sam Young.`
	`-- (The 5 seeded assignments on the games at 3:30 PM and 5:00 PM are outside the reminder window, so they wait.)`					

4.2 ★	*After 4.1*	Supabase SQL Editor	ACTION (changes data): in testday_actions.sql run ONLY section 4.2. It queues the reminders as if it were Friday Nov 13 at 9:00 AM.	It returns 15. If you run it a second time it returns 0 (nobody is reminded twice).	[ ] Pass [ ] Fail	

DB	**ACTION: THIS CHANGES DATA. It is section 4.2 of testday_actions.sql: run only this section, only at this step.**
	`-- ACTION: queue the day-before reminders as if it were Fri Nov 13, 9:00 AM`
	`select public.queue_game_reminders(p_now := '2026-11-13 09:00:00-08'::timestamptz) as reminders_queued;`
	`-- Should equal the number from the check in step 4.1 (15). Running it a second time returns 0 (nobody is reminded twice).`					

4.3 ★	*After 4.2*	PowerShell, then your inbox	Run the sender (see 0.4). Run it a SECOND time, because it sends at most 20 messages each run. Then read the new emails out loud.	'Reminder: you umpire tomorrow' for Liam and Michael Chang, and 'Copy for ...' reminders for the parents of the youth umpires. Michael's 12:30 PM reminder also says he has not confirmed that game yet and asks him to. (His 5:00 PM game is not reminded yet: it is more than 28 hours away.) None contains a gate code or other private detail.	[ ] Pass [ ] Fail	
Phase 5: Game day (pretend Saturday Nov 14) Check-in, running late, a no-show, a replacement, notes, and a rainout. About 30 minutes.						
CLOCK: Everyone sets pretend time to Sat 11/14/2026, 7:30 AM to start. Steps say when to move your clock forward.						
5.16 ★	*After 5.15 (Scheduler)*	Supabase SQL Editor, PowerShell, your inbox	Run the check below. Then run the sender and read out the new emails.	Arrivals: Liam about 8:50, William about 9:12 (late), Michael about 12:20. Two notes (one admin only). One running-late report. The closure shows reopened. At least one email for the canceled game, including a 'Copy for Sam Young' for his mother. Others are possible (running late, a declined game, a reopened field): write down which of those events sent an email and which sent nothing.	[ ] Pass [ ] Fail	
DB	**DATABASE CHECK (read-only). Section 5.x of testday_db_checks.sql. Select the query and press Run.**					

#	Start when	Where	What to do	What you should see	Result	Notes

```
-- arrivals and late marks on Nov 14
select (g.starts_at at time zone 'America/Los_Angeles')::time as game_start, u.display_name, a.position, a.attendance,
       a.arrived_at at time zone 'America/Los_Angeles' as arrived_local
from public.game_assignments a join public.games g on g.id = a.game_id join public.umpires u on u.id = a.umpire_id
where (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14' and a.attendance is not null
order by 1;
-- Liam Smith: arrived about 08:50 (on time).  Michael Chang's 12:30 game: arrived about 12:20.  The stand-in for the 9:00 AA game: arrived about 09:12
(late).

select (g.starts_at at time zone 'America/Los_Angeles')::time as game_start, t1.name as home, t2.name as away, g.status
from public.games g
join public.teams t1 on t1.id = g.home_team_id join public.teams t2 on t2.id = g.away_team_id
where (g.starts_at at time zone 'America/Los_Angeles')::date = '2026-11-14' and g.status = 'canceled';
-- While the field is closed: the 11:00 A-Mets vs A-Phillies game (Kennedy Middle School) is canceled. After "Reopen" it is gone from this list.

select c.reason, c.closes_from at time zone 'America/Los_Angeles' as from_local, c.closes_to at time zone 'America/Los_Angeles' as to_local, c.reopened_at
from public.field_closures c order by c.created_at desc limit 3;

select n.admin_only, left(n.body, 70) as note, n.author_name
from public.game_notes n where n.body like 'TEST:%' order by n.created_at;
-- Two notes: one visible to umpires (admin_only = false) and one admin_only = true.

select m.minutes, u.display_name, m.reported_at at time zone 'America/Los_Angeles' as reported_local
from public.running_late_reports m join public.umpires u on u.id = m.umpire_id;
```

DATABASE CHECK (read-only). Section mail of testday_db_checks.sql. Select the query and press Run.

```
-- the email queue (newest first; run it at any time)
select created_at at time zone 'America/Los_Angeles' as local_time, status, to_email, left(subject, 90) as subject, last_error
from public.email_outbox order by created_at desc limit 40;
-- status 'queued' = waiting for the sender; 'sent' = sent to YOUR inbox (because of safe mode); 'failed' shows why.
```

Phase 6: After the games

Reports, and downloading a copy of the league's data. About 13 minutes.

CLOCK: Keep pretend time at Sat 11/14/2026, 11:30 AM.

6.4	*After 6.3 (Umpire Chief)*	Reports	Look at the reports list as Super Admin.	You can read both reports. (Schedulers, treasurers, umpires and parents cannot see Reports at all.)	[ ] Pass [ ] Fail	
6.5	*After 6.3 (Umpire Chief)*	Supabase SQL Editor	Run the reports lines of the check below.	One post-game report by Liam Smith and one outside report entered by the Umpire Chief.	[ ] Pass [ ] Fail	

DB

DATABASE CHECK (read-only). Section 6.x of testday_db_checks.sql. Select the query and press Run.

```
-- reports
select author_name, category, left(body, 60) as report from public.game_reports order by created_at desc limit 5;
select entered_by_name, source_role, left(body, 60) as report from public.outside_reports order by created_at desc limit 5;
```

#	Start when	Where	What to do	What you should see	Result	Notes
6.6	*After 6.5*	Administration, then Backup and export	Press Download everything. Open the zip that downloads: read README.txt, and open csv\ umpires.csv in a spreadsheet. Afterwards delete the file (it holds private information), or keep it somewhere safe.	A message says 'Downloaded rwcll-data-(date and time).zip: N tables, M rows'. The line above the button now says 'Last downloaded' with today and your name (not a warning). The README names you, the date, the tables and their row counts, and says what is NOT included (passwords, dashboard settings). The CSV has a header row and a line for every umpire. Then run the database check: the newest row is finished, with the same tables and rows as the message.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 6.6 of testday_db_checks.sql. Select the query and press Run.**
	`-- the download is recorded`
	`select status, tables_count, rows_count, exported_by_name,`
	`  started_at at time zone 'America/Los_Angeles' as started_local, finished_at at time zone 'America/Los_Angeles' as finished_local`
	`from public.export_log order by started_at desc limit 3;`
	`-- The newest row: status finished, the same number of tables and rows as the message on the screen, and your name.`					

Phase 7: Payroll (no real money)

Earnings from last month's real seeded games, a payroll, approval, and recording a payment. About 25 minutes.

CLOCK: Everyone: press Use real time. Payroll uses the earlier games already in the system.

#	Start when	Where	What to do	What you should see	Result	Notes
7.11	*After 7.10 (Treasurer)*	STRIPE PLACEHOLDER: nothing to press	In the real system, this is where each parent would press Set up payments (a Stripe screen) and where the treasurer would send the approved money through Stripe. It is NOT built yet. Write down: where would you expect to find it, what would you want to see, and what would worry you about being paid this way?	Nothing happens. Your notes are the result.	[ ] Pass [ ] Fail	
7.12 ★	*After 7.10 (Treasurer)*	Supabase SQL Editor	Run the earnings, payroll and reconciliation checks below.	127 earnings = $5,475.00. The payroll is approved. Payroll total = payments total = items total = $5,479.50, and lines_without_payee = 0. The money log lists every step.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 7.2 of testday_db_checks.sql. Select the query and press Run.**
	`-- earnings worked out`
	`select count(*) as earnings, sum(amount_cents) / 100.0 as dollars`
	`from public.earnings where voided_at is null;`
	`-- 127 earnings, 5475.00 dollars (after step 7.2 and before any payroll changes).`
	
	DATABASE CHECK (read-only). Section 7.4 to 7.8 of testday_db_checks.sql. Select the query and press Run.
	`-- the payroll`
	`select p.status, p.period_start, p.period_end, p.total_cents / 100.0 as total_dollars`
	`from public.payrolls p order by p.created_at desc;`
	`-- After 7.4: draft, 5479.50.  After 7.7: approved.`
	
	`select m.payee_name, m.umpire_count, m.amount_cents / 100.0 as dollars, m.status, m.method, m.reference`
	`from public.payroll_payments m order by m.payee_name;`					

#	Start when	Where	What to do	What you should see	Result	Notes

			`-- After approval: 10 families. Maria Smith 244.50; Dana Johnson 450.00; Chris Brown 875.00; Rosa Garcia 275.00; Rita Miller 275.00;`
			`-- Pat Nguyen 700.00; Lee Kim 450.00; Sue Patel 685.00; Tom Reyes 700.00; Ana Silva 825.00. Maria's shows paid / check / TEST-1001 after step 7.8.`
			
			DATABASE CHECK (read-only). Section 7.12 of testday_db_checks.sql. Select the query and press Run.
			`-- reconciliation (the three numbers must agree)`
			`select p.total_cents / 100.0 as payroll_total,`
			`(select coalesce(sum(m.amount_cents), 0) from public.payroll_payments m where m.payroll_id = p.id) / 100.0 as payments_total,`
			`(select coalesce(sum(e.amount_cents), 0) from public.earnings e where e.payroll_id = p.id and e.voided_at is null) / 100.0`
			`+ (select coalesce(sum(a.amount_cents), 0) from public.earning_adjustments a where a.payroll_id = p.id and a.voided_at is null) / 100.0 as items_total,`
			`(select count(*) from public.payroll_lines l where l.payroll_id = p.id and l.payee_profile_id is null) as lines_without_payee`
			`from public.payrolls p where p.status in ('approved', 'paid') order by p.created_at desc limit 1;`
			`-- payroll_total = payments_total = items_total = 5479.50, and lines_without_payee = 0.`
			
			`select acted_at at time zone 'America/Los_Angeles' as local_time, actor_name, action, left(detail, 90) as detail`
			`from public.money_log order by acted_at desc limit 25;`		

Phase 8: Families, later Consent withdrawn, and a youth turning 18. About 15 minutes.						
8.3	*After 8.2 (Scheduler)*	PowerShell, then your inbox	Run the sender and read out the new email.	'Consent withdrawn for Sam Young', addressed to the administrators (it arrives with [TEST for ...]), saying he cannot be assigned until consent is given again.	[ ] Pass [ ] Fail	
8.4 ★	*After 8.3*	Supabase SQL Editor	ACTION (changes data): in testday_actions.sql run ONLY section 8.5. It makes Casey Turner turn 18 today and runs the daily birthday job.	The job returns 1 (Casey Turner). (If it says more than 1, a seed umpire had already turned 18: look at the family log.)	[ ] Pass [ ] Fail	

DB	**ACTION: THIS CHANGES DATA. It is section 8.5 of testday_actions.sql: run only this section, only at this step.**
	`-- ACTION: Casey Turner turns 18 today, then the daily job runs`
	`update public.umpire_private_details`
	`set birth_date = ((now() at time zone 'America/Los_Angeles')::date - interval '18 years')::date`
	`where umpire_id = '20000000-0000-0000-0000-000000000033';`
	`select public.convert_turned_18() as umpires_changed;`
	`-- 1. (If it says more than 1, a seed umpire had already turned 18: look at the family log below.)`					

8.6 ★	*After 8.4*	PowerShell, then your inbox	Run the sender and read out the new emails.	THREE messages: to Casey's mother (Pat Nguyen, parent6@rwcll.test): Casey Turner is now an adult umpire (she will no longer be copied, payments go to Casey directly). To Casey (casey.turner@rwcll.test): You are now an adult umpire: please set up your payment account (mentions Stripe). To administrators: 1 umpire turned 18 and became adult umpires.	[ ] Pass [ ] Fail	

#	Start when	Where	What to do	What you should see	Result	Notes
8.7	*After 8.6*	Supabase SQL Editor	Run the check below.	Casey Turner is an adult, with no payee set (an adult is paid to themselves), the adult_umpire role, and 0 active parent links. The family log shows the change made by The system.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section 8.9 of testday_db_checks.sql. Select the query and press Run.**
	`-- after Casey turns 18`
	`select u.display_name, u.classification, u.payee_profile_id,`
	`  (select string_agg(ur.role_id, ', ') from public.user_roles ur where ur.user_id = u.profile_id) as roles,`
	`  (select count(*) from public.family_links l where l.umpire_id = u.id and l.ended_at is null) as active_parent_links`
	`from public.umpires u where u.display_name = 'Casey Turner';`
	`-- adult / no payee set (an adult is paid to themselves) / adult_umpire / 0 active parent links.`
	
	`select acted_at at time zone 'America/Los_Angeles' as local_time, actor_name, action, left(detail, 100) as detail`
	`from public.family_log order by acted_at desc limit 25;`
	`-- Includes "Casey Turner (age 18) is now an adult umpire; guardian links ended" by "The system", and the consent given and withdrawn.`				

Phase 9: Things that must NOT work Each person tries to open a page they should not be able to. About 10 minutes.						
9.7	*Phase 9 begins*	Supabase SQL Editor	Look at the email queue one more time.	Every message was sent to YOUR address (marked [TEST for ...]). No real person received anything from the app today.	[ ] Pass [ ] Fail	

DB	**DATABASE CHECK (read-only). Section mail of testday_db_checks.sql. Select the query and press Run.**
	`-- the email queue (newest first; run it at any time)`
	`select created_at at time zone 'America/Los_Angeles' as local_time, status, to_email, left(subject, 90) as subject, last_error`
	`from public.email_outbox order by created_at desc limit 40;`
	`-- status 'queued' = waiting for the sender; 'sent' = sent to YOUR inbox (because of safe mode); 'failed' shows why.`				

Phase 10: Wrap-up Everyone writes down what they thought. About 10 minutes.						
10.1	*Phase 10 begins*	Your notes page	Fill in the Notes and problems page: the three most confusing moments, anything that did not work, and one thing that worked well. Give a score from 1 (I would not trust it) to 5 (I would use it next season).	A completed page. Be honest: nothing here is a test of you.	[ ] Pass [ ] Fail	
10.2	*After 10.1 (everyone)*	Video call	Go around the call: each person reads their score and their top confusing moment. Collect the pages. Count how many MUST-PASS steps (marked in bold with a star) failed.	A written list of problems, ordered by how many people hit them.	[ ] Pass [ ] Fail	
10.3	*After 10.2*	Supabase SQL Editor (TEST only)	If you will run the test again: run testday_cleanup.sql, then the starting-state check (0.2). Also delete the test accounts people created by signing up (Supabase: Authentication, Users).	The starting-state check is correct again.	[ ] Pass [ ] Fail	

Notes and problems (A: Super Admin + Facilitator + DB, Session 2)

Write one line for each problem. Blocker = I could not continue. Annoying = it worked but was confusing or slow. Idea = something that would help.

Step #	What happened, or what confused you	Blocker / Annoying / Idea	Who saw it too?

My score, from 1 (I would not trust it) to 5 (I would happily use it next season): _____

The three most confusing moments:

1. _____
2. _____
3. _____

One thing that worked well: _____