Sound Intensity Level

1 Introduction

The intensity of a sound wave, I, is the average powerm P per unit area from a sound wave that passes through or into a surface if area A,

$$I = \frac{P}{A}$$

I has units of Power/Area, which has SI units of $(Joules/s)/m^2 = Watts/m^2$. The intensity of various sources of sound is shown in the third column of the following table from Young and Freedman, 14th Edition. The second column is discussed in section 3 of this activity.

Sound Intensity Levels from Various TABLE 16.2 Sources (Representative Values)					
Sound Intensity Level, β (dB)	Intensity, I (W/m²)				
140	10 ²				
120	1				
95	3.2×10^{-3}				
90	10^{-3}				
70	10^{-5}				
65	3.2×10^{-6}				
50	10^{-7}				
40	10^{-8}				
20	10^{-10}				
10	10^{-11}				
0	10^{-12}				
	Sound Intensity Level, β (dB) 140 120 95 90 70 65 50 40 20 10 10				

If the sound wave is created by a point source with power P, is emitted uniformly in all direction (isotropically), and there are no reflections or obstructions, the intensity varies with the distance r from the point source according to

$$I=rac{P}{4\pi r^2}$$

Because I is proportional to r^2 , if the disance from the source doubles, the intensity decreases by a factor of four.

2 Sound Intensity, I

2 Sound Intensity, 1
Suppose a bird sitting on the top of a lamp post emits sound with a power of 1 W; assume that the relationship $I=P/4\pi r^2$ applies.
1. What is I at a point 1 m away?
2. What is <i>I</i> at a point 10 m away?
2. What is I at a point to in away:
A since is a withing a sound at a sound out into with least a sound of the wall in T. D/A 2 and in
A siren is emitting sound at a constant intensity level; assume that the relationship $I=P/4\pi r^2$ applies.
3. If you move three times farther away from the siren, by what ratio does the sound intensity change?

4. If instead you moved four times closer to the siren, by what ratio does the sound intensity change?

3 Sound Intensity Level, β

Because of the sound intensity values of human hearing span a very large range, from 0.0000000000001 to 100 W/m^2 (see the table in the introduction), we define an alternative measure of intensity called the sound intensity *level*, β . The equation that relates sound intensity level I, with sound intensity, β , is

$$eta = (10 ext{ dB}) \log_{10} \left(rac{I}{I_o}
ight)$$

where dB stands for "decibels".

One advantage to using this formula is that its values span a much smaller range, from 0–140, as shown in the second column of the table in the introduction. Another advantage is that the reference value of zero corresponds to something easily interpreted: 0 dB means something that is barely audible by humans.

1. Logarithmic scales are often used in science an engineering. Give at least one other example besides sound intensity level that is a quantity that is based on a logarithmic scale.

2. If you increase the sound intensity of a speaker on a TV from I_1 to I_2 and $I_2/I_1=10$, what is $\beta_2-\beta_1$?

3. If you increase the sound intensity level of a speaker on a TV from β_1 to β_2 and $\beta_2 - \beta_1 = 20$ dB, what is I_2/I_1 ?

4. A city council adopted a law to reduce the maximum allowed sound intensity level of leaf blowers from 95 dB to 70 dB. With the new law, what is the ratio of the new maximum allowed intensity to the previously allowed intensity?

5. If you move three times farther away from the siren, what is the change in the sound intensity level?

6. If instead you moved four times closer to the siren, what is the change in the sound intensity level?

7. You are trying to hear a juicy conversation, but from your distance of 15.0 m the sound intensity level is that of only an average whisper, 20.0 dB. How close should you move for the sound intensity level to the same as a quiet radio in your home? Show your work.

8. Solve for I in the equation $\beta = (10 \text{ dB}) \log_{10} \left(\frac{I}{I_o}\right)$

9. Solve for I_2/I_1 in the equation $\beta_2-\beta_1=(10~\mathrm{dB})\log_{10}\left(\frac{I_2}{I_1}\right)$