

Ohio River Trail Council
BC Council of Governments
December 13, 2018
Welcome



*Stephanie Burch
Center Township*

Ohio River Trail Council

Programs & Projects

Dr. Vincent Troia, CEO






Ohio River Trail Council

Program & Projects

Beaver County Bicycle Suitability Map

Lawrence County Bicycle Suitability Map



Ohio River Trail Council Programs & Projects



Beaver County Bicycle Suitability Map

- ▶ The ORTC supports the development of a Bicycle Suitability Map for Beaver County
- ▶ Assigns each road as above average, average, or below average for cycling



Ohio River Trail Council Programs & Projects



Lawrence County Bicycle Suitability Map

- ▶ Leann C. Chaney, AICP,
Transportation Planner, Southwestern
Pennsylvania Commission
- ▶ Two Chatham Center, Suite 500, 112
Washington Place, Pittsburgh, PA
- ▶ Telephone: 412.391.5590 x387

Ohio River Trail Council Programs & Projects



103

Beaver County Bicycle Suitability Map *Primary Factors*

- ▶ Traffic Volume
- ▶ Speed Limit
- ▶ Lane Width
- ▶ Slope
- ▶ Shoulder Width
- ▶ Truck Volume

Suitability Categories


Primary factors

Segment Criteria	Above Average for cycling	Average for cycling	Below Average for cycling
Traffic Volume (current AADT)	< 2,500	2,501 to 5,000	> 5,000
Speed Limit (mph)	< 30 mph	30 to 40 mph	> 40 mph
Lane width (ft)	> 12 ft	10 to 12 ft	< 10 ft
Slope (degrees)	< 2.5	2.5 to 5	> 5
Shoulder width(ft)	> 4 ft	2 to 4 ft	< 2 ft
Volume % Truck	< 8%	8% to 14%	> 15%


Secondary factors (evaluated qualitatively using video log or field observation)

- Lane & shoulder surface condition
- Sight distance
- Horizontal and vertical curves
- Available parallel streets/trails
- Level of uncontrolled commercial access / land use
- On-street parking
- Designated bike route

General Suitability Evaluation Matrix




New Castle Zoom



Ohio River Trail Council Programs & Projects



Lawrence County Bicycle Suitability Map





Ohio River Trail Council

Program & Projects

Bicycle Parking

Ohio River Trail Council Programs & Projects



109

Bicycle Parking

- ▶ ORTC Bicycle Parking Program Manual
- ▶ A Bike Corral parks 10 - 14 bicycles
- ▶ Fits in one automobile parking space
- ▶ Plans & materials provided by ORTC
- ▶ Labor provided by Eagle Scout, Municipality or Volunteers

Ohio River Trail Council Programs & Projects




110

Bicycle Parking *Bicycle Café - Pittsburgh, Pa*



SETBACKS

Follow these recommended setbacks when installing racks near walls, streets, infrastructure, or other bike racks.




* These setbacks represent generally recommended distances. Be sure to consult local building and city codes before installing racks.

Ohio River Trail Council Programs & Projects



Bicycle Parking




Bicycle Corral



Madrax Bike Corral

Using the Rear Triangle





Ohio River Trail Council

Program & Projects

Outdoor Message Centers


Ohio River Trail Council Programs & Projects



116

Outdoor Message Centers

- ▶ Plans & materials provided by ORTC
- ▶ Labor:
 - ❑ Eagle Scout
 - ❑ Municipality
 - ❑ Volunteers



Monaca Outdoor Message Center





Ohio River Trail Council

Program & Projects

Ohio River Water Trail

Ohio River Trail Council Programs & Projects



119

Ohio River Water Trail

- ▶ Ohio River: 33-miles (Dashields L/D)
- ▶ Beaver River: 3-miles (Townsend Dam)
- ▶ Raccoon Creek: 4-miles (Moffett Run Road)
- ▶ Little Beaver Creek: 2-mi (Beaver Creek State Park)

Ohio River Trail Council Programs & Projects



120

Ohio River Water Trail

- ▶ Earned the distinction of an official PA State Water Trail January 4, 2013.



Ohio River Trail Council Programs & Projects



121

Ohio River Water Trail

► State Water Trail

- ❖ <http://www.water.ohiorivertrail.org/index.php/en/>
- ❖ <http://fishandboat.com/watertrails/trailindex.htm>



Ohio River Trail Council Programs & Projects



Ohio River Water Trail

- ▶ Water Trail Map & Guide published on 08/01/2013
- ▶ Funded by a \$20,000 grant from the Port of Pittsburgh Commission and an \$11,000 grant from the National Park Service.



**Port of Pittsburgh
Commission**







ENTITIES ALONG THE WAY



2.8 R	5	Lock 54, Sandy & Beaver Canal, 1848	
4.3 L	6	Lock 52, Sandy & Beaver Canal, 1848	
4.5 L	7	Grimm's Bridge - Off Top Highway 1042	
4.5 L	8	Grimm's Railroad Tunnel	
4.8 L	9	Lock 51, Sandy & Beaver Canal, 1848	
5.2 L	10	Lock 50, Sandy & Beaver Canal, 1848	
6.7 R	11	Lock 49, Sandy & Beaver Canal, 1848	
7.0 L	12	Smith's Ferry Railroad Bridge	
7.8 L	13	The Forks	
8.0	14	Ohio Route 170 Bridge Fredericktown, Ohio	
8.5 R	15	Lock 46, Sandy & Beaver Canal, 1848	
9.6 R	16	Lock 45, Sandy & Beaver Canal, 1848	
11.0	17	Sprucevale Road Bridge	
11.0 L	18	Lock 42, Sandy & Beaver Canal, 1848	
11.1 L	2	Sprucevale Launch Old Fredericktown Road (40.70404°; -80.585233°)	  
11.7 R	19	Gretchen's Lock [Lock 41]	
14.3 R	3	Pioneer Village Launch Echo Dell Road. (40.72425°; -80.61534°)	  
14.3 R	20	Lock 36, Sandy & Beaver Canal, 1848	
14.3	21	Echo Dell Road Bridge	

The map illustrates a 15-mile excursion on the Ohio River. It begins at the top right, near Mile 7+, and flows generally westward. Key features include:

- Rapids:** Indicated by red circles with numbers 5, 6, 7, 8, 9, 10, 11, and 12. Rapids 11 and 12 are near the top right, while rapids 5 through 10 are further downstream.
- Bridges:** Labeled as "USGS Gage - Grimm's Bridge" and "Grimm's Bridge Road".
- Roads:** "Duke Road" is shown crossing the river near rapids 11 and 12. "Tuscarawas Road" crosses the river near rapids 5 and 6.
- Geographic Features:** "Beaver Creek State Forest" is shown as a green area. "Ohioville" is marked near rapids 5 and 6.
- Mileage Markers:** "Mile 2 +", "Mile 3 +", "Mile 4 +", "Mile 5 +", "Mile 6 +", and "Mile 7 +" are indicated along the river.
- Warnings:** A yellow box with a warning icon states: "WARNING RAPIDS FROM FREDERICKTOWN TO THE OHIO RIVER SHOULD NOT BE ATTEMPTED BY NOVICES AT HIGH WATER. TWO OF THE RAPIDS CAN REACH A SOLID CLASS III".
- Other Labels:** "Upper Dry Run" is shown at the bottom left, and "OHIO PENNSYLVANIA" is labeled near Tuscarawas Road.

Suggested Trip:

Beaver Creek State Park to Lock 57 Park

The start of this 15-mile excursion is at Pioneer Village, Beaver Creek State Park. The first segment, Beaver Creek State Park to Fredericktown, is classified a class I – II which has riffles and small rapids and is appropriate for the beginner/intermediate paddler at a wide range of water levels. The Lock Ledge rapid provides a nice surfing spot for beginners. The best rapid of this section is Piano rapid, which can be surfed at a minimum water level of 1-foot on the wooden gage at Beaver Creek State Park or at 300 cubic feet of water per second (cfs) based on the USGS gage at Grimm's Bridge. Just above 1000 cfs, you get the best play. This section of the creek is excellent for beginner kayakers to learn water-reading skills, develop the basic surfing/ferrying skills, as well as getting the feel of easy rapids down normal water levels. A secondary access is at Sprucevale.

The second segment of the creek, Fredericktown to Lock 57 Park, is wider and deeper than the section upstream and is appropriate for the intermediate/advanced paddler. This section does have one intense rapid, Eagle (the largest on the creek) a class II that approaches class III at high water levels, found just downstream of the Fredericktown Bridge. At 2500 cfs, it can provide a nice park 'n' play rapid, with some decent surfing spots. The take-out for this journey is at the mouth of the creek, where it joins the Ohio River at Lock 57 Park.

Ohio River Water Trail



THE HAZARDS OF PADDLING THE OHIO RIVER

The Ohio is a magnificent river. For water enthusiasts, nothing beats floating down the Ohio River in a kayak. Nevertheless, many hazards exist on the Ohio River such as river crossings, commercial traffic, wind waves, swift river currents, high water levels, and strainers. The Ohio River provides a wide-range of experiences, therefore we suggest that you complete a safety class and professional instruction before paddling the mighty Ohio River. No one should attempt kayaking without proper training.

RIVER CURRENTS & WATER LEVELS

Avoid kayaking at high water conditions, which cause strong currents and force debris from the banks into the river. Rainfall also increases the risk of treacherous currents and submerged debris that can cause accidents and injuries. Real-time Streamflow information available at the USGS Water Watch website: waterwatch.usgs.gov/

WIND, WAVES, & RIVER CROSSINGS

The Ohio River is very wide and it takes a considerable amount of time and effort to cross via a canoe or kayak. Once out into the river you may experience waves and choppy conditions, especially if it is windy. Due to the winding nature of the river, wind direction changes often. You can minimize the wind's influence on your boat by kayaking directly into the wind.

COMMERCIAL TRAFFIC

The Ohio River is classified as federal waters, and all boats must comply with the U.S. Coast Guard requirements. These vessels are confined to a shipping channel. Recreational boats must yield the right of way to commercial vessels. An important constraint is the pilot's "blind spot." The blind spot extends for hundreds of feet in front of the boat. Therefore, do not canoe or kayak in the path of barges. Barges have limited navigation due to their size and weight and therefore cannot turn or stop quickly. It can take up to three miles for a towsail to take a string of full barges. In addition, "Wheel Vane" is a strong underwater current caused by a boat's bow engine that can result in severe turbulence hundreds of yards behind a barge vessel. Consequently, recreational watercraft must maintain at least 1000 feet in clearance behind the rear of towsails.

RESTRICTED AREA

The section immediately above and below each lock and dam is designated as a Restricted Area. Waters in these areas are turbulent, unpredictable and potentially dangerous. Strong currents can easily trap and drown a potential victim without warning. Signs and/or flashing red lights mark the limits of the regulated sections at each lock and dam. No person, vessel or other floating craft shall enter any such guarded zone at any time and are subject to a summary offense and penalties. Lockmasters enforce the adherence to these laws and, if required, assist a law enforcement officer in the interest of public safety, please articulate to other boaters or anglers about the hazards of lock and dam structures.



LOCKING THROUGH

Locking through is recommended for experienced paddlers only.

- When heading downstream, the dam is difficult to see. Stay alert and keep track of your location (be visible and upstream of off-ramp). Come down to the correct side of the river that the lock is located on as much as one mile before you arrive and hug the shoreline. Keep an eye out for the "GANGER GATE" signs and the white and orange pillar buoy (they may be "spoon out" of the river depending on time of year and river flow).
- Let the Lock Master know you are there by ringing the bell located at the end of the stream wall, calling them on the phone or VHF radio channel 13 or by sounding one long blast from a boat whistle followed by two short blasts. Advance communication is advised. Check schedule for hours.
- Approach the lock and be aware of the following signals. Red means stand clear and do not enter. Yellow means approach lock under full control. Green means proceed to enter lock area. The Lock Master may also signal via air horn: one long blast means enter lockward lock, two long blasts means enter riverward lock, one short blast means leave lockward lock and two short blasts means leave riverward lock.
- Carry aboard at least seventy-five feet of mooring line to secure your small craft safely to the lock wall. The Lock Master requires the right to deny permission to pass through due to inadequate line. To proceed, give one end of the line to the Lock Master. He will place around the mooring hook above, feed the rope through your hand going up-stream with the water level while holding the other end and secure.
- After being let up-stream, wait for the Lock Master to give you an OK before proceeding. Leave at a slow and consistent speed during close yet a mile inside the stream wall. Do not play into you are well away from the pull of the dam's current and other boat traffic.

LOCKING THROUGH

Locking through is recommended for experienced paddlers only.

LOCKING THROUGH

Locking through is recommended for experienced paddlers only.

LOCKING THROUGH

Locking through is recommended for experienced paddlers only.

The Mighty Ohio River

Beaver River
The confluence of the Allegheny and the Monongahela Rivers forms the Ohio ("Ohio") named by the Iroquois Indians. The French explorer Rene-Robert Cavelier, Sieur de La Salle found a river beautiful, its resources and animals in state. He was so taken with the Ohio River when he first laid eyes on it in 1683 that he described it as "La Belle Riviere". After a beautiful river named "La Belle Riviere" with its four that it might be confused with any other. Thomas Jefferson declared "The Ohio is the most beautiful river on earth, its current gentle, waters clear, and bottom smooth and unbroken by rocks and rapids, a single continuous valley unscarred." The same was experienced there and still is today. The mighty Ohio River includes many scenic points, gardens and estates, which were inspired by its beauty, charm and spirit. The combination, along the river, were a crowd of their most famous and distinguished people with its majestic, historical markers and beautiful mountains.

SUGGESTED TRIPS

Ohio River - Charters Creek
The Ohio River Charters Creek has its launch at Westfall Street for a scenic view of the river and the town of Charters Creek. After passing the town of Charters Creek, the river flows into the mouth of Charters Creek on the left bank. After passing the town of Charters Creek, the river flows into the mouth of Charters Creek on the left bank. After passing the town of Charters Creek, the river flows into the mouth of Charters Creek on the left bank.

Beaver River - Racoon Creek
The Beaver River - Racoon Creek City launches from the Beaver River for a scenic view of the river and the town of Racoon Creek. After passing the town of Racoon Creek, the river flows into the mouth of Racoon Creek on the left bank. After passing the town of Racoon Creek, the river flows into the mouth of Racoon Creek on the left bank.

Pennington - Ohio River Islands
Georgetown and Phillis Island are members of the Ohio River Islands National Wildlife Refuge. Both islands are beautiful, scenic, and offer a variety of recreational activities. The islands are located on the Ohio River, and they are a great place to enjoy the river and the surrounding landscape.

Leeterville to Freedom
The Leeterville to Freedom trip begins at Leeterville, home to a Dutch archaeological site dating back to 6000 BC. The trip continues along the right descending bank past Old Economy Village and the Leeterville Lock and Dam. The trip ends at Freedom, where you can enjoy the river and the surrounding landscape.

Legend

- OWIT TRWT
- Stock Launch
- Beach Launch
- Ramp Launch
- Road Bridge
- Railroad Bridge
- Lock & Dam
- Land Based Trails
- Important Areas (Audubon Society)
- Public Restrooms
- Parking
- ADA Accessible
- Storage Rack
- Picnic Area
- Food
- Shopping
- Historic Attraction
- Camping
- Rifles/Rapids
- Boat Rack
- Dam Hazard Area
- USCG Station (See Gauge Station Number Accessible nearby by gauge number)

Legend

- OWIT TRWT
- Stock Launch
- Beach Launch
- Ramp Launch
- Road Bridge
- Railroad Bridge
- Lock & Dam
- Land Based Trails
- Important Areas (Audubon Society)
- Public Restrooms
- Parking
- ADA Accessible
- Storage Rack
- Picnic Area
- Food
- Shopping
- Historic Attraction
- Camping
- Rifles/Rapids
- Boat Rack
- Dam Hazard Area
- USCG Station (See Gauge Station Number Accessible nearby by gauge number)

Legend

- OWIT TRWT
- Stock Launch
- Beach Launch
- Ramp Launch
- Road Bridge
- Railroad Bridge
- Lock & Dam
- Land Based Trails
- Important Areas (Audubon Society)
- Public Restrooms
- Parking
- ADA Accessible
- Storage Rack
- Picnic Area
- Food
- Shopping
- Historic Attraction
- Camping
- Rifles/Rapids
- Boat Rack
- Dam Hazard Area
- USCG Station (See Gauge Station Number Accessible nearby by gauge number)

Legend

- OWIT TRWT
- Stock Launch
- Beach Launch
- Ramp Launch
- Road Bridge
- Railroad Bridge
- Lock & Dam
- Land Based Trails
- Important Areas (Audubon Society)
- Public Restrooms
- Parking
- ADA Accessible
- Storage Rack
- Picnic Area
- Food
- Shopping
- Historic Attraction
- Camping
- Rifles/Rapids
- Boat Rack
- Dam Hazard Area
- USCG Station (See Gauge Station Number Accessible nearby by gauge number)

Ohio River Trail Council Programs & Projects



128

Ohio River Water Trail

- ▶ National Recreation Trail designation awarded on 06/04/2014



*Ohio River Water Trail
Beaver River*



Ohio River Water Trail



*Little Beaver Creek
Ohio River Water Trail*



*Ohio River Water Trail
Beaver River*





*Ohio River Water Trail
Ohio River Islands
National Wildlife Refuge
Georgetown Island*

OHIO RIVER TRAIL COUNCIL

— SAFE PADDLING TIPS —

- MONITOR WEATHER AND WATER CONDITIONS
- NO ALCOHOLIC BEVERAGES WHILE BOATING
- PLAN YOUR TRIP AND NEVER BOAT ALONE
- DO NOT PADDLE RIVERS IN FLOOD STAGE
- KNOW FISHING AND BOATING REGULATIONS
- ALWAYS WEAR A PERSONAL FLOTATION DEVICE
- WEAR PROPER CLOTHING TO AVOID HYPOTHERMIA
- ONLY PADDLE WATER APPROPRIATE TO YOUR SKILLS
- SCOUT AHEAD AND BE PREPARED FOR RIVER HAZARDS
- ALWAYS PADDLE WITH PEOPLE WHO KNOW THE RIVER
- KNEEL TO INCREASE YOUR STABILITY IN ROUGH WATER
- PORTAGE (CARRY) YOUR BOAT AROUND LOW-HEAD DAMS
- FILE A FLOAT PLAN WITH A RELIABLE PERSON - WHERE YOU'RE BOATING AND WHEN YOU EXPECT TO RETURN



www.OhioRiverTrail.org




Montgomery Slough

Avoid Montgomery Slough when Paddling
Restricted Area

Ohio River

Montgomery Dam



*Ohio River Water Trail
Security Zone*



Security Zone

Extending 200 feet from the shoreline of the left descending bank beginning from mile marker 34.6 and ending at mile marker 35.1 - Entry into or remaining in this zone is prohibited unless authorized by the Coast Guard Captain of the Port, Pittsburgh.

*Ohio River Water Trail
Security Zone*



Ohio River Trail Council

Program & Projects

North Shore Feasibility Study
Part II

Ohio River Trail Council Programs & Projects




139

North Shore Feasibility Study Part II

- ▶ Ohio River Greenway Trail & Water Trail
- ▶ Rochester Twp. to Baden
- ▶ Norfolk Southern RR & River Road
- ▶ Riverfront Park development –
Rochester Twp., Freedom, Conway,
and Baden, Pa.

Norfolk Southern RR
Rochester Township, Pa
Parcel 76-153-0174.00E




Rochester Borough Parcel
46-001-0319.001

McKinley Run



Island Av






Norfolk Southern RR Property & National Fuel Easement



Ohio River North Shore Trail
River Road- Conway, Pa





*View of Ohio River
Pinney Street, Baden, Pa*



Ohio River Trail Council

Program & Projects

Ohioville, Pa

Ohio River Trail Council Programs & Projects



Ohioville, Pa

- ▶ Ohio River Greenway North Shore Trail
- ▶ Ohioville parcels needed along Little Beaver Creek
- ▶ Private property acquisition



Ohio River Trail Council Programs & Projects



Ohioville, Pa

- ▶ Former Youngstown & Southern Railroad Smiths Ferry Branch
- ▶ Pittsburgh, Lisbon & Western Railroad ROW





Youngstown & Southern RR ROW

Ohio River Trail Council Programs & Projects



150

Ohioville, Pa

- ▶ The Smith's Ferry Branch line was operated by the Youngstown & Southern Railway (a joint venture between Pennsylvania RR and the Pittsburgh and Lake Erie (itself a part of the New York Central

Ohio River Trail Council Programs & Projects



Ohioville, Pa

- The Smith's Ferry Branch line purpose was to move bituminous coal brought in from ferries on the Ohio River at Smith's Ferry and transport it inland to coal processing plants. The line connected with another Y&S line at Negley.

Ohio River Trail Council Programs & Projects



Ohioville, Pa

- ▶ The Smith's Ferry Branch line served a coal washing facility just south of Negley operated by the Pittsburgh Consolidation Coal Company.
- ▶ After being washed, the coal was moved to Republic Steel Corporation, Youngstown, Ohio.



*Youngstown & Southern RY
Smiths Ferry Branch*




Ohio River Trail Council Programs & Projects



Ohioville, Pa

- ▶ The Smith's Ferry Branch line right-of-way included a tunnel and trestle near Little Beaver Creek
- ▶ The track was removed in 1995



Pittsburgh, Lisbon & Western Railroad
Youngstown & Southern Railway



Youngstown & Southern RY ROW
Railroad tunnel in the Grimms
Bridge area of St. Clair Township

An aerial photograph showing a dense green forest. A river, Bieler Run, flows diagonally from the top left towards the bottom center. A long, straight railway trestle bridge crosses the river, extending from the top center towards the bottom right. The water in the river is a light, murky brown color, contrasting with the surrounding green trees.

Youngstown & Southern Railway Trestle over
Bieler Run just south of Fredericktown.
It was 1500ft long and 100ft high Run

*Youngstown & Southern RY
Railroad Trestle*



*Youngstown & Southern RY
Railroad Trestle*





Trail Head
P. L. & W. Railroad
Built 1886
232 South Market

*Little Beaver Creek Greenway present terminus is the
Pittsburgh, Lisbon & Western RR Station Trailhead*

Little Beaver Creek



Ohio River Water Trail
Dual Trailhead
Lock 57 Park, Ohioville






Ohio River Water Trail
Dual Trailhead
Lock 57 Park, Ohioville

Ohio River Water Trail Dual Trailhead Lock 57 Park, Ohioville



*Sandy & Beaver Canal
Lock 54*





Ohio River Trail Council

Program & Projects

Coraopolis, Pa

Ohio River Trail Council Programs & Projects



168

Coraopolis, Pa

- ▶ Ohio River Greenway South Shore Trail Phase I
- ▶ Bike PA Route A
- ▶ PA Route 51
- ▶ Bicycle Friendly



Ohio River Trail Council Programs & Projects



169


Coraopolis, Pa

- Bicycle infrastructure improvements
 - ❖ Share-the-Road signage
 - ❖ Sharrows
 - ❖ Road edge markings
 - ❖ Bicycle parking






DECAL LOGO
ON STEEL



ORTC PARK PLACE
CUSTOM BICYCLE CORRAL



SIDEWALK



171

Ohio River Greenway Trail
Bike Pa Route A, Coraopolis, Pa



EXISTING CONDITIONS

BIKE ROUTE & "SHARE THE ROAD"
SIGNS

SHARROWS; INSTALL CLEAR OF CAR DOORS.
DELINEATE EDGE OF ROAD PARKING SPACES AT 7' X 22'

ENHANCEMENT RENDERINGS
5TH STREET BIKE ROUTE
CORAOPOLIS BOROUGH

FIGURE 15



Mackin Engineering Company
RDC Park West
117 Industry Drive
Pittsburgh, PA 15275-1015
info@mackinengineering.com



Ohio River Trail Council

Program & Projects

Aliquippa, Pa

Ohio River Trail Council Programs & Projects



Aliquippa, Pa

- ▶ Ohio River Greenway South Shore Trail
- ▶ Relocate part of Bike PA Route A to Woodlawn Road
- ▶ Bicycle Parking



*Ohio River Greenway
South Shore Trail
West Aliquippa*



Bike PA Route A
Route 51 South



*Ohio River Greenway North Shore Trail
Beaver County Jail Trail, Center Township*



Ohio River Trail Council

Program & Projects

Rochester, Pa

Ohio River Trail Council Programs & Projects



179

Rochester, Pa

- ▶ Ohio River Greenway North Shore Trail
- ▶ Riverfront Park
- ▶ Bicycle Parking



Ohio River North Shore Trail
Rochester, Pa



Ohio River North Shore Trail Riverfront Park - Rochester, Pa





*Ohio River North Shore Trail
ORTC River Run Road Race Series
Riverfront Park - Rochester, Pa*



*Ohio River North Shore Trail
ORTC River Run Road Race Series
Riverfront Park – Rochester, Pa*





Ohio River Trail Council

Program & Projects

Monaca, Pa

Ohio River Trail Council Programs & Projects



Monaca, Pa



- ▶ Ohio River Greenway South Shore Trail
- ▶ Monaca Gateway Project
- ▶ Pennsylvania Ave Streetscape
- ▶ Ninth Street Bike Lanes
- ▶ Bicycle Parking



Bike Pa Route A
Ohio River Trail
Monaca, Pa


Ohio River Greenway South Shore Trail Bike Pa Route A Ninth St. Bike Lanes Monaca, Pa

DISTRICT	COUNTY	ROUTE	SECTION	SHEET
11-0	BEAVER	0018	B53	28 OF 33
MONACA BOROUGH				
REV NO	REVISIONS	DATE	BY	APPD



WASHINGTON AVE.

WALNUT ALLEY



SEE SHEET 29 OF 33



Ohio River Trail Council

Program & Projects

Ambridge, Pa

Ohio River Trail Council Programs & Projects



189

Ambridge, Pa

- ▶ Ohio River Greenway North Shore Trail
- ▶ Merchant St. Streetscape
- ▶ Bicycle Parking

190



*Old Economy Village
Ambridge, Pa*



Ohio River Trail Council

Program & Projects

Beaver, Pa

Ohio River Trail Council Programs & Projects



192

Beaver, Pa

- ▶ Ohio River Greenway North Shore Trail
- ▶ Bicycle Parking
- ▶ Riverfront Park



Beaver Riverfront Park



Ohio River Trail Council

Program & Projects

Beaver Falls, Pa

Ohio River Trail Council Programs & Projects



Beaver Falls, Pa

- ▶ Bike Route PA Route A
- ▶ Bicycle Lanes
- ▶ Bicycle Parking
- ▶ Beaver River Trail



Ohio River Trail Council

Program & Projects

Raccoon Creek Greenway

Ohio River Trail Council Programs & Projects



Raccoon Creek Greenway

- ▶ Feasibility Study
- ▶ Potter Township to Pittsburgh Airport
- ▶ Private property

Ohio River Trail Council Membership

Dr. Vincent Troia, CEO



Ohio River Trail Council Membership



199

ORTC License Plate

- ▶ <http://membership.ohiorivertrail.org/index.php/license-plate>
- ▶ \$60 donation



Questions



Answers

Ohio River Trail Council Planning References

Dr. Vincent Troia, CEO



Ohio River Trail Council Planning References



Plans, Studies & Reports

- ▶ Beaver County Recreation, Park and Open Space Plan (February 2018)
- ▶ PennDOT Bicycle and Pedestrian Master Plan (Spring 2019)
- ▶ SWPA Regional Active Transportation Plan (Draft June 2018)

Ohio River Trail Council Planning References



Plans, Studies & Reports

► Beaver County Greenways and Trail Plan (2007)

*Beaver County Greenways and Trails Plan
Connecting Beaver County's
People and Natural Assets through
Greenways and Trails*



**PASHEK
ASSOCIATES**
619 East Ohio Street
Pittsburgh, PA 15212
412.321.6362


This project was financed in part by: a grant from the Keystone Recreation, Park and Conservation Fund under the administration of the Pennsylvania Department of Conservation and Natural Resources, Bureau of Recreation and Conservation; a grant from the Community Development Program of Beaver County and funds from the County of Beaver


Ohio River Trail Council Planning References



Plans, Studies & Reports

- ▶ North Shore Connector Feasibility Study: Sewickley to Center Twp.





BEGIN BIKE
LANE
EASTBOUND

SHARE THE ROAD
THROUGH RAILROAD
UNDERPASS BOTH
EASTBOUND AND
WESTBOUND

SHARE THE
ROAD DOWNHILL
WESTBOUND

SHARED USE
TRAIL
(PEDESTRIANS
AND BICYCLES)

BIKE LANE
UP HILL
EASTBOUND

BIKE LANE
EASTBOUND
UP HILL TO
KIEHL ST

INSET PLAN

EXISTING CONDITIONS



EXISTING CURB TO
CURB WIDTH = 25'

SHARE THE ROAD
SIGNAGE



BIKE LANE
'UPHILL'
(EASTBOUND)



SHARED LANE MARKING
THROUGH INTERSECTION
(WESTBOUND)

PROPOSED BIKE LANE = x1 @ 5'
PROPOSED DRIVE AISLES = x2 @ 10'

OHIO RIVER TRAIL ON ROAD CONNECTOR, CITY OF ALIQUIPPA
KIEHL STREET MODIFICATION PLAN



BIKE TRAIL LEGEND

 PRIMARY BIKE ROUTE EAST/WEST

 BIKE ROUTE

**OHIO RIVER TRAIL ON ROAD CONNECTOR, AMBRIDGE BOROUGH
OVERALL BOROUGH PLAN**

EXISTING CONDITIONS

EXISTING CURB TO
CURB WIDTH = 30'

DEDICATED BIKE LANE
WITH PAINTED SYMBOL

SHARE THE ROAD
SIGNAGE



PROPOSED BIKE LANE = x1 @ 6'
PROPOSED DRIVE AISLES = x2 @ 11'
PROPOSED SHOULDER = x1 @ 2'

OHIO RIVER TRAIL ON ROAD CONNECTOR, BOROUGH OF AMBRIDGE 11TH STREET MODIFICATION PLAN

APRIL 2015

EXISTING CONDITIONS

EXISTING CURB TO
CURB WIDTH = 30'

**SHARE THE ROAD
SIGNAGE**

**DEDICATED BIKE LANE
WITH PAINTED SYMBOL**

PROPOSED BIKE LANE = x1 @ 6'
PROPOSED DRIVE AISLES = x2 @ 11'
PROPOSED SHOULDER = x1 @ 2'

**OHIO RIVER TRAIL ON ROAD CONNECTOR, BOROUGH OF AMBRIDGE
11TH STREET MODIFICATION PLAN**

APRIL 2015

EXISTING CONDITIONS

EXISTING CURB TO
CURB WIDTH = 35'

**SHARROWS; INSTALL IN
BOTH TRAVEL LANES**

**SHARE THE ROAD
SIGNAGE**

**PAINTED PARALLEL
PARKING STALLS**

OPTION A

EXISTING DRIVE AISLES = $x2 @ 14'$
EXISTING PARALLEL PARKING ROW = $x1 @ 7'$

**DEDICATED BIKE LANE
WITH PAINTED SYMBOL**

**SHARE THE ROAD
SIGNAGE**

OPTION B

PROPOSED DRIVE AISLES = $x2 @ 12.5'$
PROPOSED BIKE LANES = $x2 @ 5'$
(LOSS OF PARALLEL PARKING)

**OHIO RIVER TRAIL ON ROAD CONNECTOR, BOROUGH OF AMBRIDGE
DUSS AVENUE MODIFICATION PLAN**

EXISTING CONDITIONS

EXISTING CURB TO
CURB WIDTH = 34'

ROAD EDGE
MARKING

SHARE THE ROAD
SIGNAGE

PROPOSED DRIVE AISLES = x2 @ 11'
PROPOSED SHOULDERS = x2 @ 6'

OHIO RIVER TRAIL ON ROAD CONNECTOR, BOROUGH OF AMBRIDGE BEAVER STREET MODIFICATION PLAN

Ohio River Trail Council Planning References




Plans, Studies & Reports

OHIO RIVER

AREA-WIDE BROWNFIELDS PLANNING PROJECT

Multiple Communities - One River



Area-Wide Brownfields Plan Presentation and Open House



Ohio River South Shore Trail Brownfield Study - Monaca

SCALE: Not to Scale NORTH




Ohio River North Shore Trail Brownfield Study - Aliquippa

SCALE: Not to Scale NORTH

LEGEND

- Traditional Main Street Redevelopment Corridor
- Economic Development Infrastructure Corridor
- Potential Riverfront Public Access/Park
- Allegheny Ludlum
- WHEMCO
- Kinder Morgan
- Underutilized Industrial Land
- Access Gate to Industrial Zone
- Railroad
- Proposed Ohio River Trail
- Potential Truck Access
- Potential River Access
- 1 Borough Building
- 2 Performing Arts Center
- 3 Water Intake Plant
- 4 Allegheny Ludlum
- 5 Kinder Morgan
- 6 Beaver County Corp. for Economic Development
- 7 WHEMCO Steel
- 8 Midland Treatment Plant
- 9 BCED/KOZ
- 10 Carnegie Library



Ohio River North Shore Trail Brownfield Study - Midland

Ohio River Trail Council Planning References



Plans, Studies & Reports

Ohio River South Shore Trail Feasibility Study



Completed March 2011



LANDSCAPE ARCHITECTURE
PLANNING

STROMBERG / GARRIGAN & ASSOCIATES

Ohio River North Shore Trail Feasibility Study



Completed December 2012

North Shore Ohio River Trail



217

Ohioville

Rochester

Beaver

Freedom

Monaca

Conway

Industry

Center

Potter

Baden

Economy

Midland

Shippingport

Aliquippa

Harmony

Greene

Ambridge

Hopewell

Leetsdale

Crescent

Edgeworth

Moon

Sewickley

Coraopolis

5 miles

South Shore Ohio River Trail

The Ohio River Trail Corridor



The Ohio River Trail Corridor



Ohio River Trail Council Online Resources

Dr. Vincent Troia, CEO



Ohio River Trail Council Online



221

Meetup Outdoor Adventure Club

- ▶ The ORTC Meetup is for outdoor lovers of ALL experience levels. Events include but not limited to backpacking, camping, canoeing, cycling, fishing, hiking, kayaking, orienteering, running, skiing, and stand up paddleboard. We welcome both on-road and off-road bicycling meetups and events.

Ohio River Trail Council Online



222

Meetup Outdoor Adventure Club

- ▶ The club has grown to 2,167 members as of 12/8/2018
- ▶ www.meetup.com

Ohio River Trail Council

Outdoor Adventure Club

Ohio River Trail Council Online



223

Websites

- ▶ Ohio River Water Trail -
www.Water.OhioRiverTrail.org
- ▶ Ohio River Greenway Trail -
www.Greenway.OhioRiverTrail.org
- ▶ Membership Website -
www.Membership.OhioRiverTrail.org

Ohio River Trail Council Online



224

Websites

- ▶ Wikipedia -
http://en.wikipedia.org/wiki/Ohio_RiverTrail
- ▶ TrailLink.com -
www.traillink.com/project/ohio-river-trail-%28pa%29.aspx#tabOverview



WIKIPEDIA
The Free Encyclopedia



12/19/2018

Ohio River Trail Council Online



225

Social Media

► Twitter -

<https://twitter.com/OhioRvrTrail>

► Facebook -

www.facebook.com/pages/OHIO-RIVER-TRAIL-COUNCIL/148074912432



Ohio River Trail Council Contact Information

Dr. Vincent Troia, CEO



Ohio River Trail Council Contact Information



227

*Dr. Vincent Troia
Executive Chairman
Ohio River Trail Council
The Troia Building
1100 Pennsylvania Ave
Monaca, PA 15061
Phone: 724.728.2625
Cell: 724.462.3183
drvtroia@ohiorivertrail.org*



Ohio River Trail Council
Thank you!



ORTC

**Ohio River
Trail Council**



Questions



Answers