



Snider & Associates, Inc.

10139 Royalton Road Suite H
North Royalton, Ohio 44133
Ph (440) 877-9151 Fx (440) 877-9159
www.cvsnyder.com
info@cvsnyder.com

Quote

Date	Quote No.
1/17/2014	13490

Bill To
Ohio River Trail Council Attention: Vincent Troia 1100 Pennsylvania Avenue Monaca, PA 15061

Terms	Rep	Project	Phone	Fax	Tax Exempt	County
*Due on Receipt	JCS		724-728-2625			Beaver-PA

Item	Description	Quantity	Rate	Total
206010	Dock Section, 60" x 10'	8	1,430.00	11,440.00
208010	Dock Section, 80" x 10'	4	1,875.00	7,500.00
301100	Coupler Set (1)	47	51.00	2,397.00
135250	Pipe Bracket Assembly, 2-1/2" OD Pipe, PE	22	120.00	2,640.00
G100512	5'x12' Gangway	1	2,500.00	2,500.00
500956	EZ Launch. "Drive Thru" w/ Ports + Large Dock with Accessible Transfer System plus curbing.	1	21,925.01	21,925.01
35116	Brown Plastic Curbing	24	95.00	2,280.00
Pipe 12' with auger...	12' Pipe with auger and cap. 2 1/2" OD	22	150.00	3,300.00
80530SS	3" Flathead Screw for Curbing.	150	1.25	187.50
300501	PE Corner Gusset w/Comp Prod	1	230.00	230.00
100650SS	Bracket Gangway To Float 60" w/o Hinges	1	365.00	365.00
500501	Transition Plate for 5' Wide Gangway	1	375.00	375.00
Freight	Shipping Charges	1	2,600.00	2,600.00
Installation	Installation (Pending Site Review)	1	8,600.00	8,600.00

**IF TAX EXEMPT CERTIFICATE IS NOT PROVIDED
APPROPRIATE SALES TAX WILL BE CHARGED.
QUOTE VALID FOR 30 DAY**

Total \$66,339.51

**Freight Subject to Fuel Surcharge. Payment via Credit Cards will
incurs an additional 3% Administrative Fee.**

EZ Dock Product Guide & Price List



For Distributor and Dealer Use Only - Effective: 01/01/14

The Right Dock For Every Application.

Rugged, adaptable, reliable, safe—the EZ Dock system has it all. Our polyethylene docks, boat lifts, and PWC lifts have a unique design that delivers outstanding load capacity, functionality, and safety. A variety of dock sections and lifts, plus an extensive selection of anchoring systems and accessories, make it easy to customize the system.

- Low maintenance
- Beige color - cool to touch
- Variety of anchoring options

Features & Benefits:

- Convenient accessories
- Versatile modular design
- Secure connection couplers
- Strength and flexibility
- Safe, slip-resistant surface
- Four-season accessibility

New 80" x 100" Dock Now Available

DOCK SECTIONS

COUPLER PAIRS

Part #: 301100




Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions. U.S. Patent #5,281,055.

DESCRIPTION

PART

Coupler set (bulk pack) w/hardware	301100
Coupler set (2 pair) w/hardware	301200
Coupler set (3 pair) w/hardware	301300



A view of the bottom and inside of an EZ Dock section reveals flotation chambers and an extra-heavy wall thickness that creates tremendous structural integrity. The

patented flotation chambers (also referred to as pylons) were designed into our dock sections to provide additional stability on the water making EZ Dock the most stable dock on the market. EZ Dock systems do not depend on or need foam fillings thereby eliminating any environmental concerns.

PART #	SIZE	WEIGHT	FLOTATION CAPACITY*
A. 208008	92" x 78" x 14 5/8" 2.5m x 2m x 38cm	310 lbs. 140.61 kg	5,000 lbs. 2268 kg
B. 208010	78" x 9'9" x 14 5/8" 2m x 3.1m x 38cm	385 lbs. 175 kg.	4,000 lbs. 1814.4 kg
C. 206010	58.5" x 9'9" x 14 5/8" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg.	3,000 lbs. 1360.8 kg
D. 260120	50.5" x 59" x 9'9" x 14 5/8" 1.28m x 1.5m x 3.1m x 38cm	210 lbs. 95.3 kg	2,000 lbs. 907.2 kg
E. 204060	39" x 58.5" x 14 5/8" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1,000 lbs. 453.6 kg
F. 204010	39" x 9'9" x 14 5/8" 1m x 3.1m x 38cm	190 lbs. 86.2 kg.	2,000 lbs. 907.2 kg
G. 300501	Corner Gusset	40 lbs. 18 kg.	

*NOTE: Because of the rotomolding process, dimensions are nominal.


U.S. Patent #5,281,055

Which EZ Dock® Package is Right For You?


T-25Lx20W
24'4" L x 19'6" W




T-30Lx45W
29'3" L x 43'10" W




I-30Lx6W
29'3" L x 4'10" W




I-30Lx8W
29'3" L x 6'6" W




U-20Lx20W
19'6" L x 19'6" W




U-30Lx20W
29'3" L x 19'6" W




U-35Lx20W
34'2" L x 19'6" W



F-30Lx25W
29'3" L x 24'4" W




L-20Lx15W
19'6" L x 14'7" W




L-35Lx20W
4'1" L x 19'6" W




L-40Lx13W
39' L x 13' W




D-10Lx15W
9'9" L x 14'7" W




D-20Lx13W
19'6" L x 13' W




D-10Lx13W
9'9" L x 13' W



SS2P



SSBP2P



Note: Prices listed are approximate base price, does not include anchoring, access, or accessories. Configurations shown are popular examples only, any custom configuration can be created.

EZ PONTOON LIFT

Introducing the EZ Dock Pontoon Lift - This new Pontoon Lift comes in two different models: the PL2000 for standard pontoon boats up to 2000 pounds and the PL3500 for standard pontoon boats up to 3500 pounds. This system offers a drive-on solution for pontoon boats.



Features & Benefits:

- **Drive-On System** - Allows for positive contact between the boat and lift for stable porting in strong current or windy conditions.
- **Versatile mounting options** allow for multiple installation methods.
- **Durable** - Made completely out of marine grade materials.
- **Modular System** - Allows for expanding or reconfiguring your boatlift / dock by simply adding components. Can be used with standard EZ Dock, traditional floating, or fixed docks.
- **Complete Platform Design** - Safe and Easy to use without any open areas or exposed metal.

Transom Motor Stop: The Transom Motor Stop attaches to the Pontoon Lift's Underwater Finger Stiffener to stop the boat when it is fully docked on the lift. This optional kit is fully adjustable and comes complete with all attachment hardware and a wear plate.



SHOWN AS PL2000-M



SHOWN AS PL3500-S



Air-Assist Pump Unit: There are five air-assist pump unit options available: standard AC powered pump with manual controls; DC battery powered pump with solar charging system and manual controls (deep cycle battery not included); and an AC powered remote controlled pump unit. All pump units provide easy, hassle-free operation with an approximate lift time of 30 - 90 seconds.



Package Options

Pump Options

M - Manual Pump Unit

S - Solar Pump Unit

R - Remote Pump Unit

E - European Pump Unit

T - Solar Charged Remote Unit

* Patented

(See Page 4 for Pricing)

MODEL

PL2000-M

PL3500-S

TMS200

FLOTATION CAPACITY

2,000 lbs.

3,500 lbs.

N/A

EZ BOATPORT®

Can Your Dock Do This? Keeping your boat high and dry has never been so easy! The new EZ BoatPort® from EZ Dock is a simple drive-on, drive-off method of docking for boats in a wide range of sizes up to 5,000 pounds. Removable and changeable bunks can accommodate boats with a deadrise angle from zero to 21 degrees, making this the perfect choice for many skiffs, runabouts, fishing boats and jet boats. The new EZ BoatPort is also available with new Side Extensions for additional walkaround room and access to the sides of your boat for cleaning, maintenance and covering.

IDLE UP



ADD SLIGHT POWER



ROLL TO FRONT & POWER OFF




The EZ BoatPort is manufactured from long lasting, UV stabilized polyethylene, and includes two replaceable entry wear plates, and two self-centering keel rollers for dependable porting. Optional accessories and packages are available to configure the EZ BoatPort to your needs.



Features & Benefits:

- Self-centering entry roller
- Easy loading & unloading
- Optional flip up cleat to secure boat
- Customizable skid bunks to fit a variety of hull shapes
- Fully adjustable keel rollers can be added for certain hulls
- Two replaceable rear wear plates
- Supplemental flotation available for added bouyancy
- Multiple T-nut locations for custom bunks/rollers



DESCRIPTION

EZ Boat Port Supplemental Flotation


PART #

208100

Customize With Ease: The EZ BoatPort's modular design allows for numerous configurations and additional features to fit a wide variety of boat shapes and sizes. For larger boats with the need for additional flotation and walking space, the EZ BoatPort is also available with Side Extensions and/or Float Tank with Air-Assist pump for lifting capacity of up to 5,000 lbs.

5 options are currently available:

PART #	AIR ASSIST PUMP DESCRIPTION
600041	(M) Manual Controlled 110V AC
600042	(S) Solar Kit 12V DC Solar charging system. (12V DC deep cycle battery not included)
600043	(R) Remote Controlled 110V AC
600044	(E) Manual Controlled 220V AC Includes both European & UK model plugs
600045	(T) Solar Remote Controlled 12V DC Battery Powered with Solar charging system and Remote Control. (12V DC deep cycle battery not included)




Call Today : 1-800-654-8168

4 International: 1-417-235-2223 | Europe: +46 (0) 380-47-300

EZ BOATPORT®


BP2000*



EZ BoatPort® Standard

System Dimensions: 78" W x 13'8" L
90 square feet
For watercraft up to 2,000 lbs.
Part#: BP2000*

BP3000*



EZ BoatPort® with Side Extensions

System Dimensions: 9'9" W x 13'8" L
140 square feet
For watercraft up to 3,000 lbs.
Part#: BP3000*

BP3001*



EZ BoatPort® with Side Extensions

System Dimensions: 9'9" W x 18'6" L
190 square feet
For watercraft up to 3,000 lbs.
Part#: BP3001*

SIDE MOUNT KIT FOR THE EZ BOATPORT AND THE EZ PORT MAX2i.

This component is designed for the rear-most molded in coupler pocket on the EZ BoatPort, EZ BoatPort Side Extensions, and Port MAX2i. The front mounting plate is similar to that of the 100750 kit while the rear slide bracket allows for full motion due to the porting/launching and wave action.

100770 Kit, Side Mount for BoatPort and MAX2i, GALV

100770SS Kit, Side Mount for BP and MAX2i, SS

Shipping weight: 28lbs (12.7kg)



BP4000**



EZ BoatPort® with Float Tank & Air-Assist

System Dimensions: 78" W x 18'6" L
124 square feet
For watercraft up to 4,000 lbs.
Part#: BP4000*M

BP4001**



EZ BoatPort® with Float Tank & Air-Assist

System Dimensions: 78" W x 23'5" L
156 square feet
For watercraft up to 4,000 lbs.
Part#: BP4001*M

BP5000**



EZ BoatPort® with Side Extensions, Float Tank & Air-Assist

System Dimensions: 9'9" W x 20'2" L
205 square feet
For watercraft up to 5,000 lbs.
Part#: BP5000*M

BP5001**



EZ BoatPort® with Side Extensions, Float Tank & Air-Assist

System Dimensions: 9'9" W x 23'5" L
240 square feet
For watercraft up to 5,000 lbs.
Part#: BP5001*M

Package Options

Bunk Options
L - Long Bunk
S - Short Bunk

Pump Unit Options
M - Manual Pump Unit
S - Solar Pump Unit
R - Remote Pump Unit
E - European Pump Unit
T - Solar Charged Remote Unit

Platform Option
BPxxx-**
Lifting Capacity

Pump Unit Option { M-Manual
S-Solar
R-Remote }

Bunk Option { S-Short
L-Long }

* Package options include all additional rollers and choice of long or short bunks

** Package options include all additional rollers, choice of long or short bunks, and choice of manual, solar, or remote control pump unit

Call Today : 1-800-654-8168

EZ PORT - Which EZ Port® is Right for You?

EZ Port® revolutionized docking and launching with the original drive-on PWC lift. Still the industry leader, EZ Port is the simplest drive-on, push-off method of dry-docking. There is no winching, cranking, pumping or hoisting necessary and its durability is the reason why EZ Port remains the number one PWC lift in the market.

Idle Up



Ease Into Throttle



Roll To Front



EZ PORT - Which EZ Port® is Right for You?



EZ Port 3
206013PW



EZ Port & Stow
206016PW



The EZ Port Max platform, offered in original beige, can now be customized with colored bows available in grey, lemon, orange, raspberry, and white.

EZ Port Max
206032PW



EZ Port Max 2
206034PW



NEW EZ Port Max 2i
206036PW



EZ Port MAX® is a Port system that is Modular, Adaptable and eXpandable. It is the first port of its kind to offer EZ on and EZ off inline parking for multiple PWC parking. The EZ Port MAX can be used with standard EZ Dock, traditional fixed, floating or freestanding docks.

	MODEL	PART #	SIZE	WEIGHT	FLOTATION CAPACITY*
	EZ Port 3	206013PW	151" x 58.5" x 14 $\frac{5}{8}$ " 3.8m x 1.5m x 38cm	280 lbs. 127 kg	1300 lbs. 590 kg.
	EZ Port & Stow	206016PW	179" x 58.5" x 14 $\frac{5}{8}$ " 4.7m x 1.5m x 38cm	520 lbs. 236 kg.	1450 lbs. 658 kg.
	EZ Port Max with Integrated Bow	206032PW	149" x 58.5" x 14 $\frac{5}{8}$ " 3.78m x 1.5m x 38cm	320 lbs. 147.4 kg.	1380 lbs. 626 kg.
	NEW EZ Port Max 2i	206036PW	168" x 58.5" x 14 $\frac{5}{8}$ " 4.27m x 1.5m x 38cm	350 lbs. 159 kg.	1700 lbs. 771 kg.
	EZ Port Max 2 with Full Bow	206034PW	189" x 58.5" x 14 $\frac{5}{8}$ " 4.7m x 1.5m x 38.1cm	490 lbs. 222 kg.	1700 lbs. 771 kg.
	EZ Port Max Entry	206030PW	149" x 58.5" x 10 $\frac{7}{16}$ " 3.71m x 1.5m x 28cm	315 lbs. 142.8 kg.	1380 lbs. 626 kg.
	EZ Port Max Extension	206031PW	146" x 58.5" x 10 $\frac{7}{16}$ " 3.78m x 1.5m x 28cm	328 lbs. 148.8 kg.	1400 lbs. 635 kg.
	EZ Port Max Easy Lift Entry	206033EX	43.5" x 58.5" x 10 $\frac{7}{16}$ " 1.1m x 1.5m x 38.1cm	95 lbs. 43 kg.	400 lbs. 182 kg.
	EZ Port Max Full Bow	206025BS	39" x 58.5" x 10.5" 1m x 1.5m x 25.4cm	60 lbs. 27.2 kg.	N/A
	EZ Port Max Small Bow	206027BS	38.5" x 20 $\frac{3}{16}$ " x 15" .83m x 2.54m x 40.6cm	12 lbs. 5.4 kg.	N/A
	EZ Port Max-C with Full Bow	206038PW (Colors: GR, LM, OR, RS, WT)	149" x 58.5" x 14 $\frac{5}{8}$ " 3.78m x 1.5m x 38.1cm	320 lbs. 147.4 kg.	1380 lbs. 626 kg.
	EZ Port Max-C with Small Bow	206039PW (Colors: GR, LM, OR, RS, WT)	149" x 58.5" x 14 $\frac{5}{8}$ " 3.78m x 1.5m x 38cm	320 lbs. 147.4 kg.	1380 lbs. 626 kg.

* When attached to an EZ Dock product. Supplemental flotation is available for specific applications.

Note: Because of the rotomolding process, weights and dimensions may vary.

EZ LAUNCH® FOR KAYAKS & CANOES

EZ Dock has taken accessibility to another level with their new EZ Launch® Accessible Transfer System for Kayaks and Canoes. A first in the industry, the Accessible Transfer System provides individuals with disabilities universal accessibility that exceeds the minimum requirements of the ADA.

The Transfer Bench is built with two heights for easy transfer from wheelchairs of varying sizes and two Transfer Slide Boards to accommodate differing watercraft heights. The Transfer Slide Boards land securely on a railing system that stabilizes the slide board and provides grab bar assistance for easy side movement. All users can simply sit, slide over and drop down into a kayak or canoe then utilize the side rails to pull off or back on.

Features & Benefits

- Guide rails provide for easy access in and out of the water
- Launch rollers for easy movement of the watercraft
- Transfer bench with 2 heights for easy transfer from wheelchairs of varying sizes
- Transfer Slide Boards with 2 heights for accommodating differing watercraft sizes
- Railing system for Slide Board stabilization and user transfer support for easy side movement
- Constructed of all marine grade components
- Floating platform adjusts to changing water levels
- Exceeds the minimum requirements of the ADA



2 LEVEL TRANSFER BENCH



TRANSFER SLIDE BOARDS

EZ LAUNCH® - WHICH EZ LAUNCH® IS RIGHT FOR YOU?



5008900



500950



500952



500953



500955



500956



500900L




or

500900R



500901L



or

500901R



500960L



or

500960R




500962L



or

500962R



500963L

or

500963R

L = Left
R = Right

ANCHORING

STANDARD PIPE BRACKET (2 PIECE)

Part #: 135250 or 135350



Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.

DESCRIPTION	PART #
For 2½" (6cm) O.D. pipe	135250
For 3½" (9cm) O.D. pipe	135350

STANDARD PIPE BRACKET

Part #: 130250 & 130350



Standard-duty pipe bracket, all poly construction.

DESCRIPTION	PART #
For 2½" (6cm) O.D. pipe	130250
For 3½" (9cm) O.D. pipe	130350

ANCHORING PIPE WITH CAPS

Part #: 100026 or 100036



Galvanized steel, mechanical-grade pipe provides economical anchoring in shallow water. Pipe and caps sold separately.

PIPE LENGTH	PART #
▼ 2½" O.D., 10 gauge:	
16' (41cm)	1160250
18' (46cm)	118025
21' (53cm)	121025
24' (61cm)	124025
▼ 3½" O.D., 10 gauge:	
16' (41cm)	1160350
18' (46cm)	118035
21' (53cm)	121035
24' (61cm)	124035
PIPE CAPS	PART #
Fits 2½" (6cm) O.D. pipe	100026
Fits 3½" (9cm) O.D. pipe	100036

HEAVY-DUTY PIPE BRACKET

Part #: 215250 or 215350



Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

DESCRIPTION	PART #
For 2½" (6cm) O.D. pipe	215250
For 3½" (9cm) O.D. pipe	215350

HEAVY DUTY PIPE BRACKET WITH INSERT

Part #: 210250 & 210350



Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

DESCRIPTION	PART #
For 2½" (6cm) O.D. pipe	210250
For 3½" (9cm) O.D. pipe	210350

STIFF-ARM BRACKET

Part #: 100700 and 800095-15



Includes hardware. Order stiff-arm insert, post sleeve, and anchoring pipe separately.

DESCRIPTION	PART #
Mainframe bracket	100700
2" I.D. post sleeve for stiff arm	800095-15

PIPE AUGERS

Part #: 100255 or 100355



Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.

DESCRIPTION	PART #
For 2½" (6cm) O.D. pipe	100255
For 3½" (9cm) O.D. pipe	100355

PIPE STAND-OFF BRACKET

Part #: 1051000



Attaches top of pipe to stationary docks. Fits pipe 2.5" (6cm) to 3.5" (9cm) O.D.

DESCRIPTION	PART #
Polyurethane pipe stand-off bracket	1051000

STIFF-ARM HEAVY DUTY BRACKET

Part #: 800099 and S80094



Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.


DESCRIPTION	PART #
Frame & Yoke (as shown)	800099
Sea wall attachment bracket	S80094



ANCHORING

PILING BRACKET

Part #: 300800



Allows lateral position adjustment to piles from 6" (15cm) to 18" (46cm) in diameter. SS hardware.

DESCRIPTION	PART #
Heavy Duty Polyethylene Piling bracket	300800

PILING BRACKET AND HOOPS

Part #: 100800 & 100812



Predrilled for hoops (sold separately) and includes nuts and connectors. SS hardware available.

DESCRIPTION	PART #	HOOP SIZE	PART #
Bracket	100800	12" (30cm)	100812
		16" (41cm)	100816
		20" (51cm)	100820
		24" (61cm)	100824
		8" (20cm)	100808

DEADWEIGHT BRACKET (STANDARD DUTY)

Part #: 100740 and 100740SS



For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Sold in Pairs. Chain sold separately.

DESCRIPTION	PART #
Deadweight bracket kit	100740
Stainless steel kit	100740SS

ADAPTOR HINGE

Part #: 100750 or 100750SS



Reversible hinge allows EZ Port PWC lifts or EZ Dock sections to be attached to other floating docks.

DESCRIPTION (sold in pairs)	PART #
Adaptor hinge	100750
All stainless steel	100750SS
Port Max hinge	100751
All stainless steel	100751SS

DEADWEIGHT BRACKET (HEAVY DUTY)

Part #: 215350 and 100725P



Deadweight insert anchors heavy-duty PE pipe bracket to docks in deep water or rocky bottoms.

DESCRIPTION	PART #
Bracket & Insert for 3 1/2" O.D. pipe	215350
Deadweight insert for #210350 assy.	100725P

DEADWEIGHT WINCH INSERT

Part #: 100730 and 210350



Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

DESCRIPTION	PART #
Deadweight winch insert	100730
Heavy Duty Dock Bracket for winch insert	210350



ACCESSORIES

STORAGE BOX

Part #: 300750



Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

DESCRIPTION	PART #
Storage box	300750

CORNER STORAGE BOX WITH CORNER GUSSET

Part #: 300760



Roomy storage in a new design with two removable storage trays that makes the most of space without interfering with foot traffic. Connection boxes for complete utility hookups through this box are available.

DESCRIPTION	PART #
Corner storage box	300760

CORNER GUSSET

Part #: 300501



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed. 33.5" (85cm) wide, 6" (15cm) high.

DESCRIPTION	PART #
Corner gusset	300501

SWIM LADDER

Part #: 300260



One-piece polyethylene ladder is designed for maximum safety with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface stays cool in hot weather.

DESCRIPTION	PART #
Swim ladder	300260

EZ FLOAT STEP LADDER

Part #: 300270



Patent pending aluminum ladder with polyethylene float that keeps the ladder out of the water when not in use but is readily available when needed.

DESCRIPTION	PART #
EZ Float Step Ladder	300270

DOCK SLIDE

(Part #'s Shown Below / Requires 2 dock sections)



Utilizes rugged polyvinyl-coated steps, and a one-piece polyethylene bedway for a smooth ride. Install with almost any EZ Dock® where water depth is more than 5'. (Requires use of (2) 80" dock sections.)

DESCRIPTION (Color)	PART #
Blueberry	300600
Forest Green	300600FG

POLYETHYLENE BENCH KIT WITH ARMRESTS

Part #: 300970AL



Redesigned brackets with 2" round, 1/4" aluminum tubing. Installs along any open 3-pocket span on an EZ Dock product.

DESCRIPTION	PART #
Polyethylene Bench Kit with Armrests	300970AL

POLYETHYLENE BENCH KIT WITHOUT ARMRESTS

Part #: 300965AL



Redesigned brackets with 2" round, 1/4" aluminum tubing. Installs along any open 3-pocket span on an EZ Dock product.

DESCRIPTION	PART #
Polyethylene Bench Kit without Armrests	300965AL

ALUMINUM BENCH BRACKETS WITH HARDWARE

Part #: S35967AL



Redesigned brackets contains all components but the PE planks. Installs along any open 3-pocket span on an EZ Dock product.

DESCRIPTION	PART #
Aluminum Bench Brackets with Hardware	S35967AL

TIE-DOWN CLEATS

Part #: 300100, 300110



Tie-down cleats (8" [20cm]) and other accessories attach to heavy-duty stainless-steel T-nuts molded in pairs around dock section perimeters.

DESCRIPTION	PART #
Tie-down cleats	300100
10" Heavy Duty Tie-Up cleats	300110

DOCK BUMPER

Part #: 300180




This dock bumper is designed to protect the boat gunwales and rub-rails. Dock bumper will attach to dock using embedded T-nuts.

DESCRIPTION	PART #
Dock bumper	300180

20" UTILITY CHANNEL

(Part #'s Shown Below)



Two-piece chaseway attaches to dock sections for utility lines. Stainless steel hardware option.

DESCRIPTION	PART #
Utility Channel, 5' x 20"	302060
Utility Channel, 20" x 20"	302020
20" Inside Corner	302030
20" Outside Corner	302040

ACCESSORIES

SUPPLEMENTAL FLOTATION

Part #: 206013FL



Attaches under EZ Port 3 lifts to increase the flotation capacity in specific applications.

DESCRIPTION

Supplemental flotation
EZ Port 4 Supplemental

PART

206013FL
208014FL

SUPPLEMENTAL FLOTATION POD

Part #: 208110



This float pod is designed to add 200lbs (91 kg) of flotation and is sized to fit under most dock pylon shapes.

DESCRIPTION

Supplemental flotation pod

PART

208110

POLY POST HANDRAILS

Part #: 100900



Attaches to the coupler pocket. Can be used as a grab or accessory attachment post. 8 embedded T-nuts for cleat attachment, and recessed holes that can be drilled for tube or rope handrails. (Handrails and Cleats not included.)

DESCRIPTION

Poly Post Handrails

PART

100900

SECURITY CURBING

Part #: 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

DESCRIPTION

Brown curb 10' section
3" (8cm) Flathead screws

PART

35116
80530SS

DOCK EDGING

Part #: 400117



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

DESCRIPTION

10' Section
Kit with 60'

PART

400117
406117

DOCK WHEELS

Part #: 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

DESCRIPTION

Dock wheels

PART

900050

HARDWARE CONNECTORS

Part #: 201040SS and 201041SS



For attaching various accessories. 5/8" SS bolts & nuts.

DESCRIPTION

Male connector (left) with nut
Female connector (right) with 2.5" bolt
Female connector (right) without bolt

PART

201040SS
201041SS
S21141SS

COUPLER INSTALLATION TOOL & COUPLER PARTS

Part #: 9000010SS



Tool simplifies in-water connection of dock sections.

DESCRIPTION

Coupler installation tool
Drive Tool 15/16" Socket Adapter

PART

9000010SS
900005

CENTER MOUNT BENCH

300980



Can be mounted at any dock seam. Comes with frame, PE bench plank and hardware. 18" (45.72cm) from seat to dock. Can also be used on traditional dock structures.

Description

Center Mount Bench

PART

300980

FISH CLEANING STATION

300990



Mounts to the side of any EZ Dock section. Spans 3 pockets with a single section of ThruFlow® decking for easy clean up. Constructed from marine grade aluminum.

Description

Fish Cleaning Station

PART


300990



RAILINGS

STYLE 910


Part # 100910, 105910



10' (3m) Width

STYLE 911


Part # 100911, 105911



5' (1.5m) Width

STYLE 912


Part # 100912, 105912



10' (3m) Width

STYLE 915


Part # 100915, 105915



5' (1.5m) Width

STYLE 916


Part # 100916, 105916



5' (1.5m) Width

STYLE 917


Part # 100917, 105917



80" (2m) Width

STYLE 918


Part # 100918, 105918



80" (2m) Width

STYLE 919


Part # 100919, 105919



40" (1m) Width

STYLE 920

Part # 100920, 105920



40" (1m) Width


BARRIER-FREE RAILING

Part #'s Below / For styles, see drawings to right:

Aluminum 42" (1.1m) high guardrails conform with SOBA and ADA guidelines, and are designed to provide security with minimal obstruction. Choose the standard aluminum finish, or optional powder-coated finish—available in sand, royal blue, brown, forest green, and now available in stainless steel. Hardware included.

STYLE	WIDTH	PART NUMBERS
910	10' (3m)	(Aluminum) 100910AL (Powder Coated AL) 105910
911	5' (1.5m)	(Aluminum) 100911AL (Powder Coated AL) 105911
912	10' (3m)	(Aluminum) 100912AL (Powder Coated AL) 105912
915	5' (1.5m)	(Aluminum) 100915AL (Powder Coated AL) 105915
916*	5' (1.5m)	(Aluminum) 100916AL* (Powder Coated AL) 105916*
917	80" (2m)	(Aluminum) 100917AL (Powder Coated AL) 105917
918	80" (2m)	(Aluminum) 100918AL (Powder Coated AL) 105918
919	40" (1m)	(Aluminum) 100919AL (Powder Coated AL) 105919
920*	40" (1m)	(Aluminum) 100920AL* (Powder Coated AL) 105920*


*These styles are equipped with holders for fishing rods.



GANGWAYS

PLANK GANGWAY

Part #: 200200X



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.

DESCRIPTION


Plank Gangway

PART

200200

ABUTMENT KIT

Part# 6200465



Hinged bracket with hardware attaches gangway to shoreline abutment. Available in 60" (1.5m) width.

DESCRIPTION

Abutment Kit

PART

G200465

TRANSITION PLATE

Part# 6200350 or 6200550



Transition plate with ThruFlow™ decking creates a sturdy transition between the shore grade and aluminum gangway. 3' and 5' widths available.

DESCRIPTION

Transition Plate

Transition Plate

PART

G200350 (3')

G200550 (5')

GANGPLANK MOUNTING KIT

Part #: 100240 or 100340 or 100600



Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide. Kits include hardware connectors with nuts, hinge-to-float bracket, hinge-to-plank bracket and 2 gangplank stiffeners with carriage bolts, nuts, and washers. Lumber not included.

WIDTH	FITS FLOAT WIDTH	PART #
24" (61cm)	24" Gangway	100240
34" (91cm)	34" Gangway	100340
34" (91cm)	34" Gangway / Shore Abutment	160340
60" (1.5m)	60" Gangway	100600
60" (1.5m)	60" Gangway / Shore Abutment	100680

GANGWAY ROLLER KIT

Part# 300300 or 300400



Gangway roller kit allows end of gangway to adjust with changing water levels. PVC and galvanized steel roller available for 3' (0.91m) and 5' (1.5m) width. PVC & Galvanized Pipe sold separately.

DESCRIPTION

PVC Gangway Roller Kit

Galvanized Gangway Roller Kit

PART

300300

300400

FLOAT HINGE BRACKET

Part# 6200360, 6200460, 6200560



Hinged bracket with hardware attaches gangway to dock. Available in 2, 3, & 4 pocket connection.

DESCRIPTION

Float Hinge Bracket (2 Pocket)

Float Hinge Bracket (3 Pocket)

Float Hinge Bracket (4 Pocket)

PART

G200360

G200460

G200560

POLYETHYLENE GANGWAY

Shown with Optional Railing (Part #'s Shown Below)



Our polyethylene gangway offers the same durability, stability, and modular versatility of our docks. It will last longer than wood, and its slip-resistant surface enhances safety. Available in 6' sections which can be combined to lengths of 12' and 18'. Railings are also available.

Description

Description	Part #
Shore end 4' wide AL trans. plate & hinges	400401
6' Long PE gangway section	400406
12' Tube support kit for PE gangway kit	401412
18' Tube support kit for PE gangway kit	401418
PE gangway-to-gangway kit	400410
PE gangway-to-hinge kit only, & SS hardware	400420SS
PE gangway-to-hinge kit only	400430
PE gangway to abutment kit	400450
PE gangway to abutment kit, & SS hardware	400450SS
PE gangway to 60" float kit	400460
PE gangway to 60" float kit, & SS hardware	400460SS
PE gangway to 80" float kit	400480
PE gangway to 80" float kit, & SS hardware	400480SS
Roller Kit for PE gangway	300350

GANGWAY (ALUMINUM)

Part# 6300308 to 6300532



Our aluminum gangway features a strong welded construction with an available ThruFlow™ decking walkway. Available in seven lengths, from 8' to 32' and two widths: 3' & 5'.


DESCRIPTION	WIDTH	LENGTH	PART #
Gangway	3'	8'	G300308
Gangway	3'	12'	G300312
Gangway	3'	16'	G300316
Gangway	3'	20'	G300320
Gangway	3'	24'	G300324
Gangway	3'	28'	G300328
Gangway	3'	32'	G300332
Gangway	5'	8'	G300508
Gangway	5'	12'	G300512
Gangway	5'	16'	G300516
Gangway	5'	20'	G300520
Gangway	5'	24'	G300524
Gangway	5'	28'	G300528
Gangway	5'	32'	G300532

EZ DOCK® COMMERCIAL DOCK



Introducing the EZ Dock® Commercial Docking System. This new docking system is extremely modular and can be configured to meet the needs of many marine environments. The float sections are coupled together using the proven EZ Dock standard coupler system while using a longer bolt for added flexibility. Topped with a marine grade frame and your choice of decking material, this system provides a freeboard height of 20". The frame is trussed at ~16" centers to accommodate most common decking options.


- **Modular Float System** - The standard float module (8'x20' float section) has 7 floats providing 60% open area and 35 psf. Additional floats can be added; each float provides 800lbs of flotation.
- **Custom Marine Grade Aluminum Frame** - A custom aluminum extrusion with full length aluminum attachment slide-slots run the full length of the perimeter for easy attachments of gangways, bumpers, cleats, etc. All frame components are constructed of marine grade aluminum with a 1/4" thickness or greater and trussed at 16" centers to allow for most any decking options.
- **Frame to Frame Connection** - The frame to frame connection is made from EZ Dock's standard custom extrusion used in the gangway hinge kits.




- **Free Board Height** - Standard module free board height of 20"
- **Versatile mounting options** allow for multiple installation methods
- **Complete Platform Design** - Safe and easy to use when decked accordingly meets the ADA requirements.
- **Durable** - Made completely out of marine grade materials

Sample Shown to left creates an 8'x40' platform and includes:

- 2 each DM820PP
- 1 each DFA120
- Choice Decking Option



4 Sided 8 x 20 Dock Section with Floats and Hardware, no Deck
Part #: DM820PP & DM820DW



Both models come with a 24"x14"x8' Poly Dock Float, a 4 sided 8'x20' aluminum Dock Frame Structure, a float to frame connection kit, and a 24" coupler set. DM820DW includes a Deadweight Bracket.

DESCRIPTION

4 Sided 8 x 20' Dock Section with Floats & Hardware, no Deck
4 Sided 8 x 20' Dock Section with Floats, Hardware, DW, no Deck

PART #

DM820PP
DM820DW

Dimensions: 8'W x 19.5L, 160 sqft


Shipping Weight:

DM820PP 1379 lbs.

DM820DW 1640 lbs.

DECKING TIMBER

Part #: DECTIM



For natural wood decking. Grey Color.

DESCRIPTION

Decking Timber, 1' x 5.4"

PART #

DECTIM

DECKING FIBER-GRATE

Part #: DECFIB



Durable Poly Decking. Grey Color.

DESCRIPTION

Decking Fiber-Grate, 4' x 8"

PART #

DECFIB

HINGE KIT, DOCK TO DOCK

Part #: DFA121



Used to attach a gangway to the commercial dock section. Kit contains everything needed to install including hinge.

DESCRIPTION

60" Gangway to Commercial Dock Kit

PART #

DFA121

HINGE KIT, GANGWAY TO DOCK (60")

Part #: DFA120



Used to hinge the frame-to-frame connection between the floating dock sections. Kit contains everything needed to install including hinge.

DESCRIPTION


90.75" Commercial Dock

PART #

DFA120

PILING BRACKET WITH ROLLERS, OUT-BOARD

Part #: DFA015



Used to secure an anchorage piling to the perimeter of a dock section. Includes all necessary hardware for installation on 8 - 12" diameters.

DESCRIPTION


Piling Bracket with Rollers, Out-Board

PART #

DFA015

PILING BRACKET WITH ROLLERS, IN-BOARD

Part #: DFA020



Secures an internal anchorage piling to the dock section's walking surface. Includes all necessary hardware for installation on 8 - 12" diameters.

DESCRIPTION

Piling Bracket with Rollers, In-Board

PART #

DFA020

DOCK FLOAT

Part #: DF1408 & DF1408-EZGR



The EZ Dock Float can be purchased separately and can be coupled into any standard module platform for additional flotation capacity of 800 lbs. Comes in EZ Dock Beige and EZ Dock Gray.

DESCRIPTION

Dock Float

PART #

DF1408

DOCK FRAME

Part #: DFF108



4 Sided 8' x 20' Aluminum Structure.

DESCRIPTION

Dock Frame

PART #

DFF108

COUPLER SET

Part #: 302100



This kit is used to connect the floats together under a single float module. Same as EZ Dock standard coupler but with a longer 24" bolt.

DESCRIPTION

Coupler Set

PART #

302100

FLOAT TO FRAME CONNECTION

Part #: DFA101



For attaching the frame to the float structure. Includes 4 brackets with tensioning hardware.

DESCRIPTION

Float to Frame Connection

PART #

DFA101

FLOAT TO FRAME CONNECTION DW

Part #: DFA102



For attaching the frame to the float structure and work as a standard deadweight bracket. Includes 4 brackets with tensioning hardware.

DESCRIPTION

Float to Frame Connection

PART #

DFA102

RAW EXTRUSION ANGLE WITH SLIDES

Part #: R40050 & R40051



Used to cover edge of decking.

DESCRIPTION

Raw Extrusion Angle with Slides - 19'

Raw Extrusion Angle with Slides - 8'

PART #

R40050

R40051

CORNER BUMPER

Part #: 300190-**-



Includes all attachment hardware. Available in 4 standard colors: EZ Dock Beige, EZ Dock Gray, Dark Blue, and Brown.

DESCRIPTION


Corner Bumper for Commercial Dock

PART

300190-**-

AVAILABLE COLORS

Applies to both Corner (left) and Straight (right) bumpers



STRAIGHT BUMPER

Part #: 300191-**-



Used to cover the frame-to-frame seam. Can be attached anywhere on the edge of the frame. Available in 4 standard colors: EZ Dock Beige, EZ Dock Gray, Dark Blue, and Brown.

DESCRIPTION

Straight Bumper

PART

300191-**-



Make Your Nature Trail Accessible To All! The EZ Trail® system from EZ Dock is a smart way to create accessible ramps and pathways in your woodland, wetland, or any other place you need a safe and durable walking platform. Our system is less invasive, and the large interconnecting, modular sections are simple to install. In addition, you can easily add sections as needed, or re-configure your walkway anytime you like.

Features & Benefits

- Versatile and expandable self-floating design that is suitable for land and water
- Easily moved unlike fixed walkways, ramps, piers or docks
- Less invasive because it does not require permanent foundation
- Made from low-maintenance and non-toxic materials
- Suspendable above vegetation by use of supports
- Beige color is attractive and blends with natural surroundings
- Universal accessibility




Treated wood and foam-filled products can be dangerous to wildlife habitats, but EZ Trail utilizes only safe, non-toxic materials. The hollow sections provide stable flotation, and they can be suspended above vegetation during periods of low water, so as not to harm the habitat.

Our goal is to effectively and efficiently meet all of your outdoor walkway needs, while working in harmony with the environment - not against it. Simply put, EZ Trail makes it easy for anyone to enjoy nature at anytime in any setting.



SUSPENDED EZ TRAIL CLAMPS

Part #: 800097 and 800098



For Supporting & Adjusting EZ Trails.

DESCRIPTION

Clamp for 2 1/2" Pipe
Clamp for 3 1/2" Vert. 2 1/2" Hor. Pipe

PART

800097
800098

