PSC4375: Observational Studies

Week 2: Lecture 3

Prof. Weldzius

Villanova University

Slides Updated: 2025-01-23

Do newspaper endorsements matter?

- Can newspaper endorsements change voters' minds?
- Why not compare vote choice of readers of different papers?
 - Problem: readers choose papers based on their previous beliefs
 - Liberals → New York Times, conservatives → Wall Street Journal
- Could do a lab experiment, but there are concerns over external validity
- Study for today: British newspapers switching their endorsements.
 - Some newspapers endorsing Tories in 1992 switched to Labour in 1997
 - **Treated group**: readers of Tory → Labour papers
 - Control group: readers of papers who didn't switch

Observational studies

- Example of an observational study:
 - We as researchers observe a naturally assigned treatment
 - Very common: often cna't randomize for ethical/logistical reasons
- Internal validity: Are the causal assumptions satisfied? Can we interpret this as a causal effect?
 - RCTs usually have higher internal validity
 - Observational studies less so, because pre-treatment variable may differ between treatment and control groups
- **External validity**: Can the conclusions/estimated effects be generalized beyond this study?
 - RCTs weaker here because often very expensive to conduct on representative samples
 - Observational studies often have larger/more representative samples that improve external validity

Confounding

- Confounder: pre-treatment variable affecting treatment and the outcome
 - Leftists (X) more likely to read newspapers switching to Labour (T)
 - Leftists (X) also more likely to vote for Labour (Y)
- Confounding bias in the estimated SATE due to these differences
 - $\bar{Y}_{control}$ not a good proxy for $Y_i(0)$ in treated group
 - one type: selection bias from self-selection into treatment

Research designs

- How can we find a good comparison group?
- Depends on the data we have available
- Three general types of observational study research designs: 1.
 Cross-sectional design: compare outcomes treated and control units at one point in time 2. Before-and-after design: compare outcomes before and after a unit has been treated, but need over-time data on treated group 3. Differences-in-differences design: use before/after information for the treated and control group; need over-time data on treated and control group

Cross-sectional design

- Compare treatment and control groups after treatment happens
 - Readers of switching papers vs. readers of non-switching papers in 1997
- Treatment and control groups assumed identical on average as in RCT
 - Sometimes called unconfoundedness or as-if randomized
- Cross-section comparison estimate:

$$ar{Y}_{treated}^{after} - ar{Y}_{control}^{after}$$

Could there be confounders?

Statistical control

- statistical control: adjust for confounders using statistical procedures
 - Can help to reduce confounding bias
- One type of statistical control: subclassification
 - Compare treated and controls groups within levels of a confounder
 - Remaining effect can't be due to the confounder

Before-and-after comparison

- Compare readers of party-switching newspapers before and after switch
- Advantage: all person-specific features held fixed
 - comparing within a person over time
- Before-and-after estimate:

$$\bar{Y}_{treated}^{after} - \bar{Y}_{treated}^{before}$$

- Threat to inference: time-varying confounders
 - Time trend: Labour just did better overall in 1997 compared to 1992

Differences in differences (Diff-in-Diff)

- Key idea: use the before-and-after difference of control group to infer what would have happened to treatment group without treatment
- DiD estimate:


$$\left(ar{Y}_{ ext{treated}}^{ ext{after}} - ar{Y}_{ ext{treated}}^{ ext{before}}
ight) - \left(ar{Y}_{ ext{control}}^{ ext{after}} - ar{Y}_{ ext{control}}^{ ext{before}}
ight)$$


- Change in treated group above and beyond the change in control group
- Parallel time trend assumption
 - Changes in vote of readers of non-switching papers roughly the same as changes that readers of switching papers would have been if they read non-switching papers
 - Threat to inference: non-parallel trends


Summarizing approaches:

- Cross-sectional comparison compare treated units with control units after treatment - Assumption: treated and control units are comparable - Possible confounding
- ② Before-and-after comparison Compare the same units before and after treatment - Assumption: no time-varying confounding
- Differences-in-differences Assumption: parallel trends assumptions
 Under this assumption, it accounts for unit-specific and time-varying confounding
 - All rely on assumptions that can't be verified to handle confounding
 - RCTs handle confounding by design

Causality understanding check







See also: https://www.tylervigen.com/spurious-correlations