

THE SILENT RADIX: Positional Notation as Ultrametric Tree and the Calculus of Indications as Remedy

Author: QNFO Research **Date:** 2026-07-02 **DOI:** 10.5281/zenodo.21134188
License: QNFO Unified License Agreement (QNFO-ULA): <https://legal.qnfo.org/>
Status: Draft Synthesis Paper v1.1 **Target:** arXiv preprint → Journal of Philosophical Logic / Synthese / Physical Review E **Keywords:** positional notation, ultrametric, silent radix, Laws of Form, p-adic, foundation of mathematics, measurement theory, replica symmetry breaking, spin glass, Wheeler-DeWitt ensemble, Almeida-Thouless stability

Abstract

Positional notation is not merely a convention for writing numbers — it is an ultrametric tree whose place-value columns encode nested cycles of counting. The radix (base), when made explicit, captures a chosen grouping rhythm that structures the numeral as a hierarchy of nested distinctions. The systematic historical errors catalogued here — the C octal bug, the Mars Climate Orbiter, the Likert-scale mean, the Babylonian sexagesimal ambiguity — all arise from a single structural fault: the substitution of a silent, monocultural decimal default for the domain-specific cyclic grouping, followed by the dissolution of the resulting tree into an Archimedean line. This paper traces the genealogy of this error from Babylonian positional notation through Descartes’ analytic geometry to contemporary digital computation. It demonstrates that the p-adic numbers are not an exotic alternative but a recovery of the ultrametric already native to positional notation. The ultrametric structure is then examined through the lens of disordered spin systems, where the Wheeler-DeWitt (WDW) constrained ensemble — a spin glass with deterministic clock fields — is shown to be replica-symmetric (RS) stable across the entire disorder range (J). The Almeida-Thouless eigenvalue (λ_{AT}) never crosses zero, remaining positive from (+0.534) (minimum at ($J = 5$)) to near unity at extreme disorder. This represents a 10-15-fold suppression of replica symmetry breaking relative to the standard Sherrington-Kirkpatrick model, where the AT line is crossed near ($J \sim 1$). The deterministic clock fields function as a rigid structural backbone that inhibits the glassy freezing characteristic of mean-field spin glasses — a direct physical manifestation of the ultrametric constraint. Re-founding quantitative representation on Spencer-Brown’s calculus of indications — where drawing a distinction is marking a cycle — restores the base as an explicit phenomenal frame, the ultrametric as the intrinsic geometry of nested distinctions, zero as the unmarked root, and the self-referential “10” as a stable re-entrant form: the cycle measuring its own completion, which is the minimal observer and the formal origin of self-aware measurement.

1. Introduction: The “10” Misnomer as Primal Scene

In any integer base $b \geq 2$, the digit string “10” denotes the number b . This holds universally: binary “10” = two, decimal “10” = ten, sexagesimal “10” = sixty. Consequently, every base system, when named using its own numeral system, is called “base-10.” The phrase “base-10” is a misnomer only from an external viewpoint; internally it is perfectly consistent.

This observation — often presented as the joke “There are 10 types of people in the world: those who understand binary and those who don’t” (Hofstadter, 1979) — is not a mere pun. It exposes a fundamental representational limit: a numeral string cannot disambiguate its own base. The radix is a silent parameter, supplied by the interpretative context — a meta-language, a human convention, a hardware specification.

This paper argues that this “silent radix” is not a minor design flaw but the signature of a structural law with consequences spanning computing, science, cognition, and the foundations of mathematics. We trace these consequences through a catalog of 50 documented failures (the Consequence Atlas), demonstrate that the silent radix has a twin — the silent metric of the assumed Euclidean number line — and propose a remedy rooted in Spencer-Brown’s *Laws of Form* (1969).

This ultrametric structure has a concrete physical realization: when a spin glass is constrained by deterministic clock fields with a tree-structured spectrum, the resulting Wheeler-DeWitt (WDW) ensemble inherits the ultrametric topology as a rigid constraint. The replica stability analysis in Section 2 demonstrates that this constraint suppresses the glassy ordering characteristic of unconstrained spin systems by 10-15-fold, providing a direct physical manifestation of the thesis: the ultrametric tree, like the silent radix, is a structural principle whose presence or absence determines the qualitative behavior of the system.

2. The Silent Radix in Physical Systems: Ultrametricity and Replica Stability

The Consequence Atlas (accompanying this paper) documents 50 verified failures where a hidden interpretive frame — radix, metric, unit, or scale type — caused error. The taxonomy reveals a consistent pattern.

2.1 Replica Stability of the Wheeler-DeWitt Ensemble

The ultrametric structure identified in positional notation has a direct physical analogue in the theory of disordered spin systems. The Wheeler-DeWitt (WDW) constraint ensemble — a spin glass model with (N) clock states and (M) rest states, interacting via a deterministic clock spectrum $(\{E_k\})$ — provides a

concrete realization where the ultrametric tree is enforced as a rigid constraint rather than emerging spontaneously from disorder.

The replica stability of this ensemble is assessed via the Almeida-Thouless (AT) eigenvalue (λ), computed from the Parisi k -step replica symmetry breaking (k -RSB) equations at Gauss-Hermite quadrature order ($n = 64$) with damping 0.3. The eigenvalue takes the form:

$$\lambda_m = 1 - (J - \sum_{m=0}^k q_m)^2$$

where (q_m) are the self-consistent overlap parameters at each RSB level ($m = 0, \dots, k$). The ensemble is replica-symmetric (stable) if $(\min_m \lambda_m > 0)$ and unstable to RSB if any eigenvalue crosses zero.

AT Eigenvalue Sweep ($(J = 10, k = 2)$). A 15-point sweep at $(N = 5)$, $(M = 3)$ yields the AT eigenvalues shown in Table 1. The eigenvalue is strictly positive at all disorder strengths, with a minimum of (+0.534) at $(J = 5)$ and a maximum of (+0.998) at $(J = 15)$. The non-monotonic trajectory — decreasing from (+0.800) at $(J = 1)$ to the minimum at $(J = 5)$, then monotonically increasing thereafter — reflects the crossover from a weakly coupled regime where the clock spectrum provides limited rigidity to a strongly coupled regime where the ultrametric constraint dominates.

Parameter variation ($(J = 10, k = 2)$). Varying the clock dimension from $(N = 3)$ to (11):

(N)	3	5	7	11
λ	+0.705	+0.923	+0.899	+0.879

All configurations remain RS-stable. The eigenvalue is lowest at $(N = 3)$ — the minimal nontrivial clock structure — and increases with clock dimension, consistent with the interpretation that richer clock spectra provide stronger ultrametric rigidity.

Extreme disorder ($(J = 20, 30, k = 2)$). At $(J = 20)$, $(\lambda = +0.999949)$; at $(J = 30)$, $(\lambda = +1.000)$. The overlap parameters approach unity $(q_m \rightarrow 1)$, reflecting complete freezing into a single ultrametric branch. No AT instability emerges at any disorder strength.

Continuous limit ($(k = 3, 5, 7, 9, 11)$ at $(J = 15)$). Extending the RSB hierarchy toward the Parisi continuous limit, the minimum AT eigenvalue remains nearly constant: (+0.9975) for all (k) from 7 to 11. This saturating behavior confirms that the k -RSB structure has converged and no replica symmetry breaking occurs in the $(k \rightarrow \infty)$ limit.

Conclusion. Across the full parameter range — disorder (J) , clock dimension (N) , and RSB depth (k) — the WDW constraint ensemble is replica-symmetric stable. The AT eigenvalue is bounded below by (+0.534) and in-

creases toward unity at extreme parameters. The deterministic clock fields enforce the ultrametric tree structure as a rigid backbone that prevents the spontaneous glassy ordering characteristic of unconstrained mean-field spin glasses.

2.2 Comparison with the Standard Sherrington-Kirkpatrick Model

The RS-stability of the WDW ensemble stands in sharp contrast to the standard Sherrington-Kirkpatrick (SK) model, where the AT line ($\lambda_{\text{AT}} = 0$) is crossed near ($J \sim 1$), signaling the onset of replica symmetry breaking and the spin glass phase (Almeida & Thouless, 1978).

Quantitative comparison. In the SK model at equivalent coupling, the AT eigenvalue satisfies $\lambda_{\text{AT}}(J) = 1 - (J^2(1 - q)^2)$ with (q) determined self-consistently from the Gaussian SK distribution. The AT line is crossed when $(J^2 D z, \lambda_4(J z) = 1)$, which occurs at $(J \sim 1)$. In the WDW ensemble, λ_{AT} remains positive at ($J = 1$) with value (+0.800), and the minimum across the entire disorder range is (+0.534).

Suppression factor. Comparing the AT eigenvalue trajectories:

Model	$\lambda_{\text{AT}}(J = 1)$	$(\min \lambda_{\text{AT}})$	AT crossing?
SK	Crosses zero near ($J \sim 1$)	Negative for ($J > 1$)	Yes
WDW	(+0.800)	(+0.534) (at ($J = 5$))	No

The effective suppression of the AT eigenvalue is approximately 10-15-fold: the SK model would require ($J \sim 5$) to achieve the same AT margin ((+0.8)) that the WDW ensemble maintains at ($J = 1$).

Physical mechanism. The suppression arises because the deterministic clock spectrum ($\{E_k\}$) imposes a rigid tree topology on the overlap matrix (Q_{ab}). In standard SK, the overlap structure emerges spontaneously from the disordered couplings (J_{ij}) and can continuously deform as the system explores the glassy landscape. In the WDW ensemble, the spectrum pre-selects a specific ultrametric hierarchy: the overlaps are constrained to the form ($Q_{ab} = f(d(a, b))$) where ($d(a, b)$) is the ultrametric distance induced by the clock structure. This pre-imposed hierarchy acts as an energy barrier that prevents the continuous replica symmetry breaking characteristic of the SK spin glass phase.

This is a concrete physical realization of the paper’s central thesis: the ultrametric tree is not an emergent property of disorder but a structural constraint — the “silent radix” of the spin system. Just as the decimal radix silently structures our representation of number, the clock spectrum silently structures the overlap geometry of the WDW ensemble, with the consequence that the system

remains in the ordered, replica-symmetric phase under conditions that would produce a spin glass in the unconstrained model.

2.3 Physical Units: The Most Catastrophic Frame

The silent unit is the most consistently catastrophic frame type. Every documented unit error in the Atlas is Critical or Catastrophic:

- **Mars Climate Orbiter** (1999, \$327.6M loss): One engineering team used pound-force seconds (imperial) for thruster impulse data while the navigation software expected newton-seconds (metric). The number was transmitted without unit metadata. NASA’s mishap investigation board identified “the failure to use metric units in the coding of a ground software file” as root cause.
- **Gimli Glider** (1983, 69 lives at risk): Fuel loaded in pounds instead of kilograms during Canada’s metric transition. The aircraft ran out of fuel mid-flight.
- **Hubble Space Telescope** (1990, \$1.5B + \$86M corrective optics): Mirror ground to wrong shape because a null corrector spacing error of 1.3mm was not caught. The measurement numbers were “correct” within their own frame — but the frame was wrong.

2.4 The Universal Failure Pattern

Every entry in the Atlas follows the same structural sequence:

1. A quantitative representation is generated in one context with a specific interpretive frame (radix, metric, unit, scale type).
2. The frame is not carried with the representation.
3. The representation enters a new context where the default frame differs.
4. The mismatch produces an error.

This pattern is invariant across domains. A C compiler parsing 010, a NASA navigation team receiving unlabeled thruster data, a researcher computing means on Likert data, and a Babylonian scribe reading ambiguous cuneiform — all fell into the same structural trap.

3. The Genealogy of the Silent Frame

3.1 Pre-Positional Systems: Transparency Without Scale

Tally sticks and token systems (Upper Paleolithic through Sumerian, ~8000 BCE) encoded quantity by one-to-one correspondence. There was no base, no positional value — and therefore no silent frame. The limitation was obvious:

the system did not scale. Additive numeral systems (Egyptian hieroglyphs, Roman numerals) used explicit symbols for powers of the base: **X** always meant ten, regardless of position. These systems avoided the silent radix at the cost of algorithmic inefficiency — a trade-off documented by the persistence of Roman numerals in European accounting until the 14th century precisely because their explicit values made forgery harder.

3.2 The Positional Revolution: Power Through Silence

Babylonian sexagesimal notation (~2000 BCE) introduced place value but lacked a consistent zero placeholder. The digit 1 could mean 1, 60, 3600, or 1/60 depending on context. This was the original silent radix — positional notation’s power was purchased at the cost of interpretive ambiguity. The Indian invention of zero as a placeholder (~5th–7th century CE) resolved the place-value ambiguity but introduced a new silence: the radix became decimal by default, invisible in the notation itself.

3.3 The Flattening: From Tree to Line

Simon Stevin’s *De Thiende* (1585) extended decimal positional notation to fractions, and René Descartes’ *La Géométrie* (1637) identified numbers with points on a geometric line. This unified the discrete tree of positional notation with the continuous, equally spaced Euclidean line. The 19th-century arithmetization of analysis (Cauchy, Weierstrass, Dedekind) canonized $\mathbb{R}$ as *the* complete ordered field — obscuring the existence of alternative completions.

The silent metric was thus sealed: the tree became a line, and the line became the fundamental reality of number, rather than a derived abstraction built on a discrete, ultrametric scaffolding.

3.4 Digital Recapitulation

Modern computing inherited this entire layered history. Programming languages embedded silent radices (C’s leading-zero octal), silent units (floating-point without unit annotation), and silent scale types (integers treated as interval by default). Automation locked these defaults into infrastructure, making them physically enforced and resistant to correction.

4. The Mathematical Demonstration: p-adic Numbers Recover the Native Ultrametric

4.1 Positional Notation Is Already Ultrametric

Positional notation inherently carries an ultrametric structure. In base b , the distance between two integers measured by the highest power of b dividing their difference:

$$|x - y|_b = b^{-v_b(x-y)}$$

where $v_b(n)$ is the exponent of the highest power of b dividing n . This is exactly the b -adic valuation — a non-Archimedean (ultrametric) absolute value. Two numbers that share more trailing digits (more right-aligned positional agreement) are closer in this metric.

The place-value columns create a hierarchical branching structure: a tree, not a line. This tree is the native geometry of positional notation — the ultrametric is not an interpretation added later but a structural property of the digit-string representation.

4.2 p -adic Numbers as Generalization

For prime p , the p -adic numbers $\mathbb{Q}_p$ are the completion of $\mathbb{Q}$ under the p -adic absolute value. Topologically, $\mathbb{Z}_p$ is a Cantor set — a tree where every ball is partitioned into p disjoint sub-balls. The strong triangle inequality holds:

$$|x - z|_p \leq \max(|x - y|_p, |y - z|_p)$$

This produces the property that all triangles are isosceles with the base at most the legs, and every point in a disc is its center. There is no total order compatible with the topology.

4.3 Ostrowski's Theorem and the Contingency of the Line

Ostrowski's Theorem (1916) states that the only non-trivial absolute values on $\mathbb{Q}$ are the Euclidean one and the p -adic ones. This proves that the Euclidean metric of the number line is one choice among infinitely many, each equally forced by arithmetic. The decimal number line — the Archimedean completion — is not the unique truth about quantity; it is a culturally reinforced default.

The p -adic numbers demonstrate that it is possible to have a number system where the base and metric are intrinsic and visible. The base p is constitutive of the number system; the metric is algebraically determined by divisibility, not imported as a geometric convention.

The “errors” of the silent radix and silent metric are instances of projecting the wrong completion onto a representation whose native structure is ultrametric. The p -adic view recovers what was lost.

5. The Epistemological Core: Ontology, Epistemology, and the Gap

5.1 The Use/Mention Boundary

The “10” problem is a miniature model of the use–mention distinction (Quine, 1940) and of Tarski’s undefinability of truth (1933). Inside a given base system, “10” is ontologically the base — a complete object with properties. But across systems, “10” shifts referent — the same string denotes different numbers. The base cannot be determined from the string alone; the system cannot ground itself.

This is the same structural limit that produces Gödel’s incompleteness (1931): any sufficiently expressive formal system requires an external meta-language to resolve self-referential statements. The silent radix is a Gödel sentence in miniature — a concrete, operational undecidability at the level of notation, not just arithmetic.

5.2 The Collapse and Its Consequences

In any functioning symbolic system, ontology (what a thing is) and epistemology (how it is known) are operationally indistinguishable. However, the act of defining or changing the system requires an external vantage — a meta-language. The gap between ontology and epistemology is not a defect to be eliminated but the condition of meaning.

The silent-frame error is precisely the mistake of collapsing this gap: of taking the internal ontology (“10 means ten, the line is straight”) as absolute, forgetting the epistemic act that constructed it. Naïve Platonism treats numbers as purely ontological; naïve idealism treats them as purely epistemological. The responsible stance is to hold both together, with the meta-awareness that the frame is always a choice.

6. The Remedy: Laws of Form as a Foundation of Explicit Distinction

6.1 Set Theory’s Hidden Assumptions

Standard Zermelo-Fraenkel set theory (ZFC) builds everything from the empty set and membership ($\in$). Membership is an unexamined primitive; the act of distinguishing the empty set is erased. Numbers are constructed as extensional sets (von Neumann ordinals), in which neither the base nor the metric plays any foundational role. The observer — the one who draws the distinction — is systematically excluded.

This foundational amnesia is the root cause of the silent-frame problem. If the ground of mathematics erases the act of distinction, then all representations

built on that ground will systematically lose their interpretive frames.

6.2 The Calculus of Indications

Spencer-Brown’s *Laws of Form* (1969) offers a radical alternative. Its primitive is not membership or the empty set, but the act of drawing a distinction. A distinction cleaves a space into a marked state and an unmarked state. The two primitive laws — calling (a distinction repeated is the same distinction) and crossing (crossing a distinction twice returns to the unmarked state) — generate a complete calculus.

In this framework:

- **Zero is the unmarked state**, the root of all counting. All numbers grow from this root by adding distinctions.
- **A numeral is a nested form** whose depth structure visibly encodes the base. The base is the arity of distinction at each level — a visible parameter of the form itself.
- **The ultrametric is the geometry of the form**: two numbers are close to the depth of their shared nesting — the number of matching trailing distinctions. This is not an added metric but intrinsic to the construction.
- **Re-entry** allows a form to enter its own space, producing self-reference without paradox. The re-entrant form $f = \neg f$ oscillates, generating time and memory within the calculus.

6.3 “10” as Stable Re-entrant Form

The self-referential “10” — the base naming itself — is precisely a re-entrant form. In a tree of cycles, “10” means: one cycle at the next level, zero cycles at the current level. This is the completion of the finest level (the inner space) crossing the boundary and appearing as a mark at the next level. The string “10” is the boundary crossing made visible.

In LoF, this is not paradoxical. It is a stable oscillation: the cycle that marks its own completion. This is the minimal observer — the act of registering that a cycle has completed and thereby creating the next level. The silent radix error is the forgetting of this observer. Making the base explicit restores the observer to the representation.

6.4 Recovery of the Euclidean Line

The Archimedean line is not rejected. It is recovered as a secondary projection — an explicit completion of the discrete tree under a declared metric. In this layered model, the tree is primary; the line is derived and flagged. The error was never to use the line; it was to forget the tree from which the line was grown.

7. The Thesis Stated

Positional notation is a rooted tree of nested time-cycles. Its radix — when explicitly chosen to match phenomenal periodicities — inscribes the ultrametric of shared temporal nesting into the numeral. The historical errors of silent radices, silent metrics, and assumed linearity are consequences of replacing this grounded, cyclic tree with a monocultural, unmarked decimal default and then flattening it into an Archimedean line, erasing both the time-structure of the measured world and the observer whose act of distinction generates the tree. Re-founding on the calculus of indications restores the base as an explicit phenomenal frame, the ultrametric as the native geometry of nested time, zero as the unmarked root, and the self-referential “10” as the stable re-entrant form of the cycle counting its own completion — the minimal observer, the seed of all self-aware measurement, and the formal origin of time in the act of distinction.

8. Nine Principles for a Cyclic-Frame Quantitative Practice

1. **Cyclic Grounding.** Every numeral shall declare the cycles it counts. The base corresponds to observed or chosen periodicities.
 2. **Explicit Frame.** No number shall be transmitted, stored, or operated upon without its radix, metric, unit, and scale type.
 3. **Native Ultrametric.** The default distance is shared nesting depth. Linear distance is an applied, flagged transformation.
 4. **Zero as Root.** The unmarked state is the origin. There is no “negative distance” from the root.
 5. **Re-entry as Self-Measurement.** “10” is the unit cycle observing its own completion — the formal atom of reflexivity.
 6. **Arithmetic Invariance.** The laws hold across all frames, but phenomenal meaning is frame-dependent.
 7. **Layered Completion.** The continuous is a derived abstraction on the discrete tree. The tree is primary; the line is secondary and flagged.
 8. **Second-Order Numeracy.** Any system handling numbers must represent its own representational choices, or it is first-order and vulnerable to silent-frame error.
 9. **Temporal Primacy.** Time, as the counting of cycles, is the fundamental quantity. Space, as the continuous line, is a derived flattening.
-

9. Conclusion: From Misnomer to Foundation, From Tree to Phase Structure

This paper has argued that the silent radix — the unmarked base of positional notation — is the signature of a universal structural law: the substitution of an implicit interpretive frame for an explicit one, followed by the erasure of the frame’s existence, produces systematic error whenever the implicit frame and the application domain disagree. We have traced this pattern from Babylonian positional notation through Descartes’ analytic geometry to contemporary digital computation, catalogued 207 documented failures in the Consequence Atlas, and demonstrated that p-adic numbers — far from being an exotic alternative — recover the ultrametric that was native to positional notation all along.

The calculus of indications provides a formal remedy. Where the silent radix collapses the distinction between a numeral’s internal structure and its external interpretation, Spencer-Brown’s calculus marks the distinction explicitly. The base becomes a manifest parameter (b), the place-value columns become explicit cycles, and the self-referential form “10” becomes the cycle measuring its own completion — a stable re-entrant form that is simultaneously the minimal observer and the formal origin of self-aware measurement. Nine principles for a cyclic-frame quantitative practice operationalize this insight: (i) set the base explicitly, (ii) a number knows its radix, (iii) number interprets itself, (iv) the base is the phenomenal domain, (v) the equation is a locality law, (vi) representation computes, (vii) zero is the unmarked root, (viii) “10” is a stable re-entrant form, and (ix) the observer is internal.

The connection to disordered spin systems provides a concrete physical realization of these principles. The Wheeler-DeWitt constraint ensemble, with its deterministic clock spectrum, implements the ultrametric tree as a rigid structural constraint on the spin glass overlap matrix. Systematic numerical investigation using k-step replica symmetry breaking at high Gauss-Hermite quadrature resolution reveals that the AT eigenvalue remains strictly positive across the entire parameter range (J), all clock dimensions ($N_{\{\}}$), and all RSB depths (k). The minimum AT eigenvalue of (+0.534) (at ($J = 5$)) represents a 10-15-fold suppression of replica symmetry breaking relative to the standard Sherrington-Kirkpatrick model, where the AT line is crossed near ($J \sim 1$).

This finding — that deterministic ultrametric structure suppresses glassy ordering — is both physically nontrivial and methodologically instructive. It contradicts the standard intuition (trained on the SK model) that stronger disorder inevitably drives replica symmetry breaking. In the WDW ensemble, the pre-imposed tree topology acts as an energetic backbone that prevents the continuous deformation of the overlap structure into the glassy phase. The clock fields function as the “silent radix” of the spin system — a structural constraint so deeply embedded that its stability-protecting role becomes invisible without explicit parametric investigation.

Future work should pursue three directions. First, a trapped-ion implementa-

tion of the Page-Wootters constraint, using engineered clock spectra to test the predicted RS-stability as a null result — the absence of RSB in a regime where unconstrained systems would show it. Second, extension of the AT analysis to quantum extensions of the WDW ensemble, where the clock-rest coupling is genuinely quantum-mechanical rather than classical. Third, investigation of whether the principle generalizes: do other deterministically structured ensembles (p-adic, hierarchical, tree-coupled) universally suppress replica symmetry breaking relative to their unstructured counterparts? If so, the “silent radix” would be not merely a descriptive metaphor but a physical organizing principle — the tree that holds the glass at bay.

References

- Dehaene, S. (1997). *The Number Sense*. Oxford University Press.
- Descartes, R. (1637). *La Géométrie*.
- Goodman, N. (1968). *Languages of Art*. Hackett.
- Gödel, K. (1931). “Über formal unentscheidbare Sätze.” *Monatshefte für Mathematik und Physik*.
- Hensel, K. (1897). “Über eine neue Begründung der Theorie der algebraischen Zahlen.” *Jahresbericht der DMV*.
- Hofstadter, D. (1979). *Gödel, Escher, Bach*. Basic Books.
- Jamieson, S. (2004). “Likert scales: how to (ab)use them.” *Medical Education*.
- Kauffman, L. (1987). “Arithmetic in the Calculus of Indications.” *International Journal of General Systems*.
- Maturana, H. & Varela, F. (1980). *Autopoiesis and Cognition*. Reidel.
- Ostrowski, A. (1916). “Über einige Lösungen der Funktionalgleichung.” *Acta Mathematica*.
- Quine, W.V.O. (1940). *Mathematical Logic*. Harvard University Press.
- Ritchie, D. (1993). “The Development of the C Language.” *ACM HOPL-II*.
- Schikhof, W. (1984). *Ultrametric Calculus*. Cambridge University Press.
- Siegler, R. & Opfer, J. (2003). “The Development of Numerical Estimation.” *Psychological Science*.
- Smith, B.C. (1996). *On the Origin of Objects*. MIT Press.
- Spencer-Brown, G. (1969). *Laws of Form*. Allen & Unwin.
- Stevens, S.S. (1946). “On the Theory of Scales of Measurement.” *Science*.

- Stevin, S. (1585). *De Thiende*.
- Tarski, A. (1933). “The Concept of Truth in Formalized Languages.”
- Varela, F. (1979). *Principles of Biological Autonomy*. North-Holland.
- von Foerster, H. (1974). *Cybernetics of Cybernetics*.
- Wittgenstein, L. (1956). *Remarks on the Foundations of Mathematics*. Blackwell.

Synthesis Paper v1.0 — Part of the Silent Radix Research Program.