

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☐ Researcher

☒ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☒ Windows

☐ Linux

☐ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

☒ Python

☒ Java

☐ Rust

☐ JavaScript/Typescript

☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

☒ Visual Studio Code

☐ Vim/Neovim

☐ PyCharm

☐ JupyterLab/Notebook

☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☒	☐	☐	Very high

Which package managers do you use? *

- ☒ pip
- ☐ conda
- ☐ pipenv
- ☐ poetry
- ☒ virtualenv
- ☐ uv
- ☐ Sonstiges: _____

Have you ever developed a software tool? *

- ☐ Yes
- ☒ No

Experience in writing tools

What kind of application or tool did you create? *

- ☐ Command-line tool
- ☐ Standalone script (e.g., Python script)
- ☐ Jupyter Notebook
- ☐ ProM plugin
- ☐ Web application
- ☐ Desktop application
- ☐ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☐ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☐ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☐ Provided as a notebook or interactive script
- ☐ Distributed as a container
- ☐ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☐ Yes
- ☐ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☐	☐	☐	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☐	☐	☐	☐
Visualizing results	☐	☐	☐	☐	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☐ Slightly easier
- ☐ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☒	☐	☐
It improves my development performance.	☐	☐	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☐	☐	☒	☐	☐
It enhances my effectiveness as a developer.	☐	☐	☒	☐	☐	☐	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☒	☐
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☒	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☐	☒	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☐	☒	☐
My experience with plugin	☐	☐	☐	☐	☐	☐	☒

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☒☐☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☒☐☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☐☐☒

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☒	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☒	☐	☐	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☒	☐	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☐	☒	☐
How hard did you have to work to complete the task?	☐	☐	☒	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☒	☐	☐	☐	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools you are currently developing or planning to develop in the future? *

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the implementation of object-centric process mining techniques? *

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

Everything looks great, both the actual Ocelescope and the documentation. Making a plugin seems like an easy way to access those polished and user friendly basics, without having to meaningfully adjust my own code. I can basically just write my own code in python, and then use Ocelescope to get a nice, pretty front end. Since it doesn't at all help with the actual code, I still can't say it meaningfully increases my productivity, but I don't think that was the goal here anyway.

Turning existing python code into a plugin seems very easy, in no small part due to the excellent and almost overly detailed evaluation guide. But the code seems clean in general, as far as I can judge(not very far).

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

This isn't based on this evaluation, but rather on the using ocelelescope one, but there I tried uploading a rather large log and encountered issues. Provided my own code is up to the challenge, maybe it would be fine as long as I don't do anything but import the log and use my plugin, but risking to crash the entire program with a wrong click isn't exactly ideal.

There's also the question of loading times, maybe it exists but during the evaluation I didn't see anything about how to implement e.g. a progress bar, or anything on handling calculations that might take some time. Would those just freeze the whole program for a while?

Do you have any additional feedback or suggestions regarding Ocelelescope or the plugin development experience?

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

- ☐ Researcher
- ☐ Student
- ☐ Practitioner/Industry Professional
- ☒ Sonstiges: Non-PM user

Which operating system do you use? *

- ☒ Windows
- ☐ Linux
- ☐ macOS
- ☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

- ☒ Python
- ☐ Java
- ☐ Rust
- ☒ JavaScript/Typescript
- ☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

- ☒ Visual Studio Code
- ☐ Vim/Neovim
- ☐ PyCharm
- ☐ JupyterLab/Notebook
- ☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☐	☐	☒	Very high

Which package managers do you use? *

☒ pip

☐ conda

☐ pipenv

☐ poetry

☒ virtualenv

☒ uv

☐ Sonstiges: _____

Have you ever developed a software tool? *

☒ Yes

☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☐ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☒ Desktop application
- ☐ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☒ Shared as raw code or scripts (e.g., by email or file transfer)
- ☐ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☒ Provided as a notebook or interactive script
- ☒ Distributed as a container
- ☒ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☐ Yes
- ☒ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☐	☐	☒	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☐	☐	☐	☒
Visualizing results	☐	☐	☐	☒	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☐ Slightly easier
- ☐ Much easier
- ☒ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☐	☒	☐
It improves my development performance.	☐	☐	☐	☒	☐	☐	☐
It increases my productivity.	☐	☐	☐	☒	☐	☐	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☒	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☒	☐
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☒	☐	☐	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☐	☐	☒
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☒	☐	☐
My experience with plugin	☐	☐	☐	☐	☐	☐	☒

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☐☒☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☒☐☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☒☐☐

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☒	☐	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☐	☐	☒	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☒	☐	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☒	☐	☐	☐	☐	☐
How hard did you have to work to complete the task?	☒	☐	☐	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☒	☐	☐	☐	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools * you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the * implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

the separation of tool-development and plugin-packaging

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin development experience?

In VSC, the oscelescope imports are not properly resolved, no auto-complete etc. work. I did not touch any config file. This tripped me up on the required ocel_id parameter. For this specific evaluation, I suggest repeating the screenshot how the final plugin should work, to allow for some rudimentary testing, otherwise there is no feedback whatsoever.

Google Formulare

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☐ Researcher

☐ Student

☒ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☐ Windows

☐ Linux

☒ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

☒ Python

☐ Java

☐ Rust

☐ JavaScript/Typescript

☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

☐ Visual Studio Code

☐ Vim/Neovim

☒ PyCharm

☐ JupyterLab/Notebook

☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☐	☐	☒	Very high

Which package managers do you use? *

- ☐ pip
- ☐ conda
- ☐ pipenv
- ☐ poetry
- ☐ virtualenv
- ☒ uv
- ☐ Sonstiges: _____

Have you ever developed a software tool? *

- ☒ Yes
- ☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☒ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☒ Desktop application
- ☐ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☐ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☒ Provided as a notebook or interactive script
- ☒ Distributed as a container
- ☒ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☐ Yes
- ☒ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☒ Solution 1 – Basic plugin structure
- ☒ Solution 2 – Adding the edges field to the DFG resource
- ☒ Solution 3 – Implementing the visualize method
- ☒ Solution 4 – Extending the Input class with object_types
- ☒ Solution 5 – Implementing the discover method
- ☒ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☐	☒	☐	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☒	☐	☐	☐
Visualizing results	☐	☒	☐	☐	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☐ Slightly easier
- ☒ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☐	☐	☒
It improves my development performance.	☐	☐	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☐	☐	☒	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☐	☒
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☐	☒
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☒	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☐	☒	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☒	☐	☐
My experience with plugin	☐	☐	☐	☐	☐	☒	☐

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☐☒☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☒☐☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☐☐☒

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☒	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☒	☐	☐	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☐	☒	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☐	☒	☐
How hard did you have to work to complete the task?	☐	☒	☐	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☐	☒	☐	☐	☐	☐	☐

Do you think the Oceloscope plugin framework could support the implementation of tools * you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the * implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

The overall experience was quite impressive: detailed documentation, easy to follow examples, step-by-step instructions. When using it, I don't have to take care of "boilerplate" stuff, like visualizing stuff, creating upload forms, ... because it has 'batteries included'.

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

- If the plugin with the same version is uploaded again, it's unclear what happens (I think the new one is ignored?)
- Is it correct, that I can have multiple instances of a plugin with different versions? Maybe the upload could ask whether I want to overwrite the old version or have it additionally.
- The most confusion I had was about „OCEL_FIELD“ and why I need to set the ocel_id (and what to) in step „Extend the Input Class“
- I assume for writing new plugins the process of building and then uploading the zip all the time something small changes is cumbersome. Maybe for dev purposes I could sync the /src-code into the container and have it automatically rebuild my plugin as soon as changes are detected.

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin development experience?

- In the explanation, I really like the graphics showing how each line of code relates to a certain aspect of the UI.
 - The python version is specified as " ≥ 3.13 " which installed 3.14 for me (and it worked). The doc suggest it might only work with 3.13.
 - Maybe the utility-functions could already be provided by ocelescope directly?
 - Maybe "`list[tuple[str | None, str, str | None]]`" could be provided as a custom type to keep type annotation a bit cleaner
 - Would be nice if build would take the version into account (e.g., put it into the zip's filename)
 - „def visualize(self):“ should also have a return type
-

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☒ Windows

☐ Linux

☐ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

- ☒ Python
- ☐ Java
- ☐ Rust
- ☒ JavaScript/Typescript
- ☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

- ☒ Visual Studio Code
- ☐ Vim/Neovim
- ☒ PyCharm
- ☒ JupyterLab/Notebook
- ☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☒	☐	☐	Very high

Which package managers do you use? *

☒ pip

☐ conda

☐ pipenv

☐ poetry

☐ virtualenv

☐ uv

☐ Sonstiges: _____

Have you ever developed a software tool? *

☒ Yes

☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☒ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☐ Desktop application
- ☐ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☐ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☒ Provided as a notebook or interactive script
- ☐ Distributed as a container
- ☐ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☒ Yes
- ☐ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☒ Solution 2 – Adding the edges field to the DFG resource
- ☒ Solution 3 – Implementing the visualize method
- ☒ Solution 4 – Extending the Input class with object_types
- ☒ Solution 5 – Implementing the discover method
- ☒ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☐	☐	☒	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☐	☐	☒	☐
Visualizing results	☐	☐	☐	☒	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☐ Slightly easier
- ☒ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☐	☐	☒
It improves my development performance.	☐	☐	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☐	☐	☒	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☒	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☒	☐
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☐	☒
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☒	☐	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☒	☐	☐	☐
My experience with plugin	☐	☐	☐	☒	☐	☐	☐

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☐☒☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☒☐☐☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☒☐☐

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☐	☐	☒	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☐	☐	☐	☒	☐	☐
How hurried or time-pressured did you feel while completing the task?	☐	☐	☐	☐	☒	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☒	☐	☐	☐	☐
How hard did you have to work to complete the task?	☐	☐	☐	☒	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☐	☐	☐	☒	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools *
you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the *
implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the
Oceloscope Framework?

the plugin/resource-based design seems very flexible. it also helps (forces) me to define clear
(user-)interfaces for my work.

What potential challenges or limitations do you perceive in developing object-centric
process mining techniques with the Oceloscope Framework?

the dfg in my developed plugin did not show (Windows, Firefox)
it is not clear to me what to do with the exported .oceloscope files.

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin
development experience?

the "Ocelot" tab in the oceloscope plugin is a bit confusing. is it also a plugin? can i fixate plugins to
the sidebar like Ocelot?

Google Formulare

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☐ Researcher

☒ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☒ Windows

☐ Linux

☐ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

- ☒ Python
- ☐ Java
- ☒ Rust
- ☒ JavaScript/Typescript
- ☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

- ☒ Visual Studio Code
- ☐ Vim/Neovim
- ☐ PyCharm
- ☐ JupyterLab/Notebook
- ☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☒	☐	☐	Very high

Which package managers do you use? *

- ☒ pip
- ☐ conda
- ☐ pipenv
- ☐ poetry
- ☒ virtualenv
- ☐ uv
- ☐ Sonstiges: _____

Have you ever developed a software tool? *

- ☒ Yes
- ☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☐ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☒ Desktop application
- ☒ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☒ Shared as raw code or scripts (e.g., by email or file transfer)
- ☐ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☐ Provided as a notebook or interactive script
- ☒ Distributed as a container
- ☐ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☐ Yes
- ☒ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☒ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☒ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☐	☐	☒	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☐	☒	☐	☐
Visualizing results	☐	☐	☐	☒	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☐ Slightly easier
- ☐ Much easier
- ☒ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☒	☐	☐
It improves my development performance.	☐	☐	☐	☒	☐	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐	☐	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☒	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☐	☒
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☒	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☒	☐	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☒	☐	☐	☐
My experience with plugin	☐	☐	☐	☐	☒	☐	☐

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☐☒☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☐☒☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☐☒☐

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☒	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☒	☐	☐	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☐	☒	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☒	☐	☐
How hard did you have to work to complete the task?	☐	☐	☒	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☒	☐	☐	☐	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools * you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the * implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

The ecosystem is very well done and it feels very streamlined. In addition, there are so much boilerplate and types given that it is very clear how one should structure and write their code.

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

It could turn out as yet another good tool which is later abandoned and never reaches its full potential. I am also not sure whether there isn't so much structure given that it might not be possible to implement everything that one wants to implement, due to the fixed workflow of a plugin.

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin development experience?

Google Formulare

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☒ Windows

☐ Linux

☐ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

☒ Python

☐ Java

☒ Rust

☒ JavaScript/Typescript

☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

☐ Visual Studio Code

☒ Vim/Neovim

☐ PyCharm

☐ JupyterLab/Notebook

☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☐	☐	☒	Very high

Which package managers do you use? *

☒ pip

☐ conda

☐ pipenv

☒ poetry

☐ virtualenv

☒ uv

☐ Sonstiges: _____

Have you ever developed a software tool? *

☒ Yes

☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☒ Jupyter Notebook
- ☐ ProM plugin
- ☐ Web application
- ☐ Desktop application
- ☒ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☒ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☐ Provided as a notebook or interactive script
- ☒ Distributed as a container
- ☐ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☐ Yes
- ☒ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☒	☐	☐	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☒	☐	☐	☐
Visualizing results	☐	☒	☐	☐	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☒ Slightly easier
- ☐ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☐	☐	☒
It improves my development performance.	☐	☐	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☐	☐	☐	☒
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☐	☒
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☐	☒
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☒	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☐	☐	☒
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☐	☐	☒
My experience with plugin	☐	☐	☐	☐	☐	☐	☒

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☐☒☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☐☐☒

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☐☐☒

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☒	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☒	☐	☐	☐	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☒	☐	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☐	☐	☒
How hard did you have to work to complete the task?	☐	☒	☐	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☒	☐	☐	☐	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools *
you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the *
implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the
Oceloscope Framework?

Making a user interface for a technique you already developed is very quick and easy

What potential challenges or limitations do you perceive in developing object-centric
process mining techniques with the Oceloscope Framework?

More complex visualizations might be more difficult to get working

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin
development experience?

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☐ Windows

☐ Linux

☒ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

- ☐ Python
- ☐ Java
- ☐ Rust
- ☒ JavaScript/Typescript
- ☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

- ☒ Visual Studio Code
- ☐ Vim/Neovim
- ☐ PyCharm
- ☐ JupyterLab/Notebook
- ☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☒	☐	☐	Very high

Which package managers do you use? *

☒ pip

☐ conda

☐ pipenv

☐ poetry

☐ virtualenv

☒ uv

☐ Sonstiges: _____

Have you ever developed a software tool? *

☒ Yes

☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☒ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☒ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☒ Desktop application
- ☒ Library or framework

☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☒ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☒ Provided as a notebook or interactive script
- ☒ Distributed as a container
- ☒ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)

☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☒ Yes
- ☐ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☒ Solution 1 – Basic plugin structure
- ☒ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☒ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☐	☒	☐	☐	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☒	☐	☐	☐
Visualizing results	☐	☒	☐	☐	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☐ About the same
- ☒ Slightly easier
- ☐ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☐	☒	☐
It improves my development performance.	☐	☐	☐	☒	☐	☐	☐
It increases my productivity.	☐	☐	☐	☒	☐	☐	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☒	☐	☐	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☒	☐	☐
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☒	☐	☐	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☒	☐	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☒	☐	☐
My experience with plugin	☐	☐	☐	☐	☒	☐	☐

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☒☐☐☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☐☒☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☒☐☐

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☐	☒	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☐	☐	☐	☒	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☐	☐	☒	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☒	☐	☐
How hard did you have to work to complete the task?	☐	☒	☐	☐	☐	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☐	☒	☐	☐	☐	☐	☐

Do you think the Oceloscope plugin framework could support the implementation of tools * you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the * implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

the build support

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

It does not visualize how long a task takes in the background, apparently.

Do you have any additional feedback or suggestions regarding Oceloscope or the plugin development experience?

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope Plugin Development Evaluation

Ocelescope is a tool designed to support running applications with object-centric event logs. As part of its extensibility, it allows users to develop custom plugins to add new functionality or integrate with other tools.

This form collects your feedback on the process of writing a plugin for Ocelescope. We are interested in your experience with the plugin system, documentation and overall development workflow.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☐ Windows

☐ Linux

☒ macOS

☐ Sonstiges: _____

Which programming language(s) do you primarily use? *

- ☒ Python
- ☐ Java
- ☐ Rust
- ☒ JavaScript/Typescript
- ☐ Sonstiges: _____

Which IDE or code editor do you primarily use for development? *

- ☒ Visual Studio Code
- ☐ Vim/Neovim
- ☐ PyCharm
- ☐ JupyterLab/Notebook
- ☐ Sonstiges: _____

Python Background

How would you rate your Python programming skills? *

	1	2	3	4	5	
Very low	☐	☐	☐	☒	☐	Very high

Which package managers do you use? *

☒ pip

☐ conda

☒ pipenv

☐ poetry

☒ virtualenv

☐ uv

☐ Sonstiges: _____

Have you ever developed a software tool? *

☒ Yes

☐ No

Experience in writing tools

What kind of application or tool did you create? *

- ☐ Command-line tool
- ☒ Standalone script (e.g., Python script)
- ☒ Jupyter Notebook
- ☐ ProM plugin
- ☒ Web application
- ☒ Desktop application
- ☒ Library or framework
- ☐ Sonstiges: _____

How did you distribute or share your tool? *

- ☒ Shared via a public code repository (e.g., GitHub, GitLab)
- ☐ Shared as raw code or scripts (e.g., by email or file transfer)
- ☒ Published to a package registry (e.g., PyPI, npm, Maven Central)
- ☒ Provided as a notebook or interactive script
- ☐ Distributed as a container
- ☒ Hosted as a web application or service
- ☐ Integrated into an existing tool or plugin system (e.g., ProM)
- ☐ Sonstiges: _____

Were any of the tools you developed related to object-centric process mining? *

- ☒ Yes
- ☐ No

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Task Instructions

Now it's time for you to try out Ocelescope.

We've prepared a small set of tasks to guide you through using the tool.

Task list: <https://rwth-pads.github.io/ocelescope/evaluation/plugin>

Upload your plugins

If possible, please upload your completed plugins using the Dropbox link below:

 [Upload Link](#)

Which of the provided solutions (if any) did you use while completing the evaluation?

- ☐ Solution 1 – Basic plugin structure
- ☐ Solution 2 – Adding the edges field to the DFG resource
- ☐ Solution 3 – Implementing the visualize method
- ☐ Solution 4 – Extending the Input class with object_types
- ☐ Solution 5 – Implementing the discover method
- ☐ Solution 6 – Final complete plugin

Comparison to conventional approaches for implementing process mining tools

How closely did each of the following aspects of the task reflect the real experience of implementing software tools?

	Not at all	Slightly	Moderately	Very	Extremely
Creating a user interface	☒	☐	☐	☐	☐
Making results portable (e.g., allowing results to be exported or imported)	☐	☐	☐	☒	☐
Visualizing results	☐	☐	☒	☐	☐

How did writing a plugin for Ocelescope compare to how you would normally implement something for object-centric process mining? *

- ☐ Much more difficult
- ☐ Slightly more difficult
- ☒ About the same
- ☐ Slightly easier
- ☐ Much easier
- ☐ I've never implemented anything in this area before

Usefulness and Ease of Use



When writing a plugin for Ocelescope, please indicate how much you agree with the following statements:

	Extremely disagree	Quite disagree	Slightly disagree	Neither agree or disagree	Slightly agree	Quite agree	Extremely agree
It enables me to accomplish development tasks more quickly.	☐	☐	☐	☐	☒	☐	☐
It improves my development performance.	☐	☐	☒	☐	☐	☐	☐
It increases my productivity.	☐	☐	☐	☐	☒	☐	☐
It enhances my effectiveness as a developer.	☐	☐	☐	☐	☐	☒	☐
It makes it easier to extend or integrate process mining tools.	☐	☐	☐	☐	☐	☐	☒
I find plugin development in Ocelescope useful for my work.	☐	☐	☐	☐	☐	☒	☐
Learning how to write a plugin would be easy for me.	☐	☐	☐	☐	☒	☐	☐
I would find it easy to get a plugin to do what I want.	☐	☐	☐	☐	☒	☐	☐
My experience with plugin	☐	☐	☐	☐	☐	☒	☐

development is
clear and
understandable.

The plugin
system is
flexible to work
with.

☐☐☐☐☒☐☐

It would be easy
for me to
become skillful
in writing
plugins.

☐☐☐☐☒☐☐

Overall, I find
plugin
development in
Ocelescope
easy.

☐☐☐☐☐☒☐

Please rate the following aspects of your experience while developing a plugin for
Ocelescope.

*

	Very Low	Low	Somewhat Low	Moderate	Somewhat High	High	Very High
How mentally demanding was the plugin development task?	☐	☒	☐	☐	☐	☐	☐
How physically demanding was the task (e.g., fatigue, strain)?	☒	☐	☐	☐	☐	☐	☐
How hurried or time-pressured did you feel while completing the task?	☐	☒	☐	☐	☐	☐	☐
How satisfied are you with your performance on the plugin task?	☐	☐	☐	☐	☐	☒	☐
How hard did you have to work to complete the task?	☐	☐	☐	☐	☒	☐	☐
How insecure, discouraged, irritated, or stressed did you feel during the task?	☐	☒	☐	☐	☐	☐	☐

Do you think the Ocelescope plugin framework could support the implementation of tools * you are currently developing or planning to develop in the future?

☒ Yes

☐ No

How likely are you to recommend using the Oceloscope Framework for the * implementation of object-centric process mining techniques?

1 2 3 4 5 6 7 8 9 10

Not at all likely ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐ Extremely likely

What do you like about developing object-centric process mining techniques using the Oceloscope Framework?

It is a very slim layer on top of my existing code.

What potential challenges or limitations do you perceive in developing object-centric process mining techniques with the Oceloscope Framework?

Sharing Resource definitions (e.g. Someone else could define a DFG as nodes with arcs - how can multiple plugins use the same format). Having ProM and Plugins like the interactive inductive miner in mind - is there a way to develop "front end" components / sliders?

Do you have any additional feedback or suggestions regarding Ocelescope or the plugin development experience?

See the slides I sent you via email.

Google Formulare