

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☐ Researcher

☒ Student

☐ Practitioner/Industry Professional

☐ Sonstiges: _____

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges: _____

Have you previously tried to use a tool for object-centric process mining? *

- ☒ Yes
- ☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

- ☒ Python libraries
- ☐ Rust libraries
- ☒ ProM Plugins
- ☐ Custom Scripts
- ☒ Web-Based tools
- ☐ Dockerized applications
- ☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☒	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☒	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☒	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(dd161862f9164df98f62b726e9846241_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(47734e4656765d20df4fdbd5b7aff048_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

1 2 3 4 5

Not at all similar ☐ ☒ ☐ ☐ ☐ Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Usually I don't have clear, easy to follow instructions, and that pretty much transforms everything about the process.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☒	☐	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☒	☐	☐	☐
Learning to operate it would be easy for me.	☐	☐	☒	☐	☐
I find it easy to get it to do what I want.	☐	☐	☒	☐	☐
My interaction with it is clear and understandable.	☐	☐	☒	☐	☐
I find it flexible to interact with.	☐	☐	☒	☐	☐
It would be easy for me to become skillful at using it.	☐	☐	☒	☐	☐
I find it easy to use.	☐	☐	☒	☐	☐

Do you have any feedback or suggestions for how we might improve Ocelescope?

To be honest, I don't feel qualified to answer most of these just based on the evaluation task. I tried loading an OCEL I'm familiar with to explore further, but I think its too large, and it bugs out or even crashes completely pretty quickly. Based on a superficial look at the ContainerLogistics Log, I like the interface, everything is snappy, it looks great. The filter functionality looks amazing, it's really intuitive, drop downs for everything, its beautiful. But in practice, after filtering, I found it somewhat unreliable, and hard to detect whether it worked or not. There's the popup "Filter successfully applied", but I'm not sure it actually means anything. I tried filtering the object types, then went to object overview to check, and the objects were still all there. I waited a bit and tried again, and the object overview got filtered. I removed the filter, went back to object overview, and it was still filtered. Not knowing what data I'm currently working with severely limits the reliability of any results. I think there needs to be some kind of clear, reliable indicator of what the current data is. Also for Event Attributes, the dropdowns didn't work. Regarding the evaluation task, using the current version of both the tool and the plugin everything went without a hitch. But I had oceloscope installed for a while already, which resulted in the download button for the totem result not working. I then first updated only totem, which caused the plugin to stop working entirely. Only after updating oceloscope as well using "docker compose down --rmi 'all'" did it work. The point is, to avoid this kind of thing some warning like "this plugin was made for a newer/older version of oceloscope", anything along those lines, might be nice.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Formulare

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

☐ Yes

☒ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☐ Python libraries

☐ Rust libraries

☐ ProM Plugins

☐ Custom Scripts

☐ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(98ed6f947b7758d2a448faade293496c_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

 [Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☐	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☒	☐	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☒	☐	☐
I find it easy to get it to do what I want.	☐	☒	☐	☐	☐
My interaction with it is clear and understandable.	☐	☒	☐	☐	☐
I find it flexible to interact with.	☐	☐	☒	☐	☐
It would be easy for me to become skillful at using it.	☐	☐	☒	☐	☐
I find it easy to use.	☐	☐	☒	☐	☐

Do you have any feedback or suggestions for how we might improve Ocelescope?

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google Formulare

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☐ Researcher

☐ Student

☒ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

☐ Yes

☒ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☐ Python libraries

☐ Rust libraries

☐ ProM Plugins

☐ Custom Scripts

☐ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(b18c17fc657b587c69a5722b7427ea01_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

 [Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☐	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☒	☐	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☒	☐	☐
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☐	☐	☒
It would be easy for me to become skillful at using it.	☐	☐	☐	☐	☒
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

Purely on tool use, as I cannot speak to any PM topics: - setup is super easy; - plugin loading is straight-forward; - when using the plugin form, the tau input offers unhelpful increments (integers) and also accepts emptiness (fully unclear to the user what happens); - <Submit> has no noticable feedback, does pressing Enter do anything?; - On the graph view zooming feels uncomfortably slow.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Formulare

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.



Please make sure that [Docker](#) is installed and working on your system before starting.



This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *



Researcher



Student



Practitioner/Industry Professional



Sonstiges:

Which operating system do you use? *



Windows



macOS



Linux



Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

☒ Yes

☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☒ Python libraries

☐ Rust libraries

☒ ProM Plugins

☐ Custom Scripts

☒ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☒	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☒	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☒	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☒	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

Not at all similar 1 2 3 4 5 Extremely similar

☐ ☐ ☒ ☐ ☐

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Having a docker container and a runnable docker-compose config is special.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☒	☐
It improves my performance.	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☒	☐
It enhances my effectiveness.	☐	☐	☐	☒	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☐	☒	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☐	☐	☒
It would be easy for me to become skillful at using it.	☐	☐	☐	☒	☐
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

On ARM (MacOS) the images only run as x86-emulation. I like the easiness and responsiveness of the UI. After uploading a new sqlite file, it would be nice if the UI would automatically switch into that new data. In the Discover TOTeM plugin, the minimum value of tau should be set in a way that I cannot even enter negative numbers (and then get an error messages). Also, the steps could be set to 0.1 in-/decrements. On the website, the link for „Backend (API)“ could link to /docs directly. Opening „Event Overview“ without a selected log leads to slow loading. The tags' colors of the plugins sometimes had different colors, but mostly all were (the same) green.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Formulare

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

- ☒ Yes
- ☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

- ☒ Python libraries
- ☐ Rust libraries
- ☒ ProM Plugins
- ☐ Custom Scripts
- ☐ Web-Based tools
- ☐ Dockerized applications
- ☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(45a5a418bdb93a9a08899ab4aac2fa52_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

1 2 3 4 5

Not at all similar ☐ ☒ ☐ ☐ ☐ Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

i am not used to the drag&drop style of loading plugins

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☒	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☐	☒	☐
It enhances my effectiveness.	☐	☐	☐	☒	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☒	☐
My interaction with it is clear and understandable.	☐	☒	☐	☐	☐
I find it flexible to interact with.	☐	☐	☐	☒	☐
It would be easy for me to become skillful at using it.	☐	☐	☐	☒	☐
I find it easy to use.	☐	☒	☐	☐	☐

Do you have any feedback or suggestions for how we might improve Ocelescope?

Working with ToTeM tool was confusing from a user experience point of view. Generating multiple models did not really work (irresponsive UI). Apart from that I think the method behind the tool is clear

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☒ Researcher

☐ Student

☐ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

- ☒ Yes
- ☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

- ☒ Python libraries
- ☐ Rust libraries
- ☒ ProM Plugins
- ☐ Custom Scripts
- ☒ Web-Based tools
- ☐ Dockerized applications
- ☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☒	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☒	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☒	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☒	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☒	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(0ace1a1c6944f68aaf4472b30073373f_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(c3cb3e27962467dba062ba7d81d3c41f_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☒	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Usually everything is in one view. In this case I had to go back and forth between the plugin and results views.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☒	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☐	☒
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☒	☐
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☐	☒	☐
It would be easy for me to become skillful at using it.	☐	☐	☐	☒	☐
I find it easy to use.	☐	☐	☐	☒	☐

Do you have any feedback or suggestions for how we might improve Ocelescope?

(1) I would suggest that the name of the docker container/image is not downloads but oceloscope.
(2) In my case, the port 3000 was already used so weird things occurred and I had to disable the other app first. For less experienced users this might be problematic. (3) The default event log upload is not that intuitive if you don't notice it. (4) It would be better if I have a history of the results in the Plugin view. (5) The name of the result does not change depending on the event log and threshold used. (6) I would make the plugins to be directly installable from the tool like a plugin repo.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☐ Researcher

☒ Student

☐ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☐ Windows

☒ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

- ☒ Yes
- ☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

- ☒ Python libraries
- ☐ Rust libraries
- ☒ ProM Plugins
- ☐ Custom Scripts
- ☒ Web-Based tools
- ☐ Dockerized applications
- ☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☒	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☒	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☒	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(24167d16116509f97d2b02521b9d8aef_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

1 2 3 4 5

Not at all similar ☐ ☒ ☐ ☐ ☐ Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

It was easier and more guided than usual. Normally it takes longer to understand a new tool, but here the workflow was clear, so the process felt smoother than my typical experience.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☐	☒
It improves my performance.	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☒	☐
It enhances my effectiveness.	☐	☐	☐	☒	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☐	☒
I find it flexible to interact with.	☐	☐	☐	☐	☒
It would be easy for me to become skillful at using it.	☐	☐	☐	☐	☒
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

I like the overall user experience. The interface feels well-structured and easy to navigate. It was straightforward to perform the tasks without much prior explanation.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

☐ Researcher

☒ Student

☐ Practitioner/Industry Professional

☐ Sonstiges:

Which operating system do you use? *

☒ Windows

☐ macOS

☐ Linux

☐ Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

- ☒ Yes
- ☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

- ☒ Python libraries
- ☐ Rust libraries
- ☒ ProM Plugins
- ☐ Custom Scripts
- ☒ Web-Based tools
- ☐ Dockerized applications
- ☒ Sonstiges: OCPQ, Ocelot

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☒	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(2339302de7b15298e81aeabe8f02f140_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☐	☐	☒	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

It was a lot like ProM where you click on a plugin, select some input and parameters and get the output. Just much prettier.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☒	☐	☐
It improves my performance.	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☒	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☒	☐	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☐	☒
I find it flexible to interact with.	☐	☒	☐	☐	☐
It would be easy for me to become skillful at using it.	☐	☐	☐	☐	☒
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

More interactivity like in ProM where one can change parameters and immediately see the result.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

- ☒ Researcher
- ☐ Student
- ☐ Practitioner/Industry Professional
- ☐ Sonstiges: _____

Which operating system do you use? *

- ☒ Windows
- ☐ macOS
- ☐ Linux
- ☐ Sonstiges: _____

Have you previously tried to use a tool for object-centric process mining? *

☒ Yes

☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☐ Python libraries

☒ Rust libraries

☐ ProM Plugins

☐ Custom Scripts

☐ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☒	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☒	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

 [Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☒	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Much simpler than the usual way. No need to find out a) how dependencies are managed/ how to install them b) how to run the tool, ... since it is already implemented as an oceloscope plugin

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☐	☒
It improves my performance.	☐	☐	☐	☐	☒
It increases my productivity.	☐	☐	☐	☐	☒
It enhances my effectiveness.	☐	☐	☐	☐	☒
It makes it easier to apply process mining tools.	☐	☐	☐	☐	☒
I find it useful for my work.	☐	☐	☐	☐	☒
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☒	☐
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☐	☒	☐
It would be easy for me to become skillful at using it.	☐	☐	☐	☒	☐
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

When switching between the parameter settings for TOTEM (0.3 and 0.9) after they were already computed, it was difficult to tell that pressing Submit did something since neither the output's name (Totem_mine_totem_0_0) or the preview updated

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

- ☒ Researcher
- ☐ Student
- ☐ Practitioner/Industry Professional
- ☐ Sonstiges: _____

Which operating system do you use? *

- ☐ Windows
- ☒ macOS
- ☐ Linux
- ☐ Sonstiges: _____

Have you previously tried to use a tool for object-centric process mining? *

☒ Yes

☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☒ Python libraries

☒ Rust libraries

☒ ProM Plugins

☒ Custom Scripts

☒ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☒	☐	☐
ProM Plugins	☐	☐	☐	☒	☐
Custom Scripts	☐	☐	☒	☐	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☒	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☒	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☒	☐	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(dccf9b70aef3309ba6f28ceacde358dd_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

Not at all similar 1 2 3 4 5 Extremely similar

☐ ☐ ☒ ☐ ☐

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

I had to run Docker compose. What was similar is that some demo logs are provided, built-in.

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☒	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☐	☒	☐
Learning to operate it would be easy for me.	☐	☐	☐	☒	☐
I find it easy to get it to do what I want.	☐	☐	☐	☒	☐
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☐	☒	☐
It would be easy for me to become skillful at using it.	☐	☐	☒	☐	☐
I find it easy to use.	☐	☐	☐	☒	☐

Do you have any feedback or suggestions for how we might improve Ocelescope?

When I changed the tau values, the preview below did not update visually.

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

- ☒ Researcher
- ☐ Student
- ☐ Practitioner/Industry Professional
- ☐ Sonstiges: _____

Which operating system do you use? *

- ☒ Windows
- ☐ macOS
- ☐ Linux
- ☐ Sonstiges: _____

Have you previously tried to use a tool for object-centric process mining? *

☒ Yes

☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☒ Python libraries

☒ Rust libraries

☐ ProM Plugins

☒ Custom Scripts

☒ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☒	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☒	☐	☐	☐
Web-Based tools	☐	☒	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☒	☐
Rust libraries	☒	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☒	☐	☐	☐
Web-Based tools	☐	☒	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(4198b36f0e5e0ac4b1a07442a3cb4ced_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☐	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

I do not get the question

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☒	☐	☐
It improves my performance.	☐	☐	☒	☐	☐
It increases my productivity.	☐	☐	☒	☐	☐
It enhances my effectiveness.	☐	☐	☒	☐	☐
It makes it easier to apply process mining tools.	☐	☐	☒	☐	☐
I find it useful for my work.	☐	☐	☐	☒	☐
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☒	☐
My interaction with it is clear and understandable.	☐	☐	☐	☒	☐
I find it flexible to interact with.	☐	☐	☒	☐	☐
It would be easy for me to become skillful at using it.	☐	☐	☒	☐	☐
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

No preview of the results, Why do I want to download the OCElescope results but not the visualization itself?, It jumps back to the wrong part when I close a result of the view, It remains unclear why OCELOT is added in there without context?, The filters do not always suggest existing object or event types, Maybe there should already be some sample plugins upfront, The graph of the object overview does not work for me, the results should be ordered in a clearer and more reasonable way and not by type first and then within types from oldest to newest (newest to oldest is expected)

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.

⚙ Please make sure that [Docker](#) is installed and working on your system before starting.

🧩 This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *

- ☒ Researcher
- ☐ Student
- ☐ Practitioner/Industry Professional
- ☐ Sonstiges: _____

Which operating system do you use? *

- ☒ Windows
- ☐ macOS
- ☐ Linux
- ☐ Sonstiges: _____

Have you previously tried to use a tool for object-centric process mining? *

☐ Yes

☒ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☐ Python libraries

☐ Rust libraries

☐ ProM Plugins

☐ Custom Scripts

☐ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☐	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☐	☐	☐
Custom Scripts	☐	☐	☐	☐	☐
Web-Based tools	☐	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(a0553b6a21912fa4dfa0bf08fea80f88_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

 [Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

	1	2	3	4	5	
Not at all similar	☐	☐	☐	☐	☐	Extremely similar

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☐	☒
It improves my performance.	☐	☐	☐	☐	☒
It increases my productivity.	☐	☐	☐	☐	☒
It enhances my effectiveness.	☐	☐	☐	☐	☒
It makes it easier to apply process mining tools.	☐	☐	☐	☐	☒
I find it useful for my work.	☐	☐	☐	☐	☒
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☐	☒
I find it flexible to interact with.	☐	☐	☐	☐	☒
It would be easy for me to become skillful at using it.	☐	☐	☐	☐	☒
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

My feedback relates to getting oceloscope running and installing the plugin. I didn't fully understand the functionality of the TOTEM-Plugin. In the TOTEM plugin I would've liked possibilities to compare the results using different tau-values. It seemed to be only possible to explore and save one run. But I think this is rather an issue with the TOTEM plugin and not Ocelescope. The whole process of getting Ocelescope running and installing the plugin was very smooth!

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Ocelescope

Ocelescope is a tool designed to support running applications with object-centric event logs. This form collects your feedback on the tool's usability, functionality, and overall usefulness. Your input will help shape improvements and guide future development.



Please make sure that [Docker](#) is installed and working on your system before starting.



This evaluation includes up to 12 questions, with short tasks to complete inside the tool in between.

Background

What best describes your current role? *



Researcher



Student



Practitioner/Industry Professional



Sonstiges:

Which operating system do you use? *



Windows



macOS



Linux



Sonstiges:

Have you previously tried to use a tool for object-centric process mining? *

☒ Yes

☐ No

Experience with previous object-centric process mining tools

What types of object-centric process mining tools have you used?

☒ Python libraries

☐ Rust libraries

☒ ProM Plugins

☒ Custom Scripts

☒ Web-Based tools

☐ Dockerized applications

☐ Sonstiges: _____

Setup and Usability

Please rate how easy or difficult it was to get each type of object-centric process mining tool running.

Only answer for the types of tools you used.

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☐	☒	☐	☐
Custom Scripts	☐	☐	☒	☐	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Please rate how easy or difficult it was to use each type of object-centric process mining tool. *Only answer for the types of tools you used.*

	Very easy	Easy	Moderate	Difficult	Very difficult
Python libraries	☐	☒	☐	☐	☐
Rust libraries	☐	☐	☐	☐	☐
ProM Plugins	☐	☒	☐	☐	☐
Custom Scripts	☐	☐	☐	☒	☐
Web-Based tools	☒	☐	☐	☐	☐
Dockerized applications	☐	☐	☐	☐	☐

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[🔗 Upload Link](#)

Did you complete all tasks successfully? *

☒ Yes

☐ No

Ocelescope Tasks

Complete the following tasks using Ocelescope:

<https://rwth-pads.github.io/ocelescope/evaluation/tool>

Once you have completed the tasks, return to this form to provide your feedback.

Upload your totems

If possible, please upload your completed TOTeMs using the Dropbox link below:

[!\[\]\(1cb374211ec9de01de2b5e979c0c4fa5_img.jpg\) Upload Link](#)

Did you complete all tasks successfully? *

☐ Yes

☐ No

Comparison with previous object-centric process mining tools

How closely did the tasks you performed resemble your typical experience when trying a new tool for object-centric process mining?

Not at all similar 1 2 3 4 5 Extremely similar

☐ ☐ ☒ ☐ ☐

In what ways did the tasks resemble or differ from how you would normally try out a new tool for object-centric process mining?

Similar: web based UI

Different: Docker compose based

Usefulness and ease of use

When using Ocelescope for object-centric process mining, please indicate how much you * agree with the following statements:

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
It enables me to accomplish tasks more quickly.	☐	☐	☐	☒	☐
It improves my performance.	☐	☐	☐	☒	☐
It increases my productivity.	☐	☐	☐	☐	☒
It enhances my effectiveness.	☐	☐	☐	☒	☐
It makes it easier to apply process mining tools.	☐	☐	☐	☒	☐
I find it useful for my work.	☐	☐	☐	☐	☒
Learning to operate it would be easy for me.	☐	☐	☐	☐	☒
I find it easy to get it to do what I want.	☐	☐	☐	☐	☒
My interaction with it is clear and understandable.	☐	☐	☐	☐	☒
I find it flexible to interact with.	☐	☐	☒	☐	☐
It would be easy for me to become skillful at using it.	☐	☐	☐	☐	☒
I find it easy to use.	☐	☐	☐	☐	☒

Do you have any feedback or suggestions for how we might improve Ocelescope?

(See the PDF presentation that I sent via email.)

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google Formulare