1. Create a directory

2. Switch to this directory

```
Select It-mayank@LT-MAYANKB: ~/softlink/location
                                                                                                                                                                                                                                                                                  X
    -mayank@LT-MAYANKB:~$ mkdir Directory
-mayank@LT-MAYANKB:~$ ls
 t-mayank@LT-MAYANKB:-$ cd Directory t-mayank@LT-MAYANKB:-$ cd Directory cd ... t-mayank@LT-MAYANKB:-$ cd Directory cd ...
   -mayank@LT-MAYANKB:~$ touch normal.txt
 t-mayank@LT-MAYANKB:~$ touch normal.txt

t-mayank@LT-MAYANKB:~$ s

tirectory directory jkl jkl.txt klj.txt list.txt may may.txt mb mno.txt newDirectory nmo.txt normal.txt omn.txt

t-mayank@LT-MAYANKB:~$ touch .hidden.txt

t-mayank@LT-MAYANKB:~$ ls

birectory directory jkl jkl.txt klj.txt list.txt may may.txt mb mno.txt newDirectory nmo.txt normal.txt omn.txt


t-mayank@LT-MAYANKB:~$ ls

birectory directory jkl jkl.txt klj.txt list.txt may may.txt mb mno.txt newDirectory nmo.txt normal.txt omn.txt

t-mayank@LT-MAYANKB:~$ ls -a


book history hashro .hidden.txt .profile .viminfo directory jkl.txt list.txt may.txt mno.tx
  .bash_history .bashrc .hidden.txt .profile .viminfo directory jkl.txt list.txt may.txt mno.txt .bash_logout .hid.txt .motd_shown .sudo_as_admin_successful Directory jkl klj.txt may mb newDirectenayank@LT-MAYANKB:~≸ ll
                                                                                                                                                                                                                                 nmo.txt
                                                                                                                                                                                                                                                      omn.txt
                                                                                                                                                                                                         newDirectory normal.txt
total 76
 rwxr-x--- 7 lt-mayank lt-mayank 4096 Apr 10 18:27 ./
 rwxr-xr-x 3 root
                                                     4096 Apr 10 15:51 ../
 rw----- 1 lt-mayank lt-mayank 326 Apr 10 16:30 .bash_history
rw-r--r- 1 lt-mayank lt-mayank 220 Apr 10 15:51 .bash_logout
 rw-r--r-- 1 lt-mayank lt-mayank 3771 Apr 10 15:51 .bashrc
 rw-r--r-- 1 lt-mayank lt-mayank
                                                         0 Apr 10 17:04 .hid.txt
 rw-r--r-- 1 lt-mayank lt-mayank
rw-r--r-- 1 lt-mayank lt-mayank
                                                          0 Apr 10 18:27 .hidden.txt
0 Apr 10 15:52 .motd_shown
 rw-r--r-- 1 lt-mayank lt-mayank 807 Apr 10 15:51 .profile
rw-r--r-- 1 lt-mayank lt-mayank 0 Apr 10 16:46 .sudo_as_admin_successful
 rw----- 1 lt-mayank lt-mayank 2512 Apr 10 10:40 .3udu_as_a
rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 18:25 Directory/
  rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 18:24 directory/
  rw-r--r-- 1 lt-mayank lt-mayank 35 Apr 10 16:25 jkl
                                     lt-mayank
                                                          0 Apr 10 16:27
                                                        24 Apr 10 17:11 klj.txt
 rw-r--r-- 1 lt-mayank lt-mayank
 rw-r--r-- 1 lt-mayank lt-mayank 1207 Apr 10 17:12 list.txt
 rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 16:23 may/
 rw-r--r- 1 lt-mayank lt-mayank 32 Apr 10 15:58 may.txt
rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 16:11 mb/
rw-r--r- 1 lt-mayank lt-mayank 24 Apr 10 17:02 mno.txt
 rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 17:02 mno.txt
rwxr-xr-x 2 lt-mayank lt-mayank 4096 Apr 10 18:20 newDirectory/
rw-r--r- 1 lt-mayank lt-mayank 24 Apr 10 17:06 nmo.txt
rw-r--r- 1 lt-mayank lt-mayank 0 Apr 10 18:27 normal.txt
  rw-r--r-- 1 lt-mayank lt-mayank
                                                         51 Apr 10 17:08 omn.txt
  t-mayank@LT-MAYANKB:~$ chmod 644 .hidden.txt
t-mayank@LT-MAYANKB:~$ 11
                                                                                                                                                                                                              🔓 33°C Haze \land 🌰 🗈 🦟 》 ENG 10-04-2023 ;
            P Type here to search
                                                                                    💽 🥫 😘 🛂 🔼
```

- 3. Create a normal text file
- 4. Create a hidden text file



- 5. Modify the access of the hidden text file so that it can be edited only by root user.
- 6. Move the hidden file to a your desktop.
- 7. Create a directory, add 3 files into it and then remove the whole directory.
- 8. Create a new user group.

```
| Select | Design | Company | Compan
```



- 9. Create a new user and assign a new user home and the previously created usergroup to the user.
- 10. Create a symbolic link in a different location for the file created in step 3.

