

Package Management in Linux


Ryan Tolboom

New Jersey Institute of Technology




What is Linux?

What is Linux?



JULIA EVANS
@b0rk

libc



"libc" by [Julia Evans](#) is licensed under [CC BY-NC-SA 4.0](#)

- Standard C Libraries on Linux
- Used by all common UNIX tools
- Most common is glibc (GNU libc), but there is also uClibc, dietlibc, and musl libc
- Small libc libraries are increasingly popular in containers

Purpose

- Linux systems are made up of a large collection of software
- Package management makes it easy to upgrade/install/remove individual pieces of software
- What kind of software are we talking about?
- Dependency tracking is the largest hurdle and different distributions handle it in different ways



[Parcel](#) [Parcels](#) [Packages](#) is in the public domain

There are many different Linux distributions available. Let's look at how some of them handle package management.

Slackware



[Slackware logo](#) is in the public domain

- [tarballs](#) of files
- simplest and oldest
- no dependency tracking

- dpkgs usually installed with apt or another front end
- allows scripting
- has *extensive* dependency management



Redhat/Rockylinux/Fedora



[Red Hat logo](#) is in the public domain

- RPMs usually installed with yum or another front end
- allows scripting
- has extensive dependency management

- source based ebuilds (BSD lineage)
- allows scripting
- has dependency management



gentoo linux™

[“Gentoo logo”](#) by [Lennart Andre Rolland](#) is licensed under [CC BY-SA 2.5](#)

Arch (BTW...)



[“Arch Linux “Crystal” icon](#) by [Jude Vinet](#), [Aaron Griffin](#), and [Levente Polyák](#) is licensed under [GPLv2](#)


- PKGBUILD source system that creates binary packages
- packages can be installed with pacman
- allows scripting
- has dependency management

Rolling Releases vs. Point Releases

- Most distributions have point releases where MAJOR changes will be a new version and the old versions will continue to be supported for a certain amount of time (LTS)
- Arch and Gentoo use the rolling release model where each package is updated to the latest version as it becomes available

Why should I update?

- Security patches
- Mature software in a point release actually doesn't change that much
- What if something breaks?
 - Backups and filesystem snapshots
 - [“Rollback” apt](#)
 - Triage your updates
 - What if something *is going to* break?




[Software Update](#) is in the public domain

A Advanced P Package T Tool

- Used in Debian based systems to allow updating and installing packages from repositories
- Partly a front end for dpkg
- Most of the things you used to use apt-get for can now be done with the apt binary
- `apt update`: Download package lists from repositories
- `apt upgrade`: Upgrade packages from repositories
- `apt full-upgrade`: Remove packages if needed to make dependencies work (used to be `apt-get dist-upgrade`)

Functional Package Management

- A relatively new way of doing things where you can have *multiple* versions of packages in isolation. Each package has *exactly* what it needs.
- Our example provide stand-alone package managers since the packages are installed in an independent store. This has helped with adoption.



$\lambda x.x$



"Nix Snowflake Logo" by [Tim Cuthbertson](#) is licensed under [CC BY 4.0](#)

- Declarative system structure
- Atomic upgrades
- Rollbacks
- Reproducible system configurations (container replacers?)
- Lots of symlinks!

GUIX (pronounced GEEKS)

- Based on Nix, so everything mentioned previously
- Guile scheme as base language instead of a DSL
- Emphasis on free (as in freedom) software



Guix

[“Guix logo”](#) by [Luis Felipe López Acevedo](#) is licensed under [CC BY-SA 4.0](#)

Environment Specific Package Managers



- pip - Python package manager
- npm - NodeJS package manager
- cargo - Rust package manager
([this isn't intended to replace system packages](#))

[PyPI Logo](#) by Python Packaging Authority / Python Software Foundation is licensed under [GPLv2](#), [NPM Logo](#) is in the public domain, and [Cargo Logo Small](#) is licensed under [MIT](#)

Why talk about package management?



[Question Mark on Chalk Board](#) is in the public domain under [CC0](#)

- Many problems solved by complex virtualization solutions are actually package management issues
- Applications may rely on environment package managers which can cause headaches
- Knowing how to package things makes deployment much easier