



Statement of Information Sheet (SIS)

ARTS Version: 1.0/main
Product: GPT-6 Astra
Maker: OpenAI, Inc.

LOD 0, Composite AI Content Score (CACS): 30
LOD 1, Rating Designator (RD): 38XX/3/3/3/3

LOD 2, ARTS Label

LOD 3, Statement of Information

Position 1, AI Production Scale (3): Codebase engineering is executed within OpenAI's heavily automated agentic software factories. Core infrastructure layouts, API endpoints, and model delivery layers are aggressively auto-synthesized via long-horizon, multi-agent agentic loops. Human interaction is primarily restricted to reviewing automated pull requests and auditing algorithmic integration suites, with manual testing coverage hitting 25% or less of the total deployed repository codebase.

Position 2, Data Center Environmental Impact Score (8): Maximum infrastructure scale footprint. Operates entirely on an un-throttled cloud-compute delivery model. Continuous real-time voice, vision, and text token streaming demands extreme, persistent multi-node computing clusters across Microsoft's corporate data centers. Running high-frequency spatial tracking, cognitive reasoning, and multi-modal generation hooks simultaneously draws maximum local energy grid wattage and intensive freshwater cooling utilities.

Position 3, Production/Code Use (Type X=2): Core codebase synthesis was achieved using multiple separate classes of internal development tools simultaneously, specifically combining prompt-driven Large Language Models (L) for rapid boilerplate script generation with recursive Agentic AI (A) pipelines to run continuous, high-volume automated quality assurance loops.

Position 4, Generative AI Use (Type x=5): The runtime agent natively hosts and delivers outputs spanning all five creative media classes. The application dynamically synthesizes synthetic text (T), context-aware cloned voice audio (A) waveforms, images (I), video (V), and 3D models and artifacts (M).

System Modifiers:

System Access (3): The companion runtime application framework requires broad administrative read, write, and delete permissions to traverse local user directories, modify background files, map active running process memory spaces, and manipulate native computer directories outside its basic application boundaries.

Network Connectivity (3): The local terminal client functions strictly as a stream-rendering portal; all primary multi-modal, vision-language models and recursive reasoning chains are calculated on remote cloud infrastructure server arrays. Client capabilities brick immediately if internet connectivity is severed.



The AI Rating Transparency System is public domain and released under a Creative Commons Zero license.

Sensing (3): Real-time operation relies on continuous background data capture. The system utilizes advanced "computer use" screen-scraping pipelines to actively capture desktop screenshots, logs ambient vocal microphone arrays, processes user biometrics, and aggregates device telemetry data continuously to refine model weights..

Chat Interface (3): The primary user interface layer is an open-ended natural language conversational engine. Rather than outputting passive static text responses, the interface houses an autonomous agent that breaks commands down into separate planning pipelines, calls external tools, holds long-horizon memory blocks, and alters workspace environments live.

Additional Specifications & Technical Notes:

- Token-throttling mitigation: To minimize high-concurrency energy draw across enterprise data centers during complex planning sequences, the runtime environment deploys a cascading priority network, throttling asset frame resolution over cognitive text execution speed.



The AI Rating Transparency System is public domain and released under a Creative Commons Zero license.