THE ARTICLE's

How We Built the Content Architecture for 1,000 Articles

A research-backed framework for organizing Psychage's entire educational content library—designed to align with validated psychological instruments, global mental health data, real-world search behavior, and the needs of a culturally diverse audience.

Prepared for **Dr. Lena Dobson**
March 2026

How We Got Here

Building a content library of 1,000 long-form articles is not a creative exercise—it's an architectural one. The wrong structure means gaps where users need answers, redundancy where they don't, and a platform that educates on some things brilliantly while leaving other critical topics orphaned.

We needed a category framework that could do four things simultaneously: support every dimension of user wellness that Psychage measures, provide educational depth for every condition the platform surfaces, match how real people actually search for mental health information, and work across cultures and languages. No existing content taxonomy we found met all four criteria, so we built one from first principles.

The 15 categories you'll see in this document are the result of a structured research process with five layers of analysis. Here's what we examined and why.

Layer 1: Validated Psychological Instruments

Psychage's Clarity Score is built on five validated instruments: the PHQ-4 (screening for anxiety and depression), the WHO-5 (general psychological wellbeing), the UCLA 3-Item Loneliness Scale (social connectedness), the PSS-4 (perceived stress), and WHODAS-adapted functioning items (daily task performance). Each instrument measures a distinct dimension of mental wellness.

Our first question was simple: does every dimension have a content home? If someone scores low on loneliness, can they find articles that help them understand why and what to do about it? If someone's functioning score drops, is there educational content that speaks to that specific experience?

The answer, when we tested the original 12-category plan, was no. Loneliness had only tangential coverage through a broader Relationships category. Daily functioning was only addressed through Work content, missing people whose functioning challenges show up in household tasks, social activities, or self-care. This finding drove the creation of Category 15 (Loneliness, Social Connection & Belonging) and informed the expansion of existing categories to better address functioning.

Layer 2: Clinical Condition Coverage

Psychage's Symptom Navigator matches user-reported symptoms against 16 condition profiles spanning anxiety disorders, mood disorders, trauma-related conditions, neurodevelopmental patterns, eating disorders, substance use, psychotic experiences, personality patterns, sleep disorders, and adjustment challenges. When a user is matched to a condition, the platform needs to link them to educational content that explains what they're experiencing.

We mapped all 16 condition profiles to the proposed content categories. The results were striking: 7 of 16 conditions had no dedicated content home. Bipolar disorder, OCD, ADHD, eating disorders, substance use disorders, schizophrenia and psychotic experiences, and borderline personality patterns were all unserved. The original categories were organized around life contexts—emotions, work, relationships—which is intuitive for readers but creates blind spots for condition-specific education.

This finding was the primary driver for creating Category 13 (Understanding Mental Health Conditions)—a dedicated condition education hub that ensures every condition the platform surfaces has corresponding long-form content.

Layer 3: Global Mental Health Data

We examined prevalence data from the WHO World Mental Health Report, the Global Burden of Disease study, and regional epidemiological surveys to ensure our category weighting reflects where the greatest need exists. Globally, depression and anxiety account for the largest share of mental health burden, which is reflected in their larger article allocations (Categories 2 and 7). But the data also revealed underserved areas.

The U.S. Surgeon General's 2023 Advisory declared loneliness and social isolation a public health epidemic, with health effects comparable to smoking 15 cigarettes per day. The WHO has identified loneliness as a priority area for intervention. Despite this, most mental health content platforms treat loneliness as a subtopic of relationships rather than a standalone concern. This validated our decision to create a dedicated Loneliness category.

Similarly, the global treatment gap—the percentage of people with mental health conditions who receive no treatment—exceeds 75% in low- and middle-income countries and remains above 50% even in high-income nations. A major driver of this gap is not access alone but literacy: people don't know what therapy is, how it works, what types exist, or how to find a provider. This informed the creation of Category 14 (Therapy, Treatment & Mental Health Navigation).

Layer 4: Search Behavior & Reader Intent

Content that nobody searches for serves nobody. We analyzed search demand patterns across major mental health keyword clusters using publicly available trend data, search volume estimates, and competitive content gap analysis. Categories were weighted to match real-world demand.

The highest-volume clusters—anxiety, depression, stress, relationships, self-esteem, and sleep—receive the largest article allocations. Growing but underserved clusters—ADHD, OCD, eating disorders, therapy types, digital wellness, and neurodiversity—are captured in the newer categories. And differentiation topics—cultural perspectives, global mental health, and stigma—position Psychage uniquely against competitors who largely ignore non-Western audiences.

We also classified reader intent into four types: informational ("what is anxiety?"), navigational ("how to find a therapist"), actionable ("breathing techniques for panic"), and comparative ("anxiety vs. normal worry"). The original 12 categories covered informational, actionable, and comparative intent well but completely missed navigational intent—there was no content to guide someone toward professional help. Category 14 fills this gap.

Layer 5: Cultural & Demographic Reach

Psychage is a global platform. Content categories needed to work across cultural contexts—not just Western, English-speaking frameworks. We examined how mental health is understood, discussed, and stigmatized differently across regions, and ensured the architecture includes space for culturally adapted content.

Category 12 (Cultural Perspectives, Inclusion & Global Wellness) is the most visible expression of this, but cultural sensitivity is embedded across all 15 categories. For example, boundary-setting content

(Category 3) must account for collectivist cultures where individual boundaries are viewed differently. Therapy navigation content (Category 14) must acknowledge that in many regions, traditional healers and community leaders play a larger role than licensed therapists. The architecture was stress-tested against these realities.

The 15 Categories

Below is each category with the research basis for its inclusion and its role in the Psychage ecosystem. Categories 1–12 form the life-context foundation. Categories 13–15 (marked with ★) close the clinical and structural gaps identified through the analysis above.

CATEGORY 1

Emotional Regulation & Self-Awareness

The Research: Emotional literacy is identified by the APA as a foundational competency for mental wellness. Research in affective science shows that the ability to identify, name, and modulate emotions—what psychologists call emotional granularity—is associated with better mental health outcomes, reduced reactivity, and more effective coping. The PHQ-4, which screens for both anxiety and depressive symptoms, directly measures emotional distress that regulation skills help address.

Why It Matters for Psychage: This is the gateway category. Nearly every other topic on the platform—anxiety, relationships, work stress, trauma—requires some degree of emotional regulation skill. These articles serve as pillar content that anchors internal links across the entire library and provides the educational foundation for Psychage's breathing and grounding tools.

Planned scope: ~80 articles

CATEGORY 2

Anxiety, Stress & Overwhelm

The Research: Anxiety disorders are the most prevalent mental health conditions globally, affecting an estimated 301 million people (WHO, 2022). "Anxiety" is consistently the highest-volume mental health search term across all major markets. The PSS-4 (perceived stress) is a core Clarity Score instrument, and the PHQ-4 includes a 2-item anxiety screen (GAD-2). Burnout, classified by the WHO as an occupational phenomenon in ICD-11, bridges this category with workplace mental health.

Why It Matters for Psychage: Largest article allocation because it serves the broadest audience and the highest search demand. Every article in this category directly supports two Clarity Score dimensions (emotional wellbeing and perceived stress). The category also serves as the primary content funnel for Psychage's Symptom Navigator, which covers generalized anxiety, social anxiety, and panic disorder.

Planned scope: ~90 articles

CATEGORY 3

Relationships & Communication

The Research: Relationship difficulties are the second most common reason people seek therapy, according to APA survey data. Attachment theory research (Bowlby, Ainsworth, and contemporary work by Levine and Heller) demonstrates that relational patterns formed in early life significantly shape adult relationship functioning. Communication research shows that specific skills—active listening, assertive expression, repair attempts after conflict—are learnable and significantly improve relationship satisfaction.

Why It Matters for Psychage: Relationship content generates the highest social media engagement of any mental health topic. Every article in this category produces multiple atomizable assets: scripts, boundary frameworks, "signs" lists, and do/don't comparisons. The category also creates natural bridges to Family (Category 6), Self-Worth (Category 4), and Loneliness (Category 15).

Planned scope: ~80 articles

CATEGORY 4

Self-Worth, Confidence & Identity

The Research: Self-esteem and identity are among the most searched psychological topics, yet most content in this space is superficial ("10 ways to boost confidence"). Research in self-concept theory (Carl Rogers), self-compassion (Kristin Neff), and identity development (Erikson, Marcia) provides a rich evidence base for deeper, more useful content. Self-worth disturbances are transdiagnostic—they appear across depression, anxiety, eating disorders, and personality patterns.

Why It Matters for Psychage: This category serves readers who may not identify with a specific condition but are searching for help with how they feel about themselves. It's an entry point for people who wouldn't search "depression" but would search "why do I feel like I'm not good enough." Captures audiences that condition-focused competitors miss.

Planned scope: ~70 articles

CATEGORY 5

Work, Productivity & Burnout

The Research: The WHO's inclusion of burnout in ICD-11, Gallup's global workplace data showing that 67% of employees report feeling disengaged, and the growing body of research on occupational stress and its mental health consequences all support a dedicated work-focused category. The WHODAS-adapted functioning items in the Clarity Score directly measure work and daily task performance.

Why It Matters for Psychage: Serves a dual audience: individuals managing work-related stress and professionals seeking science-backed workplace wellness content. This is Psychage's primary LinkedIn content channel. Articles bridge naturally to Anxiety (Category 2), Habits (Category 8), and the Therapy Navigation category for readers considering professional support.

Planned scope: ~75 articles

CATEGORY 6

Family, Parenting & Childhood Patterns

The Research: The ACE (Adverse Childhood Experiences) study established that early life experiences have profound, measurable effects on adult mental and physical health. Research on intergenerational trauma transmission, parenting stress, and family systems theory supports a category that connects childhood experiences to adult patterns. Parenting-related mental health content is consistently high-demand across all demographics.

Why It Matters for Psychage: Bridges the trauma category (Category 11) with relationships (Category 3) and emotional regulation (Category 1). Serves multiple reader profiles: adults examining their own childhood patterns, parents worried about their children's mental health, and family members supporting a loved one. Creates content clusters around divorce, co-parenting, eldercare, and sibling dynamics.

Planned scope: ~75 articles

CATEGORY 7

Depression, Grief & Loss

The Research: Depression affects over 280 million people globally (WHO, 2022) and is the leading cause of disability worldwide. The PHQ-4 includes a 2-item depression screen (PHQ-2), making this a core Clarity Score dimension. Grief research—including the work of Stroebe and Schut on the Dual Process Model and the recognition of prolonged grief disorder in the DSM-5-TR—provides an evidence base for content that goes beyond the outdated "five stages" framework.

Why It Matters for Psychage: High-intent search traffic: people searching "why am I so sad" or "how to deal with grief" are in acute need. This category directly supports the PHQ-4 dimension of the Clarity Score. Grief content also serves as an entry point for readers who wouldn't identify as "depressed" but are experiencing loss—a nuance that clinical platforms often miss.

Planned scope: ~70 articles

CATEGORY 8

Habits, Motivation & Behavior Change

The Research: Behavioral science research—from BF Skinner's operant conditioning to contemporary work by BJ Fogg (Tiny Habits), James Clear (Atomic Habits), and Prochaska and DiClemente's Stages of Change model—provides a robust evidence base for understanding why behavior change is difficult and what strategies actually work. The WHO-5 (general wellbeing) captures the positive wellness outcomes that sustained healthy habits support.

Why It Matters for Psychage: This is Psychage's positive psychology anchor—content focused on building up rather than just managing distress. Serves readers searching for motivation, discipline, routine-building, and habit formation. Produces high-yield social content: 30-day challenges, habit trackers, and framework graphics.

Planned scope: ~65 articles

CATEGORY 9

Sleep, Body & Mind-Body Connection

The Research: Sleep disturbance is both a symptom and a driver of nearly every mental health condition. Research by Matthew Walker and others has established sleep as foundational to cognitive function, emotional regulation, and mental health. The bidirectional relationship between physical health and mental health—supported by psychoneuroimmunology research and the growing evidence base for somatic experiencing and body-based therapies—justifies a category that bridges mind and body.

Why It Matters for Psychage: Supports the Clarity Score's insomnia/sleep condition profile and bridges to multiple other categories (anxiety, depression, habits). Exercise, nutrition, and somatic awareness content also serves readers who approach mental health through a physical wellness lens—an important entry point for audiences who may resist traditional psychological framing.

Planned scope: ~60 articles

CATEGORY 10

Digital Life, Social Media & Modern Stressors

The Research: Research by Twenge, Haidt, and others has documented correlations between heavy social media use and increased rates of anxiety, depression, and loneliness—particularly among adolescents and young adults. The APA's 2023 advisory on social media and youth mental health, combined with growing public discourse on screen time, doomscrolling, and digital burnout, establishes this as an increasingly important content area. Cyberbullying, comparison culture, and information overload are well-documented modern stressors.

Why It Matters for Psychage: This is Psychage's timeliness play. Competitors built their content libraries before the smartphone era reshaped mental health. Digital life content captures younger audiences (18–30) who experience mental health challenges through a digital-first lens. Also directly relevant to the loneliness epidemic, bridging to Category 15.

Planned scope: ~50 articles

CATEGORY 11

Trauma-Informed Education & Healing

The Research: The ACE study, van der Kolk's research on body-based trauma responses, and the widespread adoption of trauma-informed care frameworks across healthcare, education, and social services have made trauma literacy a public priority. PTSD affects an estimated 3.9% of the global population (WHO), but subclinical trauma responses are far more prevalent. Trauma-informed content helps people understand responses they may not recognize as trauma-related—hypervigilance, emotional numbness, difficulty trusting.

Why It Matters for Psychage: Directly supports the PTSD condition profile in the Symptom Navigator. Also serves readers who have experienced adverse childhood experiences, community violence, displacement, or systemic oppression—making this category critical for Psychage's global, culturally diverse audience. Bridges to Family (Category 6), Emotional Regulation (Category 1), and Therapy Navigation (Category 14).

Planned scope: ~55 articles

CATEGORY 12

Cultural Perspectives, Inclusion & Global Wellness

The Research: The Lancet Commission on Global Mental Health found that Western diagnostic frameworks inadequately capture how mental distress manifests across cultures. Stigma research shows that the language, framing, and cultural context of mental health information significantly affects whether people engage with it. With Psychage launching in five languages and targeting a global audience, culturally adapted content is not an add-on—it's a structural requirement.

Why It Matters for Psychage: This is Psychage's core differentiator. Competitors like WebMD and Psychology Today are overwhelmingly US- and Western-centric. This category ensures content resonates in collectivist cultures, addresses culture-specific stigma, acknowledges traditional healing practices alongside evidence-based approaches, and speaks to the experiences of immigrants, refugees, and diaspora communities.

Planned scope: ~50 articles

CATEGORY 13

Understanding Mental Health Conditions

The Research: The Symptom Navigator matches users to 16 condition profiles spanning the full spectrum of common mental health experiences—from generalized anxiety to psychotic disorders. Without dedicated condition-education content, a user matched to bipolar disorder, OCD, ADHD, an eating disorder, substance use, a psychotic experience, or borderline personality patterns would have no educational articles to read. These 7 conditions affect hundreds of millions of people globally yet had no content home in a life-context-only architecture.

Why It Matters for Psychage: This category is the content backbone for the Symptom Navigator and Condition Guides. It ensures that every condition the platform surfaces has a corresponding library of educational articles—what the condition involves, how it typically presents, what factors contribute, what support options exist, and what living with it looks like. All content uses educational framing: "research suggests," "may experience," with professional-help CTAs on every article.

Planned scope: ~80 articles

CATEGORY 14

Therapy, Treatment & Mental Health Navigation

The Research: The global treatment gap exceeds 75% in low- and middle-income countries (WHO, 2022). Research shows that a major barrier to treatment is not just access but literacy: people don't understand what therapy is, what different modalities involve, how to choose a provider, or what to expect. A 2022 APA survey found that 41% of adults who considered therapy didn't seek it because they didn't know where to start. Navigational search intent ("how to find a therapist," "what is CBT") was entirely unserved by the original architecture.

Why It Matters for Psychage: This category creates the educational funnel for the Provider Directory. When a user decides they want professional help, they need content that explains therapy types (CBT, DBT, EMDR, psychodynamic), what a first session looks like, how to evaluate provider fit, how to navigate costs and insurance, and how to support someone else who's in treatment. Without this, the Provider Directory is a directory without context.

Planned scope: ~50 articles

CATEGORY 15

Loneliness, Social Connection & Belonging

The Research: The UCLA 3-Item Loneliness Scale is one of five instruments powering the Clarity Score, yet loneliness had only tangential coverage through the broader Relationships category. The U.S. Surgeon General's 2023 Advisory classified loneliness as a public health epidemic with mortality risk equivalent to smoking 15 cigarettes daily. Holt-Lunstad's meta-analyses demonstrate that social isolation increases risk of premature death by 26–32%. The WHO has named social connection a global health priority. This is not a subtopic of relationships—it is a standalone public health crisis.

Why It Matters for Psychage: Ensures that Psychage's most-measured and most-timely Clarity Score dimension has dedicated educational support. Covers the neuroscience of social connection, the health impacts of isolation, building friendships at every life stage, community belonging, age-specific loneliness (youth, elderly, new parents, immigrants), and the paradox of digital connection. Bridges to Digital Life (Category 10), Cultural Perspectives (Category 12), and Relationships (Category 3).

Planned scope: ~50 articles

The Complete Picture

Together, these 15 categories produce a content architecture where every condition the platform surfaces has educational content behind it, every dimension the Clarity Score measures has articles that help users understand and act on their results, every type of reader intent—from “what is this feeling” to “how do I find a therapist”—has a content home, and every article can be atomized into bite-sized social content for our growth channels.

#	Category	~Articles
1	Emotional Regulation & Self-Awareness	80
2	Anxiety, Stress & Overwhelm	90
3	Relationships & Communication	80
4	Self-Worth, Confidence & Identity	70
5	Work, Productivity & Burnout	75
6	Family, Parenting & Childhood Patterns	75
7	Depression, Grief & Loss	70
8	Habits, Motivation & Behavior Change	65
9	Sleep, Body & Mind-Body Connection	60
10	Digital Life, Social Media & Modern Stressors	50
11	Trauma-Informed Education & Healing	55
12	Cultural Perspectives, Inclusion & Global Wellness	50
13	Understanding Mental Health Conditions	80
14	Therapy, Treatment & Mental Health Navigation	50
15	Loneliness, Social Connection & Belonging	50
	TOTAL	**1,000**