

 date	 time	src_ip	src_host	dst_ip	dport	proto	action	bytes_out	bytes_in	sessions
2026-08-26	3:41:02	10.50.2.30	MTB-DVWA01	52.168.117.171	443	tcp	allow	1204	880	1
2026-08-28	1:52:17	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	1
2026-08-28	1:52:19	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	214
2026-08-28	1:58:44	185.220.101.47	-	10.50.2.24	443	tcp	deny	0	0	6
2026-08-28	2:03:11	185.220.101.47	-	10.50.2.24	22	tcp	deny	0	0	3
2026-08-30	2:07:55	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	12
2026-08-30	2:09:12	10.50.2.24	MTB-WEB01	185.220.101.47	8443	tcp	allow	842	119	1
2026-08-30	2:14:40	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	4
2026-09-01	9:15:03	10.50.2.30	MTB-DVWA01	52.168.117.171	443	tcp	allow	1198	874	1
2026-09-01	9:20:03	10.50.2.30	MTB-DVWA01	52.168.117.171	443	tcp	allow	1201	881	1
2026-09-01	9:25:03	10.50.2.30	MTB-DVWA01	52.168.117.171	443	tcp	allow	1197	879	1
2026-09-02	2:08:14	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	9
2026-09-02	2:12:33	185.220.101.47	-	10.50.2.24	80	tcp	allow	0	0	6
2026-09-02	2:24:48	185.220.101.47	-	10.50.2.24	22	tcp	allow	0	0	1
2026-09-02	2:31:12	10.50.2.24	MTB-WEB01	185.220.101.47	8443	tcp	allow	611	88	1
2026-09-02	2:36:12	10.50.2.24	MTB-WEB01	185.220.101.47	8443	tcp	allow	604	88	1
2026-09-02	2:38:02	10.50.2.24	MTB-WEB01	185.220.101.47	8443	tcp	allow	2884416	412	1
2026-09-02	2:41:12	10.50.2.24	MTB-WEB01	185.220.101.47	8443	tcp	allow	598	88	1
2026-09-02	2:57:40	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	744	102	1
2026-09-02	3:27:40	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	739	102	1
2026-09-02	3:57:40	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	741	102	1
2026-09-02	4:27:40	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	740	102	1
2026-09-02	5:12:19	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	9917722	508	1
2026-09-02	5:27:40	10.50.2.26	MTB-FILE01	185.220.102.244	443	tcp	allow	742	102	1
2026-09-02	9:20:03	10.50.2.30	MTB-DVWA01	52.168.117.171	443	tcp	allow	1203	877	1



date



time

src_ip

src_host

dst_ip

dport

proto

action

bytes_out

bytes_in

sessions

2026-09-02

9:25:03

10.50.2.30

MTB-DVWA01

52.168.117.171

443

tcp

allow

1199

883

1

[illegible]

Date	#	Size	Type	Mode	#	UID	#	GID	File Name	Interpretation	Categories
Tue May 19 2026		10	ma..	rw-r--r--		0		0	/etc/hostname		
Tue May 19 2026		116	ma..	rw-r--r--		0		0	/etc/os-release		
Tue May 19 2026		220	ma..	rw-r--r--		0		0	/etc/crontab		
Tue May 19 2026		226	macb	rw-r--r--		0		0	/etc/apache2/ap		
Tue May 19 2026		190	macb	rw-r--r--		0		0	/etc/ssh/sshd_co		
Tue May 19 2026		217	ma..	rw-r--r--		0		0	/var/log/dpkg.lo		
Tue May 19 2026		437	ma..	rw-r--r--		0		0	/etc/apache2/sit		
Tue May 19 2026		93	ma..	rw-r--r--		0		0	/home/mtbadmin/.		
Tue Jun 02 2026		215	ma..	rw-r--r--		0		0	/opt/mtb/asset-r		
Tue Jun 02 2026		165	macb	rw-r--r--		0		0	/var/www/html/in		
Tue Sep 01 2026		227	ma..	rw-r--r--		0		0	/var/www/html/da		
Tue Sep 01 2026		345	ma..	rw-r--r--		0		0	/opt/mtb/install		
Wed Sep 02 2026		236	macb	rw-r--r--		0		0	/var/www/html/up	A new PHP file a	Payload / initial
Wed Sep 02 2026		571	ma..	rw-r--r--		0		0	/var/log/apache2	The Apache erro	
Wed Sep 02 2026		4096	ma..	drwxr-xr-x		0		0	/home/svc-backup	The home direct	
Wed Sep 02 2026		529	macb	rw-r--r--		0		0	/etc/passwd	The account dat	Access and pers
Wed Sep 02 2026		89	macb	rw-r--r--		0		0	/etc/group	The group datab	Access and priv
Wed Sep 02 2026		308	macb	rw-r--r--		0		0	/etc/shadow	The protected p	Access and pers
Wed Sep 02 2026		194	macb	rw-----		0		0	/root/.ssh/autho	An SSH key was	Persistent privi
Wed Sep 02 2026		194	ma..	rw-----		0		0	/home/svc-backup	An SSH key was	
Wed Sep 02 2026		296	macb	rwxr-xr-x		0		0	/usr/local/bin/a	A disguised exe	Payload

Date	#	Size	Type	Mode	#	UID	#	GID	File Name	Interpretation	Categories
Wed Sep 02 2026		167	macb	rw-r--r--		0		0	/etc/cron.d/apac	A scheduled tas	Persistence
Wed Sep 02 2026		4096	ma..	drwxr-xr-x		0		0	/tmp/.ICE-unix	Activity occurer	
Wed Sep 02 2026		465	macb	rw-r--r--		0		0	/root/.bash_hist	The root comm	Anti-forensics
Wed Sep 02 2026		0	macb	rw-r--r--		0		0	/home/mtbadmin/.	The administrat	Anti-forensics
Wed Sep 02 2026		2411	ma..	rw-r--r--		0		0	/var/log/apache2	The web access	
Wed Sep 02 2026		732	ma..	rw-r--r--		0		0	/var/log/syslog	The system log	
Wed Sep 02 2026		1809	ma..	rw-r--r--		0		0	/var/log/auth.lo	The authenticati	
Date and time (l				Host	Event	Evidence source					
2026-08-28 1:52	MTB-WEB01	External address:	Perimeter firewa								
2026-08-28 1:52	MTB-WEB01	External address:	Perimeter firewa								
2026-08-28 1:58	MTB-WEB01	The firewall den	Perimeter firewa								
2026-08-28 2:03	MTB-WEB01	The firewall den	Perimeter firewa								
2026-08-30 2:09	MTB-WEB01	MTB-WEB01 cor	Perimeter firewa								
2026-09-02 2:24	MTB-WEB01	External address:	Perimeter firewa								
2026-09-02 2:38	MTB-WEB01	MTB-WEB01 tra	Perimeter firewa								
2026-09-02 2:57	MTB-FILE01	MTB-FILE01 beg	Perimeter firewa								
2026-09-02 5:12	MTB-FILE01	MTB-FILE01 trar	Perimeter firewa								
2026-09-02 9:20	MTB-DVWA01	MTB-DVWA01 c	Perimeter firewa								

Tier	Indicator or behaviour description	Source	Attacker Cost to Change
6	Accepted public-key SSH login to MTB-FILE01 using svc-backup from a compromised host	Section 6.2 MTB-FILE01 authentication log	Days or weeks; obtain different credentials or develop another lateral-movement technique
6	Root-owned process in /usr/local/ maintaining a long-lived external connection	Section 6.3 endpoint telemetry	Days or weeks; redesign the command-and-control behavior and supporting tooling
6	A root-owned process launched by a persistence mechanism maintains a long-lived outbound connec	Day 3 forensic timeline and Section 6.3 endpoint telemetry	Days or weeks; redesign the beacon and persistence behavior
6	A compromised internet-facing server uses public-key SSH authentication and a privileged service ac	Section 6.2 MTB-FILE01 authentication log	Days or weeks; obtain another internal access path and change the lateral-movement method
4	Outbound TCP port 8443	Day 3 network evidence and Section 5.1 perimeter firewall log	Seconds or minutes; switch to another outbound port
4	/var/www/html/uploads/style.php	Day 3 filesystem timeline and acquisition records	Seconds or minutes; rename or relocate the webshell
4	/usr/local/bin/apache-worker	Day 3 filesystem and process evidence	Seconds or minutes; rename or relocate the beacon
4	/etc/cron.d/apache-logrotate	Day 3 filesystem timeline and shell history	Minutes; create a differently named scheduled task or use another persistence method
4	/tmp/.ICE-unix	Day 3 filesystem timeline and shell history	Seconds; use a different staging directory
4	svc-backup account with UID 0	Day 3 authentication log	Minutes; create another privileged account with a different name
4	SSH key comment attacker@blackfin	Day 3 authorized_keys evidence	Seconds; remove or change the SSH key comment
4	User agent curl/7.81.0	Day 3 Apache access log	Seconds; change the HTTP user-agent string
4	/usr/local/sbin/syslog-forward	Section 6.3 endpoint telemetry	Seconds or minutes; rename or relocate the beacon
4	Systemd service named System Log Forwarder	Section 6.2 authentication log and Section 6.3 endpoint telemetry	Minutes; rename the service or use another persistence mechanism
4	Approximately 9.92 MB transferred from MTB-FILE01 to an external address	Section 5.1 perimeter firewall log	Minutes or hours; split, compress, encrypt, or throttle the transfer
4	A new root-owned executable is placed under /usr/local/ outside an approved change window and is	Day 3 filesystem timeline and Section 6.3 endpoint telemetry	Hours or days; change both the executable location and automatic-start behavior
2	185.220.101.47	Day 3 network evidence and Section 5.1 perimeter firewall log	Minutes; move the command-and-control service to another IP or proxy
2	185.220.102.244	Section 5.1 perimeter firewall log and Section 6.3 endpoint telemetry	Minutes; move the command-and-control service to another IP or proxy
1	SHA-256: 2dfc22e2fb93187b7537d9ffec52ecc94fd6416c84b78e68ff7a025e975c20c	Day 3 acquisition hash record	Seconds; make a minor change to the file contents
1	SHA-256: 1ebcce99569f4337f9ee3746b7b095a9f54abfe3036ef06014b1a00ea4d15d4b	Day 3 acquisition hash record	Seconds or minutes; modify or rebuild the payload

Tactic	Technique ID	Technique name	Your evidence
Reconnaissance	T1595.002	Vulnerability Scanning	MTB-WEB01, 28 Aug 01:52:19 UTC, perimeter egress log: 185.220.101.47 generated 214 sessions to TCP port 80 with no data transferred.
Initial Access	T1190	Exploit Public-Facing Application	MTB-WEB01, 2 Sep 02:12:33 UTC, Apache access log: a path-traversal request against Apache 2.4.49 successfully returned /etc/passwd.
Persistence	T1505.003	Web Shell	MTB-WEB01, 2 Sep 02:15:22 UTC, filesystem timeline: /var/www/html/uploads/style.php was created; the Apache access log shows it being used at 02:17:40.
Privilege Escalation	T1068	Exploitation for Privilege Escalation	MTB-WEB01, 2 Sep 02:21:05 UTC, authentication log: www-data used pkexec to execute /bin/sh as root.
Persistence	T1136.001	Local Account	MTB-WEB01, 2 Sep 02:23:11 UTC, authentication log: svc-backup was created with UID 0; MTB-FILE01 recorded the same account creation at 02:54:39.
Persistence	T1098.004	SSH Authorized Keys	MTB-WEB01, 2 Sep 02:24:48 UTC, filesystem timeline and authentication evidence: an attacker-controlled key was added to /root/.ssh/authorized_keys and used for root SSH access.
Persistence	T1053.003	Cron	MTB-WEB01, 2 Sep 02:26:30 UTC, filesystem timeline: /etc/cron.d/apache-logrotate was created to launch the beacon every five minutes.
Persistence	T1543.002	Systemd Service	MTB-FILE01, 2 Sep 02:56:03 UTC, authentication/system log: systemd started the System Log Forwarder service.
Credential Access	T1552.004	Private Keys	MTB-WEB01 and MTB-FILE01, 2 Sep 02:52:14 UTC, MTB-FILE01 authentication log: an accepted public-key login originated from compromised MTB-WEB01, supporting use of the SSH private key stored there.
Lateral Movement	T1021.004	SSH	MTB-FILE01, 2 Sep 02:52:14 UTC, authentication log: svc-backup logged in through SSH using public-key authentication from MTB-WEB01.
Collection	T1560.001	Archive via Utility	MTB-WEB01, 2 Sep 02:34:55 UTC, shell history and filesystem timeline: tar was used to archive customer portal data in a hidden temporary directory.
Command and Control	T1071.001	Web Protocols	MTB-WEB01, 2 Sep 02:31:12 UTC, perimeter log and endpoint telemetry: the root-owned beacon connected to 185.220.101.47:8443; MTB-FILE01 began communicating with 185.220.102.244:443 at 02:57:40.
Exfiltration	T1041	Exfiltration Over C2 Channel	MTB-WEB01, 2 Sep 02:38:02 UTC, perimeter log: approximately 2.88 MB was sent over the C2 connection; MTB-FILE01 sent approximately 9.92 MB over its C2 connection at 05:12:19.
Stealth	T1070.003	Clear Command History	MTB-WEB01, 2 Sep 02:41:22 UTC, filesystem timeline: the mtbadmin shell-history file was reduced to zero bytes after the attacker attempted to clear command history.
Stealth	T1027	Obfuscated Files or Information	MTB-WEB01, 2 Sep 02:17:40 UTC, Apache access-log evidence decoded in CyberChef: the attacker supplied an encoded command through the webshell request.
Collection	T1074.001	Local Data Staging	MTB-WEB01, 2 Sep 02:34:55 UTC, filesystem timeline and root shell history: customer portal data was staged locally in /tmp/.ICE-unix/x before the large outbound transfer.
Stealth	T1036	Masquerading	MTB-WEB01, 2 Sep 02:25:57 UTC, filesystem timeline and endpoint telemetry: the beacon and cron entry were given names resembling legitimate Apache components; MTB-FILE01 used a process and systemd service