School Resources

Certified Staff

Teaching Staff

| Total Full-Time Equivalent (FTE) ¹ | 40.0 |
|---|------|
| Regular Instruction, FTE 72.5% | 29.0 |
| Special Instruction, FTE 22.5% | 9.0 |
| Supplemental Instruction, FTE 5.0% | 2.0 |
| Teacher headcount | 40 |
| Teachers with 5 or more years at this school | 19 |
| Teachers' average years of experience | 11.3 |
| Teachers with advanced degrees | 11 |
| Duefeesianal Tasahan Cuadantiala | |

Professional Teacher Credentials¹

| Fully licensed | 97.5% | 39 |
|-----------------|-------|----|
| Emergency hires | 2.5% | 1 |

¹ Totals may not equal 100% due to rounding. Professional Teacher Credentials are based on teacher headcount number.

Students per Teaching Staff ²

| Regular Instruction | 15.5 |
|---------------------|------|
| Special Instruction | 9.5 |

Administrative and Student Services Staff

| Administration, FTE ³ | 5.0 |
|--|-----|
| Librarians. FTE | 0.0 |
| Counselors. FTE | 2.0 |
| | 2.0 |
| Number of principals at this school in the last five years | 1 |

³ Administration includes Principals, Vice-Principals, Student Activity Coordinators, Student Services Coordinators, Registrars, and Athletic Directors

Results in the Certified Staff section reflect data at the time the Employee Data reports were generated.

Facilities


School Year Ending 2020

| | - |
|--|----|
| Classrooms available | 62 |
| Number of classrooms short (-) or over (+) | 10 |

School facilities inspection results

From the 2011 school year, school facilities inspection data are no longer available at the state level. Department schools are still required to do an annual assessment of its facilities in the following areas: Grounds, Building exterior, Building interior, Equipment/Furnishings, Health/Safety and Sanitation. All department schools should have their annual inspections completed by the second quarter of the school year.

Historically, the majority of the department schools attained inspection assessment points in the following ranges: 9-15, earning a "Satisfactory" rating, and 16-18 points, earning the highest "Very Good" rating.



School facilities are considered inadequate if below 70%; marginal if between 70% and 99%; and in excess of state standard if above 100%. School population is placed into size categories and is used in formulas to determine State standards for space. Graph does not display capacity exceeding 200%.

Note. -- means missing data.

Hilo Intermediate School 06/2021 Page 5 of 8

² These figures do not indicate class size.