

Ryan Dias da Silva - DSM 1º semestre

```
[root@localhost ~]# vi /etc/resolv.conf
```

```
; generated by /usr/sbin/dhclient-script  
search fatec.corp  
nameserver 192.168.96.5  
nameserver 192.168.96.6  
nameserver 8.8.8.8  
nameserver 1.1.1.1
```

```
"/etc/resolv.conf" 6L, 145C
```

```
[root@localhost ~]# systemctl restart network
```

```
[root@localhost ~]# vi /etc/yum.repos.d/CentOS-Base.repo_
```

```
[base]
name=CentOS-7 - Base
baseurl=http://vault.centos.org/7.9.2009/os/x86_64/
gpgcheck=1
enabled=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7

[updates]
name=CentOS-7 - Updates
baseurl=http://vault.centos.org/7.9.2009/updates/x86_64/
gpgcheck=1
enabled=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7

[extras]
name=CentOS-7 - Extras
baseurl=http://vault.centos.org/7.9.2009/extras/x86_64/
gpgcheck=1
enabled=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7
```

```
[root@localhost ~]# yum clean all
Plugins carregados: fastestmirror
Limpendo repositórios:base extras updates
Cleaning up list of fastest mirrors
[root@localhost ~]# _
```

```
[root@localhost ~]# yum makecache_
```

```
[root@localhost /]# yum update -y
Plugins carregados: fastestmirror

File contains no section headers.
file: file:///etc/yum.repos.d/CentOS-Base.repo, line: 1
':[base]\n'
[root@localhost /]# _
```

```
[root@localhost /]# reboot_
```