



プリント基板板厚(mm) THICKNESS OF PCB(mm)	1.2	1.6
固定用ねじ首下長さ(mm) NOMINAL LENGTH OF SCREW(mm)	5	6

- △ MARKING FOR DESCERMENT OF THE CONTACT FINISH
2. APPLICABLE SCREW: PAN-HEADED,
TYPE 2 TAPPING SCREW, NOMINAL DIAMETER 3mm
LENGTH: SEE TABLE 1 (JIS B1115, B1122)
3. FASTENING TORQUE (FOR REFERENCE): 0.392N·m MAX
THIS FASTENING TORQUE IS COMBINATION OF EVALUATION TAPPING SCREW
AND EVALUATION PCB
SO, TORQUE FOR OPERATION SHOULD BE PROVIDED RESPECTIVELY.
- △ 4. MEASURED AT 6mm FROM -Z-
- △ 5. CONTACT COMPOSITION ; REFERRED TO FIG.1
6. MATING CONNECTOR; SEE PRODUCT SPECIFICATION 108-5829.
- △ 7. ID MARK, PART NUMBER INDICATED.

AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS					
		REV	LYR	DESCRIPTION	ECN	DATE	OWN
J				SEE SHEET 1 OF 2			

	7 (W/O COLOR)	PAPER BOX タンボール箱	PLASTIC TUBE プラスチックチューブ	1-24	—//—	1-24	GRAY 灰色	1-1612048-6
				SELECTIVE-TIN (MATTE)	—//—	SELECTIVE-TIN (BRIGHT)		
	7 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	—//—	1-24	GRAY 灰色	1-1612048-5
				SELECTIVE-TIN (MATTE)	—//—	SELECTIVE-TIN (BRIGHT)		
	5 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	14-19	1-13,20-24	GRAY 灰色	1-1612048-2
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	6 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	1,3,6,7,10,12 16-19,21,22	2,4,5,8,9,11 13-15,20,23,24	NATURAL 自然色	1-1612048-1
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	4 (W/O COLOR)	PAPER BOX タンボール箱	PLASTIC TUBE プラスチックチューブ	1-24	—//—	1-24	NATURAL 自然色	1-1612048-0
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	5 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	14-19	1-13,20-24	NATURAL 自然色	1612048-9
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	3 (W/O COLOR)	PAPER BOX タンボール箱	PLASTIC TUBE プラスチックチューブ	1-24	17-20	1-16,21-24	GRAY 灰色	1612048-8
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	3 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	17-20	1-16,21-24	GRAY 灰色	1612048-7
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	4 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	—//—	1-24	NATURAL 自然色	1612048-6
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	3 (W/O COLOR)	PAPER BOX タンボール箱	PLASTIC TUBE プラスチックチューブ	1-24	17-20	1-16,21-24	NATURAL 自然色	1612048-5
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
	3 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	17-20	1-16,21-24	NATURAL 自然色	1612048-4
				SELECTIVE-TIN (MATTE)	SELECTIVE-GOLD	SELECTIVE-TIN (BRIGHT)		
OBSOLETE	1 (W/O COLOR)	PAPER BOX タンボール箱	PLASTIC TUBE プラスチックチューブ	SAME AS 1612048-1				1612048-3
OBSOLETE	2 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	17-20	1-16,21-24	NATURAL 自然色	1612048-2
				SELECTIVE TIN	SELECTIVE-GOLD	PRE-TIN		
	1 (W/O COLOR)	PLASTIC BOX 通い箱	PLASTIC TUBE プラスチックチューブ	1-24	—//—	1-24	NATURAL 自然色	1612048-1
				SELECTIVE TIN	SELECTIVE-GOLD	PRE-TIN		
MARKING マーキング		OUTER 外装	INNER 内装	SOLDERING SIDE 半田付け側	CONTACT SIDE 接触部側	CONTACT SIDE 接触部側	COLOR 色	PART NUMBER 製品型番
		PACKING STYLE 梱包形態		CONTACT FINISH コンタクト仕上				
DIMENSIONS: 寸法: 単位 (mm)		TOLERANCES UNLESS OTHERWISE SPECIFIED: 公差 単位: mm		OWN - CHK -				
		9-PLC ±0.3 11-PLC ±0.5 12-PLC ±0.13 13-PLC ±0.13 14-PLC ±0.001 ANGLES ±3° 00'		PRODUCT SPEC 製品仕様 SEE SHEET 1 OF 2				
				APPLICATION SPEC 応用仕様 SEE SHEET 1 OF 2				
		MATERIAL 材料 SEE SHEET 1 OF 2		FINISH 仕上 SEE TABLE				
				WEIGHT 重量 SEE SHEET 1 OF 2				
				CUSTOMER DRAWING				
		Tyco Electronics Corporation Kawasaki, Japan						
		025 24P LOW PROFILE CAP HOUSING ASSY						
		SIZE A						
		CASE CODE 00779						
		DRAWING NO 1612048						
		RESTRICTED TO						
		SHEET 2 OF 2						
		REV B1						



△ FIG.1 CONTACT COMPOSITION
コンタクト回路構成

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1612048-0](#)