

Change footer menu to stop links opening in new tab:

Old footer.liquid 82

```
<ul class="site-footer__links{% if num_columns == 1 %} inline-list{% endif %}">
  {% for link in linklists[block.settings.menu].links %}
    <li><a href="{{ link.url }}" target="_blank">{{ link.title }}</a></li>
  {% endfor %}
</ul>
```

New footer.liquid 82-94

```
<ul class="site-footer__links{% if num_columns == 1 %} inline-list{% endif %}">
  {% for link in linklists[block.settings.menu].links %}
    {% assign title_down = link.title | downcase %}
    {% assign url_down = link.url | downcase %}
    <li>
      <a href="{{ link.url }}"
        {% if title_down contains 'instagram' or url_down contains 'instagram.com' %}
          target="_blank" rel="noopener noreferrer"
        {% endif %}
      >{{ link.title }}</a>
    </li>
  {% endfor %}
</ul>
```

Issue: target="_blank"

Note: You don't need to touch the other blocks unless you want the **Blog title** (currently has target="_blank") to also open in the same tab. If you do, just remove target="_blank" from:

liquid.footer 40

```
<h3 class="h4"><a href="{{ blog.url }}" target="_blank">{{
'layout.footer.blog_title' | t }}</a></h3>
```

If Instagram is only shown via the social icons snippet ({% include 'social-links' %}), it already opens in a new tab in most themes. The change above specifically affects the text links in your footer menu.

Change header logo to change to new logo on hover

New css in style section: header.liquid 45-60

```
/* --- Hover logo swap --- */
.logo__image-wrapper { position: relative; }
.logo__image--default,
.logo__image--hover {
  display: block;
  width: 100%;
  height: auto;
}
.logo__image--hover {
  position: absolute;
  inset: 0;
  opacity: 0;
  transition: opacity .2s ease;
}
.logo__image-wrapper:hover .logo__image--hover { opacity: 1; }
.logo__image-wrapper:hover .logo__image--default { opacity: 0; }
```

Old hader.liquid 195-207

```
<div class="logo__image-wrapper supports-js">
  <a href="{ { routes.root_url } }" itemprop="url"
style="padding-top:{ { 1 | divided_by: section.settings.logo.aspect_ratio |
times: 100 } }%;">
    {% assign img_url = section.settings.logo | img_url: '1x1'
| replace: '_1x1.', '_{width}x.' %}
    
  </a>
</div>
```

And 238-250

```

<div class="logo__image-wrapper supports-js">
  <a href="{ { routes.root_url } }" itemprop="url"
style="padding-top:{ { 1 | divided_by: section.settings.logo.aspect_ratio |
times: 100 } }%;">
    {% assign img_url = section.settings.logo | img_url: '1x1'
| replace: '_1x1.', '_{width}x.' %}
    
    </a>
  </div>

```

New header.liquid 195-214 and 246-263

```

<div class="logo__image-wrapper supports-js">
  <a href="{ { routes.root_url } }" itemprop="url"
style="padding-top:{ { 1 | divided_by: section.settings.logo.aspect_ratio |
times: 100 } }%;">
    {% assign img_url = section.settings.logo | img_url: '1x1'
| replace: '_1x1.', '_{width}x.' %}
    <!-- Default logo (visible by default) -->
    

    <!-- Hover logo (from Files) -->
    <!-- Replace the filename below with the exact name of your
uploaded file -->
    

```

```
</a>
</div>
```

Notes: If your hover image has a different aspect ratio, the wrapper's intrinsic padding keeps layout stable. The hover image is absolutely positioned to fill the wrapper.

Keeping only the default image lazy-loaded avoids weirdness on hover; the hover image is small and loads normally (snappy swap).

Change collection-template.liquid to allow for infinite scroll instead of clicking to a new page.

Old collection-template.liquid 3

```
<div id="CollectionSection" data-section-id="{ section.id }"
data-section-type="collection-template" data-sort-enabled="{
section.settings.sort_enable }" data-tags-enabled="{
section.settings.tags_enable }">
```

New 8-16

```
<div
  id="CollectionSection"
  data-section-id="{ section.id }"
  data-section-type="collection-template"
  data-sort-enabled="{ section.settings.sort_enable }"
  data-tags-enabled="{ section.settings.tags_enable }"
  data-current-page="{ paginate.current_page }"
  data-total-pages="{ paginate.pages }"
  data-next-url="{ % if paginate.next %}{ paginate.next.url }{% endif %}"
>
```

Update <div class="grid-uniform grid-link__container" id="ProductGrid">

Keep your normal pagination as a noscript fallback, add a loader + sentinel

Add pagination block and loader trigger, JS

New collection-template.liquid 93-97

```

<!-- Infinite scroll loader + trigger -->
<div id="InfiniteScrollLoader" class="text-center" style="display:none;
padding: 16px;">
  <em>Loading...</em>
</div>
<div id="InfiniteScrollTrigger" aria-hidden="true"></div>

```

CSS Helper for infinite scroll collection-template.liquid 3-6

```

<style>
  /* Infinite scroll visual state */
  #CollectionSection.is-loading #InfiniteScrollLoader { display: block; }
</style>

```

JavaScript for infinite scroll:

```

<script>
(function() {
  var section = document.getElementById('CollectionSection');
  if (!section) return;

  var grid = document.getElementById('ProductGrid');
  var trigger = document.getElementById('InfiniteScrollTrigger');
  var loader = document.getElementById('InfiniteScrollLoader');
  var nextUrl = section.getAttribute('data-next-url');
  var loading = false;

  // Hide numbered pagination for JS users
  var fallback = document.getElementById('PaginationFallback');
  if (fallback) fallback.style.display = 'none';

  if (!('IntersectionObserver' in window) || !trigger || !grid) {
    // Basic graceful fallback -- just show normal pagination if needed
    if (fallback) fallback.style.display = '';
    return;
  }

  function loadNextPage() {
    if (!nextUrl || loading) return;
    loading = true;
    section.classList.add('is-loading');
  }

```

```

fetch(nextUrl, { credentials: 'same-origin' })
  .then(function(res) { return res.text(); })
  .then(function(html) {
    var doc = new DOMParser().parseFromString(html, 'text/html');
    var newGrid = doc.getElementById('ProductGrid');
    var newSection = doc.getElementById('CollectionSection');

    // Append new product cards
    if (newGrid) {
      // move children over to keep events/styles intact
      while (newGrid.firstChild) {
        grid.appendChild(newGrid.firstChild);
      }
    }

    // Update next URL for subsequent loads
    nextUrl = newSection ? newSection.getAttribute('data-next-url') :
    '';

    if (!nextUrl && trigger && trigger.parentNode) {
      observer.disconnect();
      trigger.parentNode.removeChild(trigger);
    }
  })
  .catch(function(err) {
    console.error('Infinite scroll error:', err);
    // If something goes wrong, re-enable fallback pagination
    if (fallback) fallback.style.display = '';
    observer.disconnect();
  })
  .finally(function() {
    loading = false;
    section.classList.remove('is-loading');
  });
}

var observer = new IntersectionObserver(function(entries) {
  entries.forEach(function(entry) {
    if (entry.isIntersecting) {
      loadNextPage();
    }
  });
}, { rootMargin: '600px 0px 0px 0px' }); // start loading a bit before we
reach the bottom

```

```
// Only start observing if there actually is a next page
if (nextUrl) observer.observe(trigger);
})();
</script>
```

Optional no JS fallback for browsers with JS disabled. Just wrapping the pagination block in a `<noscript>`

Update collection-template.liquid 99-106

```
{% if paginate.pages > 1 %}
  <noscript>
    <hr class="hr--clear">
    <div class="text-center">
      {% include 'pagination-custom' %}
    </div>
  </noscript>
{% endif %}
```