

The background features a large white semi-circle at the top, with a light blue area to its left and a light pink area to its right. Below the white semi-circle is a large, solid dark blue shape that fills the bottom half of the frame.

CS6224
WEEK 8 -LAB SESSION

TODAY AGENDA

1. Briefing of today activities (5 minutes)
2. Answer Revision Quiz (20 minutes)
3. Download today lab exercise PKA file
4. Briefing of the lab activity (15 minutes)
5. Complete the lab exercise and submit (45 minutes)
6. Q & A

	Site-to-Site VPN	Remote Access VPN
Use case	Combines separate office networks into a shared LAN ecosystem.	Connects individual users to private internal networks.
Setup	Must be set up on all premises. Each end device connecting to it automatically gains access to the internal network with no additional configuration needed.	Each client's device needs to have specific software or configurations to connect with HQ server and have network access granted. The HQ server setup must also accept incoming VPN traffic.
Data flow	Data moves through the office's gateway and leaves fully encrypted.	Each user creates their own VPN tunnel when connecting. Data leaving the device is now encrypted.
Users	Office employees connecting to other branch offices or headquarters.	Employees working from home or other locations than the office.
Tunneling	Allows multiple users to share a single VPN tunnel.	Each user creates an individual VPN tunnel.

Router R1

```
config t
license boot module c1900 technology-package securityk9
yes
end
copy running-config startup-config

reload
```

Technology Package License Information for Module:'c1900'

Technology	Technology-package Current	Type	Technology-package Next reboot
ipbase	ipbasek9	Permanent	ipbasek9
security	<u>securityk9</u>	Evaluation	<u>securityk9</u> ✓
data	disable	None	None

Configuration register is 0x2102

**THANK
YOU**