

Yianni Anastopoulos
Ryan Hausen
Mini Project

The document is broken in to sections delineated by bold fonts with horizontal lines:

- Datasets
- Algorithms
- Initial Submission
- updates...

Datasets

Regression Datasets:

UCI ML – Abalone

Sex / nominal / -- / M, F, and I (infant)
Length / continuous / mm / Longest shell measurement
Diameter / continuous / mm / perpendicular to length
Height / continuous / mm / with meat in shell
Whole weight / continuous / grams / whole abalone
Shucked weight / continuous / grams / weight of meat
Viscera weight / continuous / grams / gut weight (after bleeding)
Shell weight / continuous / grams / after being dried
Rings / integer / -- / +1.5 gives the age in years

UCI ML – Forest Fires

For more information, read [Cortez and Morais, 2007].

1. X - x-axis spatial coordinate within the Montesinho park map: 1 to 9
2. Y - y-axis spatial coordinate within the Montesinho park map: 2 to 9
3. month - month of the year: 'jan' to 'dec'
4. day - day of the week: 'mon' to 'sun'
5. FFMC - FFMC index from the FWI system: 18.7 to 96.20
6. DMC - DMC index from the FWI system: 1.1 to 291.3
7. DC - DC index from the FWI system: 7.9 to 860.6
8. ISI - ISI index from the FWI system: 0.0 to 56.10
9. temp - temperature in Celsius degrees: 2.2 to 33.30
10. RH - relative humidity in %: 15.0 to 100
11. wind - wind speed in km/h: 0.40 to 9.40
12. rain - outside rain in mm/m2 : 0.0 to 6.4
13. area - the burned area of the forest (in ha): 0.00 to 1090.84

(this output variable is very skewed towards 0.0, thus it may make sense to model with the logarithm transform).

UCI ML – Wine Quality

For more information, read [Cortez et al., 2009].

Input variables (based on physicochemical tests):

- 1 - fixed acidity
- 2 - volatile acidity
- 3 - citric acid
- 4 - residual sugar
- 5 - chlorides
- 6 - free sulfur dioxide
- 7 - total sulfur dioxide
- 8 - density
- 9 - pH
- 10 - sulphates
- 11 - alcohol

Output variable (based on sensory data):

- 12 - quality (score between 0 and 10)

Classification Datasets

UCI ML – Iris

1. sepal length in cm
2. sepal width in cm
3. petal length in cm
4. petal width in cm
5. class:
 - Iris Setosa
 - Iris Versicolour
 - Iris Virginica

UCI ML – Wine Quality

Input variables (based on physicochemical tests):

- 1 - fixed acidity
- 2 - volatile acidity
- 3 - citric acid
- 4 - residual sugar
- 5 - chlorides
- 6 - free sulfur dioxide
- 7 - total sulfur dioxide
- 8 - density
- 9 - pH

10 - sulphates

11 - alcohol

Output variable (based on sensory data):

12 - quality (score between 0 and 10)

UCI ML – Abalone

Sex / nominal / -- / M, F, and I (infant)

Length / continuous / mm / Longest shell measurement

Diameter / continuous / mm / perpendicular to length

Height / continuous / mm / with meat in shell

Whole weight / continuous / grams / whole abalone

Shucked weight / continuous / grams / weight of meat

Viscera weight / continuous / grams / gut weight (after bleeding)

Shell weight / continuous / grams / after being dried

Rings / integer / -- / +1.5 gives the age in year

Algorithms

Regression:

- Linear Regression
- Decision Tree Regression
- KNN
- SVM Regressor

Classification:






- Logistic Regression
- Decision Tree Classifier
- KNN
- LDA & QDA
- SVM Regressor

Initial Submission






Regression Results

All crossvalidation predictions, k=10, with a fitted line for each set for k



Abalone



Forest Fires








Wine Quality








Classification Results

Abalone



Iris



Wine Quality

