Name:					

Requirements	Comments	Points	Point Value
Class Structure	Classes:EntityHeroMapItemEnemyItemGeneratorEnemyGeneratorMagicalEnemy Abstract:Entityattack() Interface:Magical Inheritance:Hero EnemyMagicalEnemy		10
File IO	Read in maps from loadMap() Read in ItemList from ItemGenerator Constructor Read in EnemyList from EnemyGenerator Constructor		10
Enemy	Enemy is created using template w/ new itemEnemy calculates random damage related to levelEnemy deals random damage to HeroMagEnemy randomly chooses a spell w/ random dmgGenerator creates Enemies & Magical Enemies		10
Hero	 Hero's toString calls Entity's toString and itemToString Hero can pick up items up to a max capacity of 5 Hero can move NSEW, checks for out of map bounds Calculates random damage to deal to enemy 		10
Мар	Revealed array is reset when new levels are loadedLocations on map are revealed when hero visits themEnemies and Items are removed when killed or takenEnemies and Items remain if not killed or not taken		10
·	Enemy attacks Hero when Hero enters a room with a m Hero can fight or run away from enemies Potion option appears if Hero has one in inventory Potion heals +25hp or up to maxHp Hero recieves item after defeating enemy Hero recieves item when entering a room with an i Hero progresses to next map when at room with f Game ends when Hero dies or when user quits Enemy is polymorphic (magic and physical enemies are used the same)		25
Main Coding Standards & JavaDocs	Jdocs:classesmethodsdata members CS:var namestabs/spacingcapitalizationError check all user inputNo exceptions / does not throw exceptions from mainNo global variablesCommenting		25
Total			100

CECS 277

p	<u> </u>		
	· ·		
1	1	1	
i e e e e e e e e e e e e e e e e e e e	·		i i
•)		
1	1	i	
l .	(1	i i
•	1		