

01 — OVERVIEW

BOSTON BERDO · 2025 DATASET

Identifying High-Impact *Energy Reduction* Opportunities

An analysis of 5,580 Boston buildings to identify who faces the greatest compliance challenges — and where targeted intervention creates the highest impact.

PYTHON · PANDAS

5,580 BUILDINGS

54 VARIABLES

02 — THE LANDSCAPE

What BERDO requires

Boston's Building Emissions Reduction and Disclosure Ordinance mandates large buildings to report emissions and reduce operational carbon over time.

5,580

Buildings in 2025 dataset

3,569

In Compliance

1,579

Not Submitted

03 — KEY INSIGHT

MISSING DATA AS A SIGNAL

Data gaps are not random — they mark compliance risk

Property type is missing in a near-perfect pattern that maps directly onto compliance failure.

Not Submitted

100%

missing property type

All 1,579 buildings that failed to submit are also missing core classification data.

In Compliance

0%

missing property type

Of 3,569 compliant buildings, zero have missing property type. A perfect separation.

04 — INTERVENTION STRATEGY

TWO DISTINCT CHALLENGES

Different buildings need different solutions

The dataset reveals two non-overlapping intervention groups with fundamentally different needs.

G1

Not Submitted

Buildings that fail to report at all. Missing property type, fragmented ownership, limited technical capacity.

Outreach + Reporting Support

G2

High EUI

Buildings that report but consume significantly more energy than the median. Labs, industrial plants, institutional buildings.

Retrofit + Energy Reduction

05 — ENERGY INTENSITY

EUI varies dramatically

by building type

Laboratory and institutional buildings exhibit the highest energy use intensity, making them retrofit priorities.




06 — PRIORITY MATRIX

EUI × IMPLEMENTATION COMPLEXITY

1 in 4 buildings is high priority

Buildings with high EUI and high implementation complexity represent the toughest and most urgent retrofit targets.



Note: 96.51% of High Priority buildings are currently "In Compliance" —

compliance status $\neq$ low energy use.

07 — CONCLUSION

POLICY RECOMMENDATIONS

Three paths to meaningful emissions cuts

01

Expand technical assistance

Target condominiums, LLCs, and public-sector owners that face fragmented ownership and limited engineering capacity.

02

Simplify the reporting process

Missing data is a structural problem, not random noise. Proactive intervention beats reactive enforcement.

03

Prioritize retrofit for high-EUI buildings

1,003 high-priority buildings combine intense energy use with complex ownership — these need deep decarbonization pathways, not just compliance paperwork.

BERDO COMPLIANCE ANALYSIS · BOSTON · 2025

PYTHON · PANDAS · MATPLOTLIB