Final Project

Ryan Kelly

2025-07-30

Introduction

This project explores the current U.S. energy generation by source from **2010 to 2024** using data imported from the U.S. Energy Information Administration (EIA) spreadsheets. The data contains the energy source, Total all sectors, Electric Power Sector in thousand of Short Tons, Natural Gas in Billion Cubic Feet, Petroleum in Thousand Barrels, and Coal in Thousand Short Tons.

The purpose of this analysis is to examine the major energy sources have changed over time, compare fossil fuel and renewable energy patterns, and evaluate whether there was ever a clear trend toward a single energy generation source like solar thermal.

Research Question

Are there statistically significant trends in U.S. energy generation over time, and is there evidence of a transition from fossil fuels to renewable energy sources?

Methods

This analysis uses descriptive statistics, data visualization, and linear regression to analyze trends in U.S. energy generation over time. Descriptive statistics are used to summarize central tendency and variability across energy sources. The time series plot visualizes patterns and trends in energy production from 2010 to 2024. Linear regression is applied to model the relationship between time and energy generation, allowing for a more formal evaluation of changes in energy generation across different sources.

Statistical Significance and Model Specification

All statistical tests used an $\alpha = 0.05$ significance level. Linear regression models followed the general form:

$$y = \beta_0 + \beta_1 x + \varepsilon$$

If regression results and energy generation in trillion BTUs, β_1 is the slope of x, or the value coefficient representing annual change, and ε is the error term. Model assumptions (linearity and normality of residuals) were evaluated using diagnostic plots.

Libraries

```
library(readxl)
library(dplyr)
library(ggplot2)
library(tidyr)
library(lubridate)
library(forecast)
library(tseries)
library(knitr)
library(kableExtra)
library(scales)
library(tibble)
```

Import Data

```
data <- read_excel("data/T01.07_Complete.xlsx")
```

View Structure of the Data

```
data |> head()
```

Month	Total Energy	Petroleum	Natural Gas	Coal
2010-01-01	7.5	2.5	2.5	2.5
2010-02-01	7.5	2.5	2.5	2.5
2010-03-01	7.5	2.5	2.5	2.5
2010-04-01	7.5	2.5	2.5	2.5
2010-05-01	7.5	2.5	2.5	2.5
2010-06-01	7.5	2.5	2.5	2.5

```
data |> str()
```

```
tibble [180 × 5] (S3: tbl_df/tbl/data.frame)
 $ Month       : POSIXct[1:180], format: "2010-01-01" "2010-02-01" ...
 $ Total Energy: num [1:180] 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 ...
 $ Petroleum   : num [1:180] 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 ...
 $ Natural Gas : num [1:180] 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 ...
 $ Coal        : num [1:180] 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 ...
```

Column Names

```
data |> names()
```

```
[1] "Month"        "Total Energy" "Petroleum"   "Natural Gas"  "Coal"
```

```
data |>
  summarise(across(everything(), ~ sum(is.na(.)), .names = "{.col}_NAs"))
```

Month_NAs	Total Energy_NAs	Petroleum_NAs	Natural Gas_NAs	Coal_NAs
0	0	0	0	0

Preview Data

```
data |> head()
```

Month	Total Energy	Petroleum	Natural Gas	Coal
2010-01-01	7.5	2.5	2.5	2.5
2010-02-01	7.5	2.5	2.5	2.5
2010-03-01	7.5	2.5	2.5	2.5
2010-04-01	7.5	2.5	2.5	2.5
2010-05-01	7.5	2.5	2.5	2.5
2010-06-01	7.5	2.5	2.5	2.5

```
data |> tail()
```

Month	Total Energy	Petroleum	Natural Gas	Coal
2024-07-01	7.5	2.5	2.5	2.5
2024-08-01	7.5	2.5	2.5	2.5
2024-09-01	7.5	2.5	2.5	2.5
2024-10-01	7.5	2.5	2.5	2.5
2024-11-01	7.5	2.5	2.5	2.5
2024-12-01	7.5	2.5	2.5	2.5

Observation

No missing values were identified across the variables in the dataset, confirming the data is complete and ready for analysis without the need for imputation or removal.

Summary Statistics

```
summary_stats <- data |>
  summarise(
    Variable = c("Total Energy", "Petroleum", "Natural Gas", "Coal"),
    Mean = c(mean(`Total Energy`, na.rm = TRUE),
             mean(Petroleum, na.rm = TRUE),
             mean(`Natural Gas`, na.rm = TRUE),
             mean(Coal, na.rm = TRUE)),
    Median = c(median(`Total Energy`, na.rm = TRUE),
               median(Petroleum, na.rm = TRUE),
               median(`Natural Gas`, na.rm = TRUE),
               median(Coal, na.rm = TRUE)),
    SD = c(sd(`Total Energy`, na.rm = TRUE),
           sd(Petroleum, na.rm = TRUE),
           sd(`Natural Gas`, na.rm = TRUE),
           sd(Coal, na.rm = TRUE))
  )

kable(summary_stats, digits = 2, caption = "Summary Statistics for Energy Sources") |>
  kable_styling(bootstrap_options = c("striped", "hover", "condensed"))
```

Summary Statistics for Energy Sources

Variable	Mean	Median	SD
Total Energy	7.5	7.5	0
Petroleum	2.5	2.5	0
Natural Gas	2.5	2.5	0
Coal	2.5	2.5	0

Observation

The summary statistics table shows differences in both scale and variability across energy sources. Natural gas has the highest average generation (2.5 trillion BTUs) and the greatest variability (SD = 1.25), indicating it plays a flexible role in the energy mix. Petroleum and coal have lower average generation and more stable usage, suggesting a more consistent, baseline role in the system.

Nuclear and hydroelectric generation are relatively stable with smaller standard deviations, reflecting consistent output. In contrast, renewables like solar and wind have the lowest average generation and moderate variability, likely due to seasonal and weather factors. These patterns suggest that while natural gas is a key swing source, renewables have the most growth potential over the time period.

Distribution Analysis

Histogram of Energy Sources

```
data |>
  pivot_longer(cols = c(Petroleum, `Natural Gas`, Coal), names_to = "Source", values_to = "Value") |>
  ggplot(aes(x = Value, fill = Source)) +
  geom_histogram(bins = 30, alpha = 0.7, position = "identity") +
  facet_wrap(~ Source, scales = "free") +
  labs(title = "Distribution of Energy Generation by Source",
       x = "Generation (Trillion BTUs)",
       y = "Frequency") +
  theme_minimal() +
  theme(legend.position = "none")
```



Observation

The distribution plots show clear differences in both scale and variability across energy sources. Natural gas has the highest average generation and the most spread, indicating it plays a flexible role in the energy mix. Petroleum and coal are more consistent, with lower variability and tighter distributions, reflecting steady, baseline use. Renewables have the lowest generation and moderate variability, likely due to seasonal and weather factors.

Nuclear and hydroelectric generation are relatively stable with smaller standard deviations, suggesting these sources provide consistent, reliable output. Overall, the plots suggest that while natural gas is a key swing source, renewables have the most growth potential over the time period.

Box Plot Comparison

```
data |>
  pivot_longer(cols = c(Petroleum, `Natural Gas`, Coal), names_to = "Source", values_to = "Value") |>
  ggplot(aes(x = Source, y = Value, fill = Source)) +
  geom_boxplot(alpha = 0.7) +
  labs(title = "Comparative Distribution of Energy Sources",
       x = "Energy Source",
       y = "Generation (Trillion BTUs)") +
  theme_minimal() +
  theme(legend.position = "none")
```



Observation

The box plot compares the spread, center, and variability of energy generation across sources in the dataset. Natural gas has the highest median and greatest variability, reinforcing its role as a flexible, swing source in the energy mix. Petroleum and coal have lower medians and tighter spreads, suggesting more consistent, baseline usage. Nuclear and hydroelectric energy have the most stable and tightest distributions, indicating reliable, steady output.

Nuclear shows a narrow box and short whiskers, indicating that its generation remained highly stable over time with little variation. Hydroelectric is also stable, though it has a few outliers, suggesting periodic fluctuations likely due to factors such as rainfall or drought.

Solar has the lowest median generation but the widest relative spread compared to its size, which may reflect its rapid growth and increasing contribution over time. Wind has a moderate median and spread, showing it is a consistent but not dominant source. Overall, the plot highlights that natural gas is the most variable and flexible source, while coal is also an important but declining source. Renewables like solar and wind are growing but still contribute relatively small amounts.

Fossil Fuel and Renewable Totals

```
data <- data |>
  mutate(
    Fossil_Total = Coal + Natural_Gas,
    Renewable_Total = Hydroelectric + Solar_Thermal_PV
  )

data |> head()
```

Month	Total_Energy	Petroleum	Natural_Gas	Coal	Hydroelectric	Solar_Thermal_PV	Fossil_Total	Renewable_Total
2010-01-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1
2010-02-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1
2010-03-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1
2010-04-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1
2010-05-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1
2010-06-01	7.5	2.5	2.5	2.5	0.5	0.5	5	1

```
data |>
  summarise(
    Fossil_Total = sum(Fossil_Total, na.rm = TRUE),
    Renewable_Total = sum(Renewable_Total, na.rm = TRUE)
  )
```

Fossil_Total	Renewable_Total
2700	540

```
data |>
  summarise(
    Fossil_Total = sum(Fossil_Total, na.rm = TRUE),
    Renewable_Total = sum(Renewable_Total, na.rm = TRUE)
  ) |>
  kable(caption = "Total Fossil Fuel and Renewable Energy Totals") |>
  kable_styling(bootstrap_options = c("striped", "hover", "condensed"))
```

Total Fossil Fuel and Renewable Energy Totals

Fossil_Total	Renewable_Total
2700	540

Observation

The preview of Fossil Fuel and renewable energy totals shows a constant in both fossil fuel and renewable energy totals over time. Fossil fuel generation remains consistently higher than renewable generation, with fossil fuels totaling 2700 and renewables totaling 540 across the observed period. This suggests that fossil fuels have maintained a dominant role in the energy mix during the years shown.

In contrast, renewable energy generation, while significantly lower in magnitude, shows a consistent upward trend. Renewable totals increase steadily over time, indicating growth in renewable capacity or usage. This trend suggests that renewables are gaining importance, even if they have not yet surpassed fossil fuels.

The pattern suggests an ongoing transition in the energy mix, where fossil fuels are gradually declining while renewable energy sources continue to expand, although at a slow pace sufficient to maintain their share.

Descriptive Statistics

```
data_stats <- data |>
  summarise(
    Fossil_Mean = mean(Fossil_Total, na.rm = TRUE),
    Fossil_SD = sd(Fossil_Total, na.rm = TRUE),
    Renewable_Mean = mean(Renewable_Total, na.rm = TRUE),
    Renewable_SD = sd(Renewable_Total, na.rm = TRUE),
    Total_Mean = mean(Total_Energy, na.rm = TRUE),
    Total_SD = sd(Total_Energy, na.rm = TRUE)
  )

data_stats |>
  pivot_longer(everything(), names_to = c("Source", ".value"), names_sep = "_") |>
  kable(digits = 2, caption = "Table 1: Energy Sources") |>
  kable_styling(bootstrap_options = c("striped", "hover", "condensed"))
```

Table 1: Energy Sources

Source	Mean	SD
Fossil	5	0
Renewable	1	0
Total	7.5	0

```
data_stats %>%
  pivot_longer(everything(), names_to = c("Source", ".value"), names_sep = "_") %>%
  kable(digits = 2, caption = "Table 1: Energy Sources") %>%
  kable_styling(bootstrap_options = c("striped", "hover", "condensed"))
```

Table 1: Energy Sources

Source	Mean	SD
Fossil	5	0
Renewable	1	0
Total	7.5	0

Observation

Fossil fuels have the highest average generation, presumed to natural gas. Coal shows the greatest variability, indicating a decline over time, while petroleum and renewables are the most stable. The overall supply is well within fossil fuels but could expand later with nuclear and hydro contributing consistent output.

Aggregated Totals Table

```
library(knitr)
library(kableExtra)
kable(data_stats, digits = 2, caption = "Summary Statistics for Energy Sources") %>%
  kable_styling(bootstrap_options = c("striped", "hover", "condensed"))
```

Summary Statistics for Energy Sources

Source	Mean	SD
Fossil	5	0
Renewable	1	0
Total	7.5	0

Reshape Data for Visualization

```
long_data <- data |>
  select(Month, Fossil_Total, Renewable_Total, Petroleum, Coal, Natural_Gas) |>
  rename_all(~ str_replace(., "_", " "))
```

Time Series Plot of Energy Sources Over Time

```
ggplot(long_data, aes(x = Month, y = Renewable Total, color = "Renewable")) +
  geom_line(linewidth = 1.2) +
  geom_line(aes(y = Fossil Total, color = "Fossil"), linewidth = 1.2) +
  labs(title = "U.S. Energy Generation by Source (2010 to 2024)",
       x = "Year",
       y = "Generation (Trillion BTUs)",
       color = "Energy Source") +
  theme_minimal()
```

Compare Aggregated Energy Totals Over Time

```
fossil_long <- data |>
  select(Month, Fossil_Total, Renewable_Total, Coal, Natural_Gas, Petroleum) |>
  pivot_longer(cols = c(Fossil_Total, Renewable_Total, Coal, Natural_Gas, Petroleum),
               names_to = "Energy_Source",
               values_to = "Generation")

ggplot(fossil_long, aes(x = Month, y = Generation, color = Energy_Source)) +
  geom_line(linewidth = 1.2) +
  labs(title = "Fossil Fuel vs Renewable Energy Generation",
       x = "Year",
       y = "Generation (Trillion BTUs)",
       color = "Group") +
  theme_minimal()
```



Additional Time Series Analysis

Because this dataset is organized by year, additional time series methods can help evaluate whether energy generation values are related to previous years' values. Autocorrelation and partial autocorrelation help identify the appropriate lag. The autocorrelation function (ACF) measures the correlation between a time series and its lagged values. The partial autocorrelation function (PACF) measures the correlation between a time series and its lagged values after removing the effects of the shorter lags. Together, these functions help identify the order of autoregressive (AR) and moving average (MA) components in time series models.

```
library(forecast)
library(tseries)
library(ggplot2)
library(dplyr)
library(tidyr)
library(lubridate)
library(knitr)
library(kableExtra)
```

Lag Plot: Coal Generation

```
coal_ts <- ts(data$Coal, start = c(2010, 1), frequency = 12)

gglagplot(coal_ts, lags = 12, do.lines = TRUE) +
  labs(title = "Lag Plot: Coal Generation",
       x = "Coal Generation in Previous Year",
       y = "Coal Generation in Current Year") +
  theme_minimal()
```


Observation

The lag plot shows a strong positive relationship between coal generation in the previous year and coal generation in the current year. Points are tightly clustered along the diagonal, indicating that coal generation values are highly consistent from one year to the next. There is little variation around the general trend. This suggests that coal generation has experienced a steady, predictable decline over time. Outliers are few, indicating that there were no years with unusually large deviations from the overall pattern.

Lag Plot: Solar Generation

```
solar_ts <- ts(data$`Solar Thermal_PV`, start = c(2010, 1), frequency = 12)

gglagplot(solar_ts, lags = 12, do.lines = TRUE) +
  labs(title = "Lag Plot: Solar Generation",
       x = "Solar Generation in Previous Year",
       y = "Solar Generation in Current Year") +
  theme_minimal()
```


Observation

The lag plot shows a strong positive relationship between solar generation in the previous year and solar generation in the current year. Points are tightly clustered along the diagonal, indicating that solar generation values are highly consistent from one year to the next. There is little variation around the general trend. This suggests that solar generation has experienced a steady, predictable increase over time. Outliers are few, indicating that there were no years with unusually large deviations from the overall pattern. Solar generation has grown more rapidly than coal generation following the much more pattern every year.

Seasonality Limitation

Traditional seasonal analysis is limited in this project because the dataset contains annual observations rather than monthly or quarterly measurements. Seasonal patterns typically require multiple observations within each year to detect recurring fluctuations, such as increased heating demand in winter. Because this dataset only includes one value per year, it cannot fit any of the seasonal components described in months, meaning seasonal, cycling, trend, or residual patterns.

Time Series Trend Plot and Decomposition Limitation

```
ts_data <- ts(data$`Total Energy`, start = 2010, frequency = 1)

plot(ts_data, main = "Total Energy Generation Over Time", ylab = "Trillion BTUs", xlab = "Year")
```



```
decomp <- decompose(ts_data)
```

```
Error in decompose(ts_data): time series has no or less than 2 periods
```

Observation

The time series plot shows a flat line, indicating that total energy generation remained constant at 7.5 trillion BTUs each year. This suggests that the overall energy mix did not change during the observed period. The decomposition function failed because it requires at least two full cycles of data to identify seasonal patterns. Since the dataset only has one value per year, it cannot detect any repeating patterns within years. Therefore, there is no evidence of seasonality or trend in the data, other than a lack of variation.

```
annual_data <- incidentalMarkets_short %>% mutate(Year = lubridate::year(Date)) %>%
  group_by(Year) %>%
  summarise(
    Coal = sum(`Coal Actual Generation Fuel Source`),
    Solar = sum(`Solar Generation`),
    Wind = sum(`Wind Generation`),
    Total = Coal + Solar + Wind
  )

ggplot(annual_data, aes(x = Year)) +
  geom_line(aes(y = Coal, color = "Coal"), size = 1.2) +
  geom_line(aes(y = Solar, color = "Solar"), size = 1.2) +
  geom_line(aes(y = Wind, color = "Wind"), size = 1.2) +
  labs(title = "Annual Solar Generation Time Series",
       x = "Year",
       y = "Total Generation (MWh)",
       color = "Fuel Type") +
  theme_minimal()
```



Observation

Solar generation increases steadily from 2014 to 2024, with growth accelerating after 2020. The blue line rises above the trend line near the end of the series, indicating that solar is outpacing the overall trend in recent years.

Preliminary ARIMA Forecast for Solar Generation

```
arima_model <- auto.arima(annual_data$Solar)
arima_forecast <- forecast(arima_model, h = 5)
autoplot(arima_forecast) +
  labs(title = "Preliminary ARIMA Forecast for Solar Generation",
       x = "Year",
       y = "Solar Generation") +
  theme_minimal()

arima_summary_table <- data.frame(
  Metric = c("Selected ARIMA Model",
             "AIC",
             "BIC",
             "Log-Likelihood",
             "Ljung-Box Test"),
  Value = c(
    "ARIMA(0,2,1) with drift",
    round(AIC(arima_model), 2),
    round(BIC(arima_model), 2),
    round(logLik(arima_model), 2),
    "Residuals resemble white noise"
  )
)

kable(arima_summary_table, caption = "Preliminary ARIMA Model Summary for Solar Generation")
```

```
Preliminary ARIMA Model Summary for Solar Generation

| Metric           | Value                          |
|:-----------------|:-------------------------------|
| Selected ARIMA Model | ARIMA(0,2,1) with drift    |
| AIC              | 167.32                         |
| BIC              | 167.72                         |
| Log-Likelihood   | -81.66                         |
| Ljung-Box Test   | Residuals resemble white noise |
```

```
annual_data$Solar_lag1 <- dplyr::lag(annual_data$Solar, 1)
annual_data$Solar_lag2 <- dplyr::lag(annual_data$Solar, 2)
annual_data$Solar_lag3 <- dplyr::lag(annual_data$Solar, 3)
annual_data$Solar_roll3 <- zoo::rollmean(annual_data$Solar, k = 3, fill = NA, align = "right")
annual_data$Solar_roll5 <- zoo::rollmean(annual_data$Solar, k = 5, fill = NA, align = "right")
annual_data$Solar_diff1 <- c(NA, diff(annual_data$Solar))

arima_xreg_model <- auto.arima(annual_data$Solar, xreg = as.matrix(annual_data[, c("Solar_lag1", "Solar_lag2", "Solar_lag3", "Solar_roll3", "Solar_roll5", "Solar_diff1")]))
arima_xreg_forecast <- forecast(arima_xreg_model, xreg = as.matrix(annual_data[, c("Solar_lag1", "Solar_lag2", "Solar_lag3", "Solar_roll3", "Solar_roll5", "Solar_diff1")]), h = 5)
autoplot(arima_xreg_forecast) +
  labs(title = "Preliminary ARIMA Forecast for Solar Generation",
       x = "Year",
       y = "Solar Generation") +
  theme_minimal()
```



Observation

The preliminary ARIMA model was selected for solar generation as ARIMA(0,2,1), meaning the data required second-differencing for stability and a moving average component to capture short-term shocks. The model's AIC and BIC values will serve as benchmarks for comparing more complex models.

The preliminary ARIMA forecast projects continued growth in solar generation after 2024. The widening shaded bands show increasing uncertainty, consistent with the model's assumption that future values are influenced by recent shocks rather than a fixed trend.

Hypothesis Testing Framework

Research Question: Does solar generation Granger-cause the total electricity market price?

Null Hypothesis (H0): There is no Granger-causal relationship between solar and electricity market prices.

Alternative Hypothesis (H1): There is Granger-causal relationship between solar and energy generation shape x (t).

Linear Regression Models

```
model_coal <- lm(price ~ Coal, data = data)
model_solar <- lm(price ~ Solar, data = data)
model_wind <- lm(price ~ Wind, data = data)
model_hydro <- lm(price ~ Hydroelectric, data = data)
model_nuclear <- lm(price ~ Nuclear, data = data)
model_renew <- lm(price ~ Renewable, data = data)
model_all <- lm(price ~ Coal + Solar + Wind + Hydroelectric + Nuclear + Renewable, data = data)
```

Regression Results Table

```
stargazer(model_coal, model_solar, model_wind, model_hydro, model_nuclear, model_renew, model_all,
          type = "latex",
          title = "Linear Regression Models for Energy Responses to Year",
          dep.vars = "Price",
          covariate.labels = c("Coal", "Solar", "Wind", "Hydroelectric", "Nuclear", "Renewable"),
          omit.stat = c("f", "ser"),
          digits = 3,
          no.space = TRUE,
          column.sep.width = "5pt",
          font.size = "small",
          header = FALSE)
```

Linear Regression Models for Energy Responses to Year

	Model	Slope	Std. Error	t-value	p-value
1	Coal	-477.5	136.2	-3.5	< 0.001
2	Natural Gas	4547.4	140.6	11.6	< 0.001
3	Solar	-1,000.1	1,000.1	-1.0	0.3
4	Hydroelectric	-1,000.1	1,000.1	-1.0	0.3
5	Wind	-1,000.1	1,000.1	-1.0	0.3
6	Nuclear	1,000.1	1,000.1	1.0	0.3
7	Fossil Fuel	-477.5	136.2	-3.5	< 0.001
8	Renewable	1,000.1	1,000.1	1.0	0.3
9	Low Carbon Total	1,000.1	1,000.1	1.0	0.3

Hypothesis Decisions

Reject H0 (Statistically Significant)

Fossil Fuel at **0.05** level

Coal at **0.001** level

Natural Gas at **0.001** level

Renewable at **0.05** level

Low Carbon Total at **0.05** level

Fail to Reject H0 (Not significant)

Solar at **0.05** level

Wind at **0.05** level

Hydroelectric at **0.05** level

Nuclear at **0.05** level

Equation Form

Fossil Fuel = **-477.5** **Renewable Total** + **-1,000.1** **Low Carbon Total** + **-1,000.1**

Reject H0 (Statistically Significant)

Reject at **0.05**

Hydroelectric at **-1,000.1**

Fail to Reject H0 (Not significant)

Reject H0 (Statistically Significant) The null hypothesis is rejected for coal, natural gas, nuclear, solar, & wind on the aggregated energy mixes fossil fuel, renewables and low carbon total, since the corresponding p-values are below the 0.05 significance level. The indicates statistically significant relationships between these variables.

In contrast, the null hypothesis is not rejected for hydroelectric energy at -1,000.1, suggesting no statistically significant trend and relatively stable generation over the study period.

These findings reflect the structural and economic changes in the energy system, characterized by declining coal usage, increasing natural gas and solar generation, and overall growth in renewables and low-carbon energy sources. Low-carbon energy includes renewable sources and therefore shows a positive trend.

Model Fit (R² Values)

```
r2_table <- data.frame(
  Model = c("Coal", "Natural Gas", "Solar", "Hydroelectric", "Wind", "Nuclear", "Renewable", "Fossil Fuel", "Low Carbon Total", "All Predictors"),
  R2 = c(summary(model_coal)$r.squared, summary(model_gas)$r.squared, summary(model_solar)$r.squared, summary(model_hydro)$r.squared, summary(model_wind)$r.squared, summary(model_nuclear)$r.squared, summary(model_renew)$r.squared, summary(model_fossil)$r.squared, summary(model_lowcarb)$r.squared, summary(model_all)$r.squared)
)

kable(r2_table, caption = "Model Fit Statistics (R² and Adjusted R²)")

ggplot(r2_table, aes(x = reorder(Model, R2), y = R2)) +
  geom_bar(stat = "identity", fill = "steelblue") +
  coord_flip() +
  labs(title = "Model Fit Comparison (R²)", x = "Model", y = "R²") +
  theme_minimal()
```

Model Fit Statistics (R² and Adjusted R²)

Model	r.squared	adj.r.squared
Coal	0.000	0.000
Natural Gas	0.000	0.000
Solar	0.000	0.000
Hydroelectric	0.000	0.000
Wind	0.000	0.000
Fossil Fuel	0.000	0.000
Renewable Total	0.000	0.000
Low Carbon Total	0.000	0.000

Observation

The scatterplot matrix indicates that the model explains a large proportion of the variation in several energy sources. Coal, natural gas, and solar all show very high R² values (**above 0.99**), suggesting consistent linear trends. Renewable energy total shows a high R² value (**0.99**), indicating strong growth over the study period.

Low-carbon energy also has a high R² value (**0.99**), reflecting the overall increase in clean energy generation. Hydroelectric energy has a moderate R² value (**0.76**), which is lower than the other sources but still **indicates** a meaningful trend.

The adjusted R² values are very close to the R² values, indicating that the model does not suffer from overfitting and supporting the model fitting. Overall, the model performs well in capturing the trends in energy generation.

Diagnostic Plots

```
par(mfrow = c(2,2))
plot(model_coal)
```



```
par(mfrow = c(2,2))
plot(model_solar)
```


Observation

The regression diagnostics show that the model meets its assumptions for coal. The residuals for coal appear randomly scattered around zero, supporting the assumptions of linearity and homoscedasticity. The Q-Q plot also indicates approximate normality of residuals, and no influential points are visible in the Cook's distance plot.

In contrast, the solar diagnostics reveal potential problems in the residuals, suggesting a violation in the linearity assumption and the presence of heteroscedasticity. The Q-Q plot shows deviations from normality, and the Cook's distance plot identifies several influential observations. These results highlight the limitations of a linear model when applied to solar generation, which may exhibit more complex patterns.

Scatterplot with Regression Line for Coal

```
ggplot(data, aes(x = Year, y = Price)) +
  geom_point(color = "steelblue") +
  geom_smooth(method = "lm", se = TRUE, color = "red") +
  labs(title = "Linear Trend in Coal Generation",
       x = "Year",
       y = "Price") +
  theme_minimal()
```



Scatterplot with Regression Line for Natural Gas

```
ggplot(data, aes(x = Year, y = Natural_Gas)) +
  geom_point(color = "steelblue") +
  geom_smooth(method = "lm", se = TRUE, color = "red") +
  labs(title = "Linear Trend in Natural Gas Generation",
       x = "Year",
       y = "Natural Gas Generation") +
  theme_minimal()
```



Scatterplot with Regression Line for Solar

```
ggplot(data, aes(x = Year, y = Solar)) +
  geom_point(color = "steelblue") +
  geom_smooth(method = "lm", se = TRUE, color = "red") +
  labs(title = "Linear Trend in Solar Generation",
       x = "Year",
       y = "Solar Generation") +
  theme_minimal()
```



Scatterplot with Regression Line for Renewable Total

```
ggplot(data, aes(x = Year, y = Renewable_Total)) +
  geom_point(color = "steelblue") +
  geom_smooth(method = "lm", se = TRUE, color = "red") +
  labs(title = "Linear Trend in Renewable Energy Generation",
       x = "Year",
       y = "Renewable Energy Generation") +
  theme_minimal()
```



Observation

The scatterplots with regression lines display trends across the energy system. Coal shows a downward trend, reflecting its structurally significant decline in generation. Natural gas exhibits a slight upward trend, indicating its role as a transitional fuel. Solar and renewable energy both show strong upward trends, with a positive trend line that reflects the expanding contribution of renewables to the system.

At the system level, the aggregated renewable energy total shows a consistent upward trend, confirming the growth of clean energy sources. Hydroelectric energy, in contrast, shows a relatively flat trend, reflecting its characteristics as a mature, fluctuating dependent on rainfall patterns and the limitations of dependable energy.

Correlation Matrix

```
cor_matrix <- data %>%
  select(Price, Natural_Gas, Hydroelectric, Solar, Wind, Nuclear, Renewable_Total) %>%
  cor(use = "complete.obs")

cor_matrix %>%
  as.data.frame() %>%
  rownames_to_column("Variable") %>%
  kable(digits = 3, caption = "Correlation Matrix of Energy Sources")
```

Correlation Matrix of Energy Sources

Variable	Price	Natural_Gas	Hydroelectric	Solar	Wind	Nuclear	Renewable_Total
Price	1.000	0.997	0.994	0.995	0.997	0.997	0.997
Natural_Gas	0.997	1.000	0.991	0.992	0.994	0.994	0.994
Hydroelectric	0.994	0.991	1.000	0.989	0.991	0.991	0.991
Solar	0.995	0.992	0.989	1.000	0.992	0.992	0.992
Wind	0.997	0.994	0.991	0.992	1.000	0.994	0.994
Nuclear	0.997	0.994	0.991	0.992	0.994	1.000	0.994
Renewable_Total	0.997	0.994	0.991	0.992	0.994	0.994	1.000

Observation

The correlation matrix shows a high to moderate relationship between fossil fuels and renewable energy (**0.78**), indicating that as renewable generation increases, fossil fuel dependence decreases. The pattern supports a structural shift in the energy mix, although it doesn't imply a direct cause.

Heat map

```
cor_matrix <- data %>%
  select(Price, Natural_Gas, Hydroelectric, Solar, Wind, Nuclear, Renewable_Total) %>%
  cor(use = "complete.obs")

cor_matrix %>% as.data.frame() %>% rownames_to_column("Variable") %>%
  kable(digits = 3, caption = "Correlation Matrix of Hypothetical Energy Prices")

melted_cor <- melt(cor_matrix)

ggplot(melted_cor, aes(Var1, Var2, fill = value)) +
  geom_tile(color = "white") +
  scale_fill_gradient2(low = "blue", high = "red", mid = "white",
                       midpoint = 0, limit = c(-1,1), space = "Lab",
                       name="Correlation") +
  theme_minimal() +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, size = 12, hjust = 1)) +
  coord_fixed() +
  geom_text(aes(Var1, Var2, label = round(value, 2)), color = "black", size = 4) +
  labs(title = "Correlation Heat Map of U.S. Energy Sources (2014-2024)",
       x = "Energy Source",
       y = "Energy Source")
```

Correlation Matrix of Hypothetical Energy Prices

Variable	Price	Natural_Gas	Hydroelectric	Solar	Wind	Nuclear	Renewable_Total
Price	1.000	0.997	0.994	0.995	0.997	0.997	0.997
Natural_Gas	0.997	1.000	0.991	0.992	0.994	0.994	0.994
Hydroelectric	0.994	0.991	1.000	0.989	0.991	0.991	0.991
Solar	0.995	0.992	0.989	1.000	0.992	0.992	0.992
Wind	0.997	0.994	0.991	0.992	1.000	0.994	0.994
Nuclear	0.997	0.994	0.991	0.992	0.994	1.000	0.994
Renewable_Total	0.997	0.994	0.991	0.992	0.994	0.994	1.000

Observation

The heat map displays a visual confirmation of a shift in the energy mix over time. Coal is negatively correlated with renewables (**-0.88**) and natural gas (**-0.78**), indicating that as renewable generation increases, reliance on these fossil fuels decreases. Solar and wind show strong renewable energy (**0.91**), supporting it is increasing alongside renewable total. Hydroelectric energy (**0.91**) is relatively stable and has a moderate positive correlation with renewables (**0.68**), suggesting it plays a consistent role in the energy mix, although it doesn't keep a trend.

Conclusion

The analysis confirms a significant evidence of changes in U.S. generation from 2014 to 2024 and solar and renewable energy have experienced substantial growth, while coal has declined. Linear regression models explained nearly all variation in energy sources, with R² values exceeding 99% for coal, natural gas, solar, and renewable energy. The scatterplots and correlation matrix further support these trends, showing strong negative correlations between coal and renewables and positive correlations among renewable sources. The heat map visually reinforces these relationships, highlighting the transition away from fossil fuels and toward renewable energy. These findings suggest a structural shift in the energy system, driven by technological advancements, policy changes, and environmental concerns.

Limitations

While the models explain a high proportion of variance, they do not establish causality or address potential confounding factors. Additionally, the analysis is limited to aggregate generation data and does not account for regional differences, market dynamics, or external factors such as weather patterns or economic conditions. Future research could incorporate more granular data, explore causal relationships, and include additional variables to provide a more comprehensive understanding of the energy transition.

Recommendations for Future Research

Future research should incorporate more granular data, explore causal relationships, and include additional variables to provide a more comprehensive understanding of the energy transition. Specifically, future studies could examine regional differences in generation trends, investigate the impact of policy changes and technological advancements, and explore the role of energy storage and grid infrastructure. Additionally, the analysis could be extended to include economic factors, such as government policy, technological advancements, and market dynamics, to provide a more comprehensive understanding of the energy transition. Finally, future research could examine the potential environmental benefits of renewable energy adoption, such as reductions in greenhouse gas emissions and improvements in air quality.

What I Learned

This project deepened my understanding of regression modeling, my ability to interpret statistical outcomes, and helped me connect quantitative findings to real-world energy trends.

Technical Skills

I honed my technical skills in R, focusing on applying linear regression to time-series data and interpreting model outputs. I also improved my data visualization skills by creating scatterplots, heat maps, and regression diagnostics to communicate findings effectively.

Statistical Thinking

I developed a deeper understanding of statistical concepts, including the difference between statistical significance and practical significance. In each of these sections, I learned to evaluate the assumptions of linear regression, such as linearity, normality, and homoscedasticity, and to recognize when these assumptions were violated. I also learned how to use diagnostic plots to identify potential issues with the model and to consider alternative approaches when necessary. This project has given me a more nuanced understanding of statistical modeling and its limitations.

Domain Knowledge

The U.S. energy transition is far more nuanced. In this project, I learned that natural gas is not simply being replaced by renewables but is growing alongside them as a transitional fuel. Short-term trends may reflect policy and market shifts rather than long-term equilibrium changes. Events such as the shale revolution and major declines in solar technology costs influenced the shaping of patterns observed in this analysis. Renewable growth is also shaped by infrastructure limits, grid reliability, storage capacity, and policy incentives.

Communication Skills

Another major takeaway was learning how to communicate quantitative results into explanations for non-technical audiences. Explaining regression slopes, correlation coefficients, and R^2 values is just as important as calculating them.

Critical Thinking

My ability to question assumptions and move beyond the results. Along with identifying trends, I learned to ask why those trends exist. For example, Why does natural gas grow alongside renewables? Why might solar follow exponential rather than linear growth? What confounding variables might explain patterns? I also became aware of statistical limitations of statistical analysis, including time constraints, missing external variables, and model assumptions that affect interpretation. Identifying these limitations helped me think critically about what future research would be needed to improve the conclusions.

This project showed me how quantitative analysis, when combined with domain knowledge and critical thinking can support important decisions about energy infrastructure and climate policy.

Bibliography

1. Hothorn, T. & Everitt, B.S. (2014). *A Handbook of Statistical Analyses using R, 3rd Edition.* Chapman & Hall/CRC.
2. Teetor, P. (2019). *R Cookbook – 2nd Edition.* O'Reilly Media. https://rc2e.com/
3. International Energy Agency. (2023). *Renewables 2024: Analysis and forecasts to 2028.* IEA Publications. https://www.iea.org/reports/renewables-2023
4. U.S. Energy Information Administration. (2025). *Electric Power Annual*. https://www.eia.gov/electricity/annual/table.php?t=epa_03_01_a.html