Step-1

Given

$$A = \begin{pmatrix} 0 & 0 & 6 \\ 1 & 2 & 3 \\ 0 & 4 & 5 \end{pmatrix}$$

We have to find that which permutation makes PA upper triangular, and which permutations make P_1AP_2 lower triangular, and we have to verify that whether P_2 gives column exchange of A.

Step-2

If we perform R_{12} , R_{23} on A then we have

$$A \square \begin{pmatrix} 1 & 2 & 3 \\ 0 & 4 & 5 \\ 0 & 0 & 6 \end{pmatrix}$$

This is upper triangular.

Step-3

So for getting permutation matrix P, we have to perform the same operations R_{12} , R_{23} on I_3 , then we get

$$P = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix}$$

And we have

$$PA = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix} \begin{pmatrix} 0 & 0 & 6 \\ 1 & 2 & 3 \\ 0 & 4 & 5 \end{pmatrix} = \begin{pmatrix} 1 & 2 & 3 \\ 0 & 4 & 5 \\ 0 & 0 & 6 \end{pmatrix}$$

Step-4

So the required matrix P is

$$P = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix}$$

Step-5

To convert P_1AP_2 into lower triangular, we can write A as

$$I_{3}AI_{3} = A$$

$$\Rightarrow \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} 0 & 0 & 6 \\ 1 & 2 & 3 \\ 0 & 4 & 5 \end{pmatrix} \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} = \begin{pmatrix} 0 & 0 & 6 \\ 1 & 2 & 3 \\ 0 & 4 & 5 \end{pmatrix}$$

Now we perform the row operations on the first identity matrix and the corresponding column operations on the second identity matrix.

Step-6

Now we perform R_{23} , C_{13} on A on the right-hand side of the above equation, and R_{23} on first identity matrix, and C_{13} on second identity matrix, then we get

$$\begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 0 & 6 \\ 1 & 2 & 3 \\ 0 & 4 & 5 \end{pmatrix} \begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix} = \begin{pmatrix} 6 & 0 & 0 \\ 5 & 4 & 0 \\ 3 & 2 & 1 \end{pmatrix}$$

Step-7

This is of the form

 P_1AP_2 = lower triangular matrix

$$\Rightarrow P_1 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}, \text{ and } P_2 = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix}$$

And from this, we can observe that P_2 gives column exchange C_{13} of A