

Step-1

4764-1.6-26P AID: 124

RID: 232

Let the matrix A be such that column 1 + column 2 = column 3.

$$A = \begin{bmatrix} a & d & a+d \\ b & e & b+e \\ c & f & c+f \end{bmatrix}$$

Let

We have to show that A has no inverse.

Step-2

$$A = \begin{bmatrix} a & d & a+d \\ b & e & b+e \\ c & f & c+f \end{bmatrix}$$

We have

Subtracting column 1 from column 3, we get

$$A \approx \begin{bmatrix} a & d & d \\ b & e & e \\ c & f & f \end{bmatrix}$$

Subtracting column 2 from column 3, we get

$$A \approx \begin{bmatrix} a & d & 0 \\ b & e & 0 \\ c & f & 0 \end{bmatrix}$$

Since the last column of A is zero.

So its determinant becomes zero.

Hence the matrix A does not possess inverse.

Step-3

(a) We have to find a nonzero solution x to $Ax = 0$.

The given system $Ax = 0$ is

$$\begin{bmatrix} a & d & a+d \\ b & e & b+e \\ c & f & c+f \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

The augmented matrix is

$$\begin{bmatrix} a & d & a+d & 0 \\ b & e & b+e & 0 \\ c & f & c+f & 0 \end{bmatrix}$$

Step-4

Subtracting column 1 from column 3, we get

$$A \approx \begin{bmatrix} a & d & d & 0 \\ b & e & e & 0 \\ c & f & f & 0 \end{bmatrix}$$

Subtracting column 2 from column 3, we get

$$A \approx \begin{bmatrix} a & d & 0 & 0 \\ b & e & 0 & 0 \\ c & f & 0 & 0 \end{bmatrix}$$

Therefore, the system $Ax = 0$ becomes

$$\begin{bmatrix} a & d & 0 & 0 \\ b & e & 0 & 0 \\ c & f & 0 & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

This system has no solution.

Hence this system has no nonzero solution.

Step-5

(b) We have to explain why there is no third pivot.

$$A = \begin{bmatrix} a & d & a+d \\ b & e & b+e \\ c & f & c+f \end{bmatrix}$$

We have

Subtracting column 1 from column 3, we get

$$A \approx \begin{bmatrix} a & d & d \\ b & e & e \\ c & f & f \end{bmatrix}$$

Subtracting column 2 from column 3, we get

$$A \approx \begin{bmatrix} a & d & 0 \\ b & e & 0 \\ c & f & 0 \end{bmatrix}$$

From this we observe that column 3 becomes a column of zeros after elimination and that no third pivot.