


Matt J. Kusner





properties of $f(\mathbf{x})$:

 $f(\mathbf{x})$ is **very expensive** to compute $f(\mathbf{x})$ is **nonconvex**



properties of $f(\mathbf{x})$:

 $f(\mathbf{x})$ is **very expensive** to compute $f(\mathbf{x})$ is **nonconvex**

idea: model f(x) with an easy-to-evaluate surrogate

Bayes. Opt. Application (**)



Hyperparameter tuning

[Bergstra et al. 2011, Hutter et al. 2011, Snoek et al. 2012]

Bayes. Opt. Application



Hyperparameter tuning

[Bergstra et al. 2011, Hutter et al. 2011, Snoek et al. 2012]

RBF Kernel SVM. Hyperparameters: (λ, σ)

 $1 - f(\lambda, \sigma)$ is validation error

Bayes. Opt. Application




Hyperparameter tuning

[Bergstra et al. 2011, Hutter et al. 2011, Snoek et al. 2012]

RBF Kernel SVM. Hyperparameters: (λ, σ)

 $1 - f(\lambda, \sigma)$ is validation error





$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$



Gaussian Processes as surrogates

 $h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$

a prior distribution over functions



Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

a prior distribution over functions




figure credit: [Rasmussen & Williams, 2006]



Gaussian Processes as surrogates

kernel function $k(\mathbf{x}, \mathbf{x}')$

 $h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$

a prior distribution over functions





figure credit: [Rasmussen & Williams, 2006]



Gaussian Processes as surrogates


$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$






Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$






$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$






$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$






$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$





Gaussian Processes as surrogates


$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$





Gaussian Processes as surrogates


$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$





Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$





Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

where to sample to maximize f(x)?




figure credit: [Rasmussen & Williams, 2006]



Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

where to sample to maximize f(x)?

[Srinivas et al., 2010]

$$\mu_t(\mathbf{x}) + \sqrt{\beta}\sigma_t(\mathbf{x})$$




figure credit: [Rasmussen & Williams, 2006]




Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

where to sample to maximize f(x)?

[Srinivas et al., 2010]

$$\mu_t(\mathbf{x}) + \sqrt{\beta}\sigma_t(\mathbf{x})$$






Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

where to sample to maximize f(x)?

[Srinivas et al., 2010]

$$\mu_t(\mathbf{x}) + \sqrt{\beta}\sigma_t(\mathbf{x})$$





Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

where to sample to maximize f(x)?

[Srinivas et al., 2010]

$$\mu_t(\mathbf{x}) + \sqrt{\beta}\sigma_t(\mathbf{x})$$
 exploitation exploration






figure credit: [Rasmussen & Williams, 2006]




$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$









$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$









$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$









$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$








$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$








Gaussian Processes as surrogates

$$h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$$

figure credit: [Brochu et al., 2010]





Gaussian Processes as surrogates

 $h \sim \mathcal{GP}(0, k(\mathbf{x}, \mathbf{x}'))$

figure credit: [Brochu et al., 2010]

