

Client:P	roject Name:		
MODA Contact:	E-Mail:		
SKU:	Туре:	PO#:	Quantity:

Notes:









PHYSICAL

Dimensions	L: 12in (304mm) L: 48in (1219mm)	W: 1 13/16in (46mm) H: 1 3/16in (30mm)	
Weight	1ft: 0.38 lbs (0.17kg) 4ft: 1.22 lbs (0.55 kg)		
Applications	Cove, Accent, & Indirect General Illumination		
Construction	6063 Aluminum Body, Polycarbonate Self-Locking Mounting Bracket and Polycarbonate Optical Lens		
Ingress Protection	Dry/Damp Location IP52		
Thermal Management	Moda Aluminum Heat Sink		
Fixture Connections	Integral Male & Female Connectors		
Operating Temperature	-4°F ~ 122°F (-20°C ~ 50°C)		
Storage Temperature	-13°F ~ 158°F (-25°C ~ 70°C)		
Humidity	20-70% Non Condensing		

POWER CONSUMPTION

	120V AC (SO/HO)	240V AC (SO/HO)	277V AC (SO/HO)
1FT	5W / 10W	6.5W / 13W	6.5W / 13W
4FT	19W / 40W	20W / 52W	20W / 52W


ELECTRICAL

Input Voltage	100-277V AC 50Hz/60Hz
Control	0-10V
Power Factor	≥ 0.98

MAX CONTINUOUS RUN*

	120V AC	240V AC	277V AC
SO	120ft	240ft	240ft
НО	50ft	100ft	100ft

*Each connection uses 1mA power. Please check chosen dimmer for any mA restrictions (i.e., 50mA restriction = 50 maximum connections).



OUTPUT

Colors	Red, Green, Blue, Amber, Yellow, Golden Yellow, Ice Blue, Cyan, Light Green, Pink, Violet, Turquoise, Dark Blue, Dark Orange, and Dark Red available	
Beam Angle	30° x 100°	
Color Bin Tolerance	Zero Bin	
Lumen Maintenance	90,000 Hours L70 @ 25°C 70,000 Hours L70 @ 50°C	
Testing Data	Liaht Data LM-79-08 & LM-80-08	

SPECIFICATIONS

	Lumens per ft	Efficacy (120V)	Efficacy (240V)	Efficacy (277V)
RED SO/HO	168 - 336	34	26	26
GREEN SO/HO	196 - 395	40	30	30
BLUE SO/HO	140 - 286	29	22	22
AMBER SO/HO	234 - 464	47	36	36
YELLOW SO/HO	215 - 430	43	33	33
GOLDEN YELLOW SO/HO	509 - 1015	102	78	78
ICE BLUE SO/HO	429 - 858	86	66	66
CYAN SO/HO	169 - 338	34	26	26
LIGHT GREEN SO/HO	490 - 980	98	75	75
PINK SO/HO	200 - 402	40	31	31
VIOLET SO/HO	194 - 388	39	30	30
TURQUOISE SO/HO	168 - 341	34	26	26
DARK BLUE SO/HO	84 - 168	17	13	13
DARK ORANGE SO/HO	420 - 840	84	65	65
DARK RED SO/HO	39 - 78	9	6	6

STANDARDS & CERTIFICATIONS













Tested to UL & CSA by Intertek For Use in USA & CANADA. Exceeds ANSI C78.377-2015, CE, CCC, Certification C-Tick, RoHS, & WEEE Compliant.

Class Warranty 5 Year Limited Warranty



	FIXTURE	PART NUMBER	ORDERING SKU
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Red 1FT 30X100	MMGI-S-S-0-R-1-310	136-1000
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Green 1FT 30X100	MMGI-S-S-0-G-1-310	136-1001
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Blue 1FT 30X100	MMGI-S-S-0-B-1-310	136-1002
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Amber 1FT 30X100	MMGI-S-S-0-A-1-310	136-1003
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Yellow 1FT 30X100	MMGI-S-S-0-Y-1-310	136-1004
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Pink 1FT 30X100	MMGI-S-S-0-P-1-310	136-1005
0-10V	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Cyan 1FT 30X100	MMGI-S-S-0-C-1-310	136-1006
so	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Violet 1FT 30X100	MMGI-S-S-0-V-1-310	136-1007
1 FT	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Turquoise 1FT 30X100	MMGI-S-S-0-TQ-1-310	136-1008
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Ice Blue 1FT 30X100	MMGI-S-S-0-IB-1-310	136-1009
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Light Green 1FT 30X100	MMGI-S-S-0-LG-1-310	136-1010
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Golden Yellow 1FT 30X100	MMGI-S-S-0-GY-1-310	136-1011
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Blue 1FT 30X100	MMGI-S-S-0-DB-1-310	136-1012
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Orange 1FT 30X100	MMGI-S-S-0-DO-1-310	136-1013
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Red 1FT 30X100	MMGI-S-S-0-DR-1-310	136-1014
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Red 1FT 30X100	MMGI-H-S-0-R-1-310	136-1200
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Green 1FT 30X100	MMGI-H-S-0-G-1-310	136-1201
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Blue 1FT 30X100	MMGI-H-S-0-B-1-310	136-1202
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Amber 1FT 30X100	MMGI-H-S-0-A-1-310	136-1203
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Yellow 1FT 30X100	MMGI-H-S-0-Y-1-310	136-1204
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Pink 1FT 30X100	MMGI-H-S-0-P-1-310	136-1205
0-10V	Moda Mini Graze Interior High Output Silver 0-10V Dimming Cyan 1FT 30X100	MMGI-H-S-0-C-1-310	136-1206
но	Moda Mini Graze Interior High Output Silver 0-10V Dimming Violet 1FT 30X100	MMGI-H-S-0-V-1-310	136-1207
1 FT	Moda Mini Graze Interior High Output Silver 0-10V Dimming Turquoise 1FT 30X100	MMGI-H-S-0-TQ-1-310	136-1208
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Ice Blue 1FT 30X100	MMGI-H-S-0-IB-1-310	136-1209
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Light Green 1FT 30X100	MMGI-H-S-0-LG-1-310	136-1210
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Golden Yellow 1FT 30X100	MMGI-H-S-0-GY-1-310	136-1211
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Blue 1FT 30X100	MMGI-H-S-0-DB-1-310	136-1212
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Orange 1FT 30X100	MMGI-H-S-0-DO-1-310	136-1213
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Red 1FT 30X100	MMGI-H-S-0-DR-1-310	136-1214



	FIXTURE	PART NUMBER	ORDERING SKU
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Red 4FT 30X100	MMGI-S-S-0-R-4-310	136-3000
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Green 4FT 30X100	MMGI-S-S-0-G-4-310	136-3001
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Blue 4FT 30X100	MMGI-S-S-0-B-4-310	136-3002
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Amber 4FT 30X100	MMGI-S-S-0-A-4-310	136-3003
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Yellow 4FT 30X100	MMGI-S-S-0-Y-4-310	136-3004
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Pink 4FT 30X100	MMGI-S-S-0-P-4-310	136-3005
0-10V	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Cyan 4FT 30X100	MMGI-S-S-0-C-4-310	136-3006
so	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Violet 4FT 30X100	MMGI-S-S-0-V-4-310	136-3007
4FT	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Turquoise 4FT 30X100	MMGI-S-S-0-TQ-4-310	136-3008
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Ice Blue 4FT 30X100	MMGI-S-S-0-IB-4-310	136-3009
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Light Green 4FT 30X100	MMGI-S-S-0-LG-4-310	136-3010
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Golden Yellow 4FT 30X100	MMGI-S-S-0-GY-4-310	136-3011
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Blue 4FT 30X100	MMGI-S-S-0-DB-4-310	136-3012
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Orange 4FT 30X100	MMGI-S-S-0-DO-4-310	136-3013
	Moda Mini Graze Interior Standard Output Silver 0-10V Dimming Dark Red 4FT 30X100	MMGI-S-S-0-DR-4-310	136-3014
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Red 4FT 30X100	MMGI-H-S-0-R-4-310	136-3200
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Green 4FT 30X100	MMGI-H-S-0-G-4-310	136-3201
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Blue 4FT 30X100	MMGI-H-S-0-B-4-310	136-3202
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Amber 4FT 30X100	MMGI-H-S-0-A-4-310	136-3203
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Yellow 4FT 30X100	MMGI-H-S-0-Y-4-310	136-3204
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Pink 4FT 30X100	MMGI-H-S-0-GY-4-310	136-3205
0-10V	Moda Mini Graze Interior High Output Silver 0-10V Dimming Cyan 4FT 30X100	MMGI-H-S-0-IB-4-310	136-3206
но	Moda Mini Graze Interior High Output Silver 0-10V Dimming Violet 4FT 30X100	MMGI-H-S-0-C-4-310	136-3207
4FT	Moda Mini Graze Interior High Output Silver 0-10V Dimming Turquoise 4FT 30X100	MMGI-H-S-0-LG-4-310	136-3208
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Ice Blue 4FT 30X100	MMGI-H-S-0-P-4-310	136-3209
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Light Green 4FT 30X100	MMGI-H-S-0-V-4-310	136-3210
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Golden Yellow 4FT 30X100	MMGI-H-S-0-TQ-4-310	136-3211
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Blue 4FT 30X100	MMGI-H-S-0-DB-4-310	136-3212
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Orange 4FT 30X100	MMGI-H-S-0-DO-4-310	136-3213
	Moda Mini Graze Interior High Output Silver 0-10V Dimming Dark Red 4FT 30X100	MMGI-H-S-0-Dr-4-310	136-3214





ACCESSORIES	DESCRIPTION	PART NUMBER	ORDERING SKU
Leader Cable US 5 Pin 10FT	Power to first fixture of run	MLCI-US-5PIN-W-10FT	299-0100
Leader Cable US 5 Pin 25FT	Power to first fixture of run	MLCI-US-5PIN-W-25FT	299-0102
Jumper Cable US 5 Pin 1FT	Connection between fixtures	MJCI-US-5PIN-W-1FT	299-1100
Jumper Cable US 5 Pin 4FT	Connection between fixtures	MJCI-US-5PIN-W-4FT	299-1102
Leader Cable EU 5 Pin 3M	Power to first fixture of run	MLCI-EU-5PIN-W-3M	299-0101
Leader Cable EU 5 Pin 10M	Power to first fixture of run	MLCI-EU-5PIN-W-10M	299-0103
Jumper Cable EU 5 Pin 300MM	Connection between fixtures	MJCI-EU-5PIN-W-300MM	299-1101
Jumper Cable EU 5 Pin 1M	Connection between fixtures	MJCI-EU-5PIN-W-1M	299-1103
Terminator 5 Pin	Must be fixed to last fixture for safety	MTI-5PIN-W	299-2100
Mounting Track 20FT	Allows user to install fixtures in a continuous linear position. Packaged in 5 4FT sections in total of 20FT.	MMC-20-TRACK-1-S1-G	299-3200
Mounting Track Connector	Interior track connector	N/A	299-3202
Symmetric Louver 1FT	Symmetric louver for light control	N/A	299-4230
Asymmetric Louver 1FT	Asymmetric louver for light control	N/A	299-4231
Honeycomb Louver 1FT	Honeycomb louver for light control	N/A	299-4232
Blade Louver 1FT	Blade louver for light control	N/A	299-4233