MODA MINI GRAZE® INTERIOR COLOR ELV









Client:	Project Name: _			
MODA Contact:	E-Mail:			
SKII:	Type	P∩#·	Quantity:	

Notes:



PHYSICAL

Dimensions	L: 6 5/16in (160mm) L: 12in (304mm) L: 48in (1219mm)	W: 1 13/16in (46mm) H: 1 3/16in (30mm)	
Weight	6in: 0.21 lbs (0.10 kg) 1ft: 0.38 lbs (0.17kg) 4ft: 1.22 lbs (0.55 kg)		
Applications	Graze, Accent, & Indirect General Illumination		
Construction	struction 6063 Aluminum Body, Polycarbonate Self-Lockir Mounting Bracket and Polycarbonate Optical Lei		
Ingress Protection	Dry/Damp Location IP52		
Thermal Management	Moda Aluminum Heat	Sink	
Fixture Connections	Integral Male & Female Connectors		
Operating Temperature	Operating Temperature -4°F ~ 122°F (-20°C ~ 50°C)		
Storage Temperature	Storage Temperature -13°F ~ 158°F (-25°C ~ 70°C)		
Humidity 20-70% Non Condensing		sing	

ELECTRICAL

Input Voltage	100-277V AC 50Hz/60Hz
Control	Electronic Low Voltage Reverse Phase Trailing Edge
Power Factor	≥ 0.98

POWER CONSUMPTION

	120V AC	240V AC	277V AC
	(SO/HO)	(SO/HO)	(SO/HO)
6 IN	2.8W / N/A	4.5W / N/A	4.5W / N/A
1 FT	5W / 10W	6.5W / 13W	6.5W / 13W
4 FT	19W / 40W	20W / 52W	20W / 52W

MAX CONTINUOUS RUN

	120V AC	240V AC	277V AC
SO	120FT	240FT	240FT
нО	50FT	100FT	100FT

Each connection uses 0.1mA power for SO and 0.2mA for HO. Please check chosen dimmer for any mA restriction (i.e., 50mA restriction = maximum 500 connections for SO and 250 for HO).

OUTPUT

Colors	Red, Green, Blue, Amber, Yellow, Golden Yellow, Ice Blue, Cyan, Light Green, Pink, Violet, Turquoise, Dark Blue, Dark Orange, and Dark Red available		
Beam Angle	30° x 100°		
Color Bin Tolerance	Zero Bin		
Lumen Maintenance	90,000 Hours L70 @ 25°C 70,000 Hours L70 @ 50°C		
Testing Data	Light Data LM-79-08 & LM-80-08		

SPECIFICATIONS

	Lumens per ft	Efficacy (120V)	Efficacy (240V)	Efficacy (277V)
RED SO/HO	168 - 336	34	26	26
GREEN SO/HO	196 - 395	40	30	30
BLUE SO/HO	140 - 286	29	22	22
AMBER SO/HO	234 - 464	47	36	36
YELLOW SO/HO	215 - 430	43	33	33
GOLDEN YELLOW SO/HO	509 - 1015	102	78	78
ICE BLUE SO/HO	429 - 858	86	66	66
CYAN SO/HO	169 - 338	34	26	26
LIGHT GREEN SO/HO	490 - 980	98	75	75
PINK SO/HO	200 - 402	40	31	31
VIOLET SO/HO	194 - 388	39	30	30
TURQUOISE SO/HO	168 - 341	34	26	26
DARK BLUE SO/HO	84 - 168	17	13	13
DARK ORANGE SO/HO	420 - 840	84	65	65
DARK RED SO/HO	39 - 78	9	6	6

STANDARDS & CERTIFICATIONS













Tested to UL & CSA by Intertek For Use in USA & Certification CANADA. Exceeds ANSI C78.377-2015, CE, CCC, C-Tick, RoHS, & WEEE Compliant. Class Warranty 5 Year Limited Warranty



	FIXTURE	ORDERING NUMBER	PART NUMBER
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Red 61N 30X100	MMGI-S-S1-S-E-R-6-310	131-0000
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Green 6IN 30X100	MMGI-S-S1-S-E-G-6-310	131-0001
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Blue 6IN 30X100	MMGI-S-S1-S-E-B-6-310	131-0002
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Amber 6IN 30X100	MMGI-S-S1-S-E-A-6-310	131-0003
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Yellow 6IN 30X100	MMGI-S-S1-S-E-Y-6-310	131-0004
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Pink 6IN 30X100	MMGI-S-S1-S-E-P-6-310	131-0005
ELV	Moda Mini Graze Interior Standard Output Silver ELV Dimming Cyan 6IN 30X100	MMGI-S-S1-S-E-C-6-310	131-0006
so	Moda Mini Graze Interior Standard Output Silver ELV Dimming Violet 6IN 30X100	MMGI-S-S1-S-E-V-6-310	131-0007
6IN	Moda Mini Graze Interior Standard Output Silver ELV Dimming Turquoise 61N 30X100	MMGI-S-S1-S-E-TQ-6-310	131-0008
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Ice Blue 6IN 30X100	MMGI-S-S1-S-E-IB-6-310	131-0009
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Light Green 6IN 30X100	MMGI-S-S1-S-E-LG-6-310	131-0010
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Golden Yellow 6IN 30X100	MMGI-S-S1-S-E-GY-6-310	131-0011
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Blue 6IN 30X100	MMGI-S-S1-S-E-DB-6-310	131-0012
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Orange 6IN 30X100	MMGI-S-S1-S-E-DO-6-310	131-0013
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Red 6IN 30X100	MMGI-S-S1-S-E-DR-6-310	131-0014
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Red 1FT 30X100	MMGI-S-S1-S-E-R-1-310	131-1000
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Green 1FT 30X100	MMGI-S-S1-S-E-G-1-310	131-1001
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Blue 1FT 30X100	MMGI-S-S1-S-E-B-1-310	131-1002
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Amber 1FT 30X100	MMGI-S-S1-S-E-A-1-310	131-1003
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Yellow 1FT 30X100	MMGI-S-S1-S-E-Y-1-310	131-1004
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Pink 1FT 30X100	MMGI-S-S1-S-E-P-1-310	131-1005
ELV	Moda Mini Graze Interior Standard Output Silver ELV Dimming Cyan 1FT 30X100	MMGI-S-S1-S-E-C-1-310	131-1006
so	Moda Mini Graze Interior Standard Output Silver ELV Dimming Violet 1FT 30X100	MMGI-S-S1-S-E-V-1-310	131-1007
1 FT	Moda Mini Graze Interior Standard Output Silver ELV Dimming Turquoise 1FT 30X100	MMGI-S-S1-S-E-TQ-1-310	131-1008
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Ice Blue 1FT 30X100	MMGI-S-S1-S-E-IB-1-310	131-1009
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Light Green 1FT 30X100	MMGI-S-S1-S-E-LG-1-310	131-1010
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Golden Yellow 1FT 30X100	MMGI-S-S1-S-E-GY-1-310	131-1011
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Blue 1FT 30X100	MMGI-S-S1-S-E-DB-1-310	131-1012
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Orange 1FT 30X100	MMGI-S-S1-S-E-DO-1-310	131-1013
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Red 1FT 30X100	MMGI-S-S1-S-E-DR-1-310	
	Moda Mini Graze Interior High Output Silver ELV Dimming Red 1FT 30X100	MMGI-H-S1-S-E-R-1-310	131-1200
	Moda Mini Graze Interior High Output Silver ELV Dimming Green 1FT 30X100	MMGI-H-S1-S-E-G-1-310	131-1201
	Moda Mini Graze Interior High Output Silver ELV Dimming Blue 1FT 30X100	MMGI-H-S1-S-E-B-1-310	131-1202
	Moda Mini Graze Interior High Output Silver ELV Dimming Amber 1FT 30X100	MMGI-H-S1-S-E-A-1-310	131-1203
	Moda Mini Graze Interior High Output Silver ELV Dimming Yellow 1FT 30X100	MMGI-H-S1-S-E-Y-1-310	131-1204
	Moda Mini Graze Interior High Output Silver ELV Dimming Pink 1FT 30X100	MMGI-H-S1-S-E-P-1-310	131-1205
FIV.	Moda Mini Graze Interior High Output Silver ELV Dimming Cyan 1FT 30X100	MMGI-H-S1-S-E-C-1-310	131-1206
ELV HO	Moda Mini Graze Interior High Output Silver ELV Dimming Violet 1FT 30X100	MMGI-H-S1-S-E-V-1-310	131-1207
1FT	Moda Mini Graze Interior High Output Silver ELV Dimming Turquoise 1FT 30X100		131-1208
	Moda Mini Graze Interior High Output Silver ELV Dimming Ice Blue 1FT 30X100	MMGI-H-S1-S-E-IB-1-310	131-1209
	Moda Mini Graze Interior High Output Silver ELV Dimming Light Green 1FT 30X100	MMGI-H-S1-S-E-LG-1-310	131-1207
	Moda Mini Graze Interior High Output Silver ELV Dimming Golden Yellow 1FT 30X100	MMGI-H-S1-S-E-GY-1-310	131-1211
	Moda Mini Graze Interior High Output Silver ELV Dimming Golden Tellow 11 1 30X100	MMGI-H-S1-S-E-DB-1-310	
		MMGI-H-S1-S-E-D0-1-310	
	Moda Mini Graze Interior High Output Silver ELV Dimming Dark Orange 1FT 30X100		
	Moda Mini Graze Interior High Output Silver ELV Dimming Dark Red 1FT 30X100	MMGI-H-S1-S-E-DR-1-310	131-1214



	FIXTURE	ORDERING NUMBER	PART NUMBER
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Red 4FT 30X100	MMCI-S-S1-S-E-R-4-310	131-3000
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Green 4FT 30X100	MMCI-S-S1-S-E-G-4-310	131-3001
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Blue 4FT 30X100	MMCI-S-S1-S-E-B-4-310	131-3002
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Amber 4FT 30X100	MMCI-S-S1-S-E-A-4-310	131-3003
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Yellow 4FT 30X100	MMCI-S-S1-S-E-Y-4-310	131-3004
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Pink 4FT 30X100	MMCI-S-S1-S-E-P-4-310	131-3005
ELV	Moda Mini Graze Interior Standard Output Silver ELV Dimming Cyan 4FT 30X100	MMCI-S-S1-S-E-C-4-310	131-3006
so	Moda Mini Graze Interior Standard Output Silver ELV Dimming Violet 4FT 30X100	MMCI-S-S1-S-E-V-4-310	131-3007
4FT	Moda Mini Graze Interior Standard Output Silver ELV Dimming Turquoise 4FT 30X100	MMCI-S-S1-S-E-TQ-4-310	131-3008
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Ice Blue 4FT 30X100	MMCI-S-S1-S-E-IB-4-310	131-3009
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Light Green 4FT 30X100	MMCI-S-S1-S-E-LG-4-310	131-3010
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Golden Yellow 4FT 30X100	MMCI-S-S1-S-E-GY-4-310	131-3011
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Blue 4FT 30X100	MMCI-S-S1-S-E-DB-4-310	131-3012
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Orange 4FT 30X100	MMCI-S-S1-S-E-DO-4-310	131-3013
	Moda Mini Graze Interior Standard Output Silver ELV Dimming Dark Red 4FT 30X100	MMCI-S-S1-S-E-DR-4-310	131-3014
	Moda Mini Graze Interior High Output Silver ELV Dimming Red 4FT 30X100	MMCI-H-S1-S-E-R-4-310	131-3200
	Moda Mini Graze Interior High Output Silver ELV Dimming Green 4FT 30X100	MMCI-H-S1-S-E-G-4-310	131-3201
	Moda Mini Graze Interior High Output Silver ELV Dimming Blue 4FT 30X100	MMCI-H-S1-S-E-B-4-310	131-3202
	Moda Mini Graze Interior High Output Silver ELV Dimming Amber 4FT 30X100	MMCI-H-S1-S-E-A-4-310	131-3203
	Moda Mini Graze Interior High Output Silver ELV Dimming Yellow 4FT 30X100	MMCI-H-S1-S-E-Y-4-310	131-3204
	Moda Mini Graze Interior High Output Silver ELV Dimming Pink 4FT 30X100	MMCI-H-S1-S-E-P-4-310	131-3205
ELV	Moda Mini Graze Interior High Output Silver ELV Dimming Cyan 4FT 30X100	MMCI-H-S1-S-E-C-4-310	131-3206
НО	Moda Mini Graze Interior High Output Silver ELV Dimming Violet 4FT 30X100	MMCI-H-S1-S-E-V-4-310	131-3207
4FT	Moda Mini Graze Interior High Output Silver ELV Dimming Turquoise 4FT 30X100	MMCI-H-S1-S-E-TQ-4-310	131-3208
	Moda Mini Graze Interior High Output Silver ELV Dimming Ice Blue 4FT 30X100	MMCI-H-S1-S-E-IB-4-310	131-3209
	Moda Mini Graze Interior High Output Silver ELV Dimming Light Green 4FT 30X100	MMCI-H-S1-S-E-LG-4-310	131-3210
	Moda Mini Graze Interior High Output Silver ELV Dimming Golden Yellow 4FT 30X100	MMCI-H-S1-S-E-GY-4-310	131-3211
	Moda Mini Graze Interior High Output Silver ELV Dimming Dark Blue 4FT 30X100	MMCI-H-S1-S-E-DB-4-310	131-3212
	Moda Mini Graze Interior High Output Silver ELV Dimming Dark Orange 4FT 30X100	MMCI-H-S1-S-E-DO-4-310	131-3213
	Moda Mini Graze Interior High Output Silver ELV Dimming Dark Red 4FT 30X100	MMCI-H-S1-S-E-DR-4-310	131-3214





ACCESSORIES	DESCRIPTION	PART NUMBER	ORDERING SKU
Leader Cable US 3 Pin 10FT	Power to first fixture of run	MLCI-US-3PIN-W-10FT	299-0000
Leader Cable US 3 Pin 25FT	Power to first fixture of run	MLCI-US-3PIN-W-25FT	299-0002
Jumper Cable US 3 Pin 1FT	Connection between fixtures	MJCI-US-3PIN-W-1FT	299-1000
Jumper Cable US 3 Pin 4FT	Connection between fixtures	MJCI-US-3PIN-W-4FT	299-1002
Leader Cable EU 3 Pin 3M	Power to first fixture of run	MLCI-EU-3PIN-W-3M	299-0001
Leader Cable EU 3 Pin 10M	Power to first fixture of run	MLCI-EU-3PIN-W-10M	299-0003
Jumper Cable EU 3 Pin 300MM	Connection between fixtures	MJCI-EU-3PIN-W-300MM	299-1001
Jumper Cable EU 3 Pin 1M	Connection between fixtures	MJCI-EU-3PIN-W-1M	299-1003
Terminator 3 Pin	Must be fixed to last fixture for safety	MTI-3PIN-W	299-2000
Mounting Track 20FT	Allows user to install fixtures in a continuous linear position. Packaged in 5 4ft sections in total of 20ft.	MMC-20-TRACK-1-\$1-G	299-3200
Mounting Track Connector	Interior track connector	N/A	299-3202
Fixture Quick Release Tool	Enables quick fixture removal from Mounting Track	N/A	299-3203
Symmetric Louver 6IN - Black	Symmetric louver for light control	N/A	299-4220
Symmetric Louver 6IN - White	Symmetric louver for light control	N/A	299-4320
Asymmetric Louver 61N - Black	Asymmetric louver for light control	N/A	299-4221
Asymmetric Louver 6IN - White	Asymmetric louver for light control	N/A	299-4321
Honeycomb Louver 61N - Black	Honeycomb louver for light control	N/A	299-4222
Honeycomb Louver 61N - White	Honeycomb louver for light control	N/A	299-4322
Blade Louver 61N - Black	Blade louver for light control	N/A	299-4223
Symmetric Louver 1FT - Black	Symmetric louver for light control	N/A	299-4230
Symmetric Louver 1FT - White	Symmetric louver for light control	N/A	299-4330
Asymmetric Louver 1FT - Black	Asymmetric louver for light control	N/A	299-4231
Asymmetric Louver 1FT - White	Asymmetric louver for light control	N/A	299-4331
Honeycomb Louver 1FT - Black	Honeycomb louver for light control	N/A	299-4232
Honeycomb Louver 1FT - White	Honeycomb louver for light control	N/A	299-4332
Blade Louver 1FT - Black	Blade louver for light control	N/A	299-4233
CONTROLS	DESCRIPTION	PART NUMBER	ORDERING SKU
Bridge 1 US	Allows user to convert a 0-10V dimming signal into an ELV dimming signal. North American Model	MODA-BRIDGE-1-Sx-S	250-0000