

Vox Populi on CachyOS

Civilization V + Vox Populi via Steam and Proton

Revision 8.0 · 2026-09-12 · Verified against Vox Populi 5.4.6 (stable), Protontricks 1.14.1-1, CachyOS with native Steam.

Every command block below is fish, which is the default login shell on CachyOS. Since the July 2025 snapshot the installer also offers zsh or bash; if you picked one of those, three fish constructs need translating:

fish	bash / zsh
set -g NAME "value" set NAME (command) cmd; and other test -d x; and A; or B	NAME="value" NAME="\$(command)" cmd && other if [-d x]; then A; else B; fi

Blocks tagged fish are commands to run; untagged blocks are reference tables and paths. Every step ends in a check you can run. WARNING marks a common failure; CRITICAL marks a step that decides whether this works at all.

The same guide is also here as vox-populi-cachyos.pdf (print-ready, US Letter) and vox-populi-cachyos-print.html.

Contents

1. How it works	1	10. Updating	9
2. Requirements	2	11. Uninstalling	9
3. Stage A — game under Proton	3	12. Troubleshooting	9
4. Stage B — install Vox Populi	4	13. Alternative installer	10
5. Stage C — first run	5	14. Bug reporting	10
6. Settings and stability	6	15. Command appendix	11
7. Adding other mods	7	16. Path reference	12
8. Optional tuning	7	17. Sources	13
9. Multiplayer	8	18. Limits	13

1. How it works

Proton is mandatory. Vox Populi ships a compiled game-core DLL built against the Civ V SDK. The native Aspyr Linux build cannot load it, so the Windows build under Proton is the only working configuration.

The installer is Inno Setup 6 (Installer Version 1.2), a plain Win32 wizard that renders correctly under Proton. Reports about .NET installers failing under Wine do not apply.

It asks for two different paths. This is the crux.

Wizard page	Resolves to	Receives
Select Destination Location – the Documents path LEAVE THIS ALONE	{userdocs}\My Games\ Sid Meier's Civilization 5 Under Proton: C:\users\steamuser\ Documents\... (in the prefix)	MODS\ (1) Community Patch MODS\ (2) Vox Populi MODS\ (3a) VP - EUI Compat Files MODS\ (3b) 43 Civs Community ... MODS\ (4a) Squads for VP MODS\ (5) Modpack Maker for VP Text\VPUI_tips_en_us.xml
Select the Civilization V folder – custom page, right after the setup-type page THIS IS THE ONE THAT GOES WRONG	Whatever you browse to. Must be the REAL game install, reached through Z:\ (Wine maps Z: to /)	Assets\DLC\VPUI Assets\DLC\UI_bc1 (EUI only) Assets\DLC\Expansion2\ Expansion2.Civ5Pkg (replaced) Assets\DLC\Expansion2\Sounds\ XML\MinorCivSounds_VoxPopuli

The Documents default is already correct — it resolves inside the prefix, where the Windows build reads mods from. The Civilization V folder page auto-fills only if a Windows-style Steam path already exists inside the prefix, which on a clean prefix it does not; the field arrives blank.

CRITICAL — Aim that page at the real Linux install and nothing ever needs copying. Aim it inside the prefix and the UI assets land where the game will never read them. This is why some guides require a copy step and others do not.

Every DLC must be installed, not merely owned. The wizard checks for DLC_01–DLC_07, DLC_Deluxe, Expansion, Expansion2 and blocks installation if any is missing. In practice that is the Complete Edition set on Civ V 1.0.3.279; the installer's information page names the Mongols, Spain & Inca, Polynesia, Denmark and Korea leader packs, Wonders of the Ancient World, Gods & Kings and Brave New World. Of the folder names, DLC_Deluxe is the Babylon pack, Expansion is Gods & Kings and Expansion2 is Brave New World.

It cleans up after itself. Before writing it deletes the prefix cache, the current VP mod folders, and legacy CBP/CBO/CSD folder names. Do not clear the cache or delete old versions by hand. The corollary: anything you edit inside a VP mod folder is destroyed by the next install or update.

There is no uninstaller entry (Uninstallable=no). Removal is the **Uninstall all** setup type in the same .exe.

Stable and beta releases both exist. Each GitHub release links a release-notes thread titled *New STABLE Version* or *New BETA Version*. 5.4.6 (2026-08-31) is stable.

2. Requirements

Game Steam	Civilization V 1.0.3.279, all expansions and all DLC installed Native Steam (multilib `steam`); data dir ~/.local/share/Steam, also reachable through ~/.steam/root
Compat tool	Proton Experimental or newest numbered Proton; proton-cachyos-slr OK. NOT "Steam Linux Runtime" – that is not Proton
Tooling	extra/protontricks 1.14.1-1 (pulls winetricks) + yad, zenity for GUIs
Disk	Full re-download of the Windows depots, plus ~105 MB installer
Conflicts	No Workshop subscriptions to Community Patch, More Luxuries, City-State Diplomacy, Civ IV Diplomatic Features; no mod shipping its own DLL

Set these once; every command below uses them.

```
set -g CIV5_LIB "$HOME/.local/share/Steam"
set -g CIV5_GAME "$CIV5_LIB/steamapps/common/Sid Meier's Civilization V"
set -g CIV5_PFX "$CIV5_LIB/steamapps/compatdata/8930/pfx/drive_c"
set -g CIV5_DOCS "$CIV5_PFX/users/steamuser/Documents/My Games/Sid Meier's Civilization 5"
```

If Civ V sits in a secondary Steam library, adjust CIV5_LIB; compatdata/8930 always lives in the same library as the game. List the libraries with:

```
rg -o '"path"\s+"([^\s]+)"' -r '$1' "$HOME/.steam/root/steamapps/libraryfolders.vdf"
```

3. Stage A — game under Proton

Step 1 · Force Proton

Steam → right-click **Sid Meier's Civilization V** → **Properties** → **Compatibility** → tick **Force the use of a specific Steam Play compatibility tool** → Proton Experimental or the newest numbered Proton. Steam replaces the native build with the Windows depots; let it finish.

WARNING — The same dropdown lists Steam Linux Runtime entries. They are not Proton: no Wine prefix is set up, and protontricks-launch fails with a winetricks environment error.

CachyOS alternatives (install, restart Steam): proton-cachyos-slr, proton-cachyos-native, or protonup-qt / protonplus for Proton-GE. Prefer -slr: it is a Proton build packaged to run inside the Steam Linux Runtime container, which is not the same thing as the bare *Steam Linux Runtime* entries warned about above.

Optional: set launch options to PROTON_SET_GAME_DRIVE=1 %command%. Proton then maps S: to the game's Steam library, shortening the browse in Step 7. Verify after Step 3 with `ls -l "$CIV5_LIB/steamapps/compatdata/8930/pfx/dosdevices"`; if no s: appears, use the Z: path instead.

Step 2 · Confirm every DLC

Steam → Properties → **DLC** → tick everything, then:

```
for d in DLC_01 DLC_02 DLC_03 DLC_04 DLC_05 DLC_06 DLC_07 DLC_Deluxe Expansion Expansion2
do
    test -d "$CIV5_GAME/Assets/DLC/$d"; and echo "ok $d"; or echo "MISS $d"
done
```

Check: ten ok lines. Any MISS stops the installer at Step 7.

Step 3 · Launch once, reach the main menu, quit

This creates compatdata/8930/pfx, without which protontricks cannot see the game, and lets Civ V build its Documents tree inside the prefix. If the Firaxis launcher appears, choose DirectX 10/11 — an upstream report (Proton #8327) notes the DX9 executable may start regardless; this does not affect Vox Populi.

Check:

```
ls "$CIV5_PFX"      # Program Files, Program Files (x86), users, windows
ls "$CIV5_DOCS"    # expect Logs, Saves, config.ini among others
```

4. Stage B — install Vox Populi

Step 4 · Protontricks

```
sudo pacman -S protontricks yad zenity
protontricks -s civilization
```

Check: prints Sid Meier's Civilization V with App ID **8930**. Nothing printed means Step 3 did not complete.

Flatpak Protontricks, or Flatpak Steam (alternative)

```
flatpak install flathub com.github.Matoking.protontricks
flatpak override --user --filesystem=$HOME/Downloads com.github.Matoking.protontricks
# one --filesystem= override per Steam library outside the default location
```

Flatpak Protontricks is sandboxed to the Steam directory; without an override covering the .exe you are launching, it fails with "library folder not found". Separately, if *Steam itself* is the Flatpak, every path in §16 moves under ~/.var/app/com.valvesoftware.Steam/.

Step 5 · Download and verify

Releases are GitHub assets on LoneGazebo/Community-Patch-DLL, named Vox.Populi.<version>.exe.

```
curl -L -o "$HOME/Downloads/Vox.Populi.5.4.6.exe" \
  https://github.com/LoneGazebo/Community-Patch-DLL/releases/download/Release-5.4.6/Vox.Populi.5.4.6.exe
sha256sum "$HOME/Downloads/Vox.Populi.5.4.6.exe"
```

Check: 31679423e55d7f64ba9693d8252d9e29f824fd9f8da043af547470068f98ba8a

For other versions, take the digest from that release's asset listing and confirm STABLE vs BETA in its release-notes thread title. Release_Debug.zip is a debug DLL for crash reports, not needed for play.

Step 6 · Run it inside the prefix

```
protontricks-launch --appid 8930 "$HOME/Downloads/Vox.Populi.5.4.6.exe"
```

GUI: right-click the .exe → **Open With → Protontricks Launcher** → Sid Meier's Civilization V. Flatpak:
flatpak run --command=protontricks-launch com.github.Matoking.protontricks --appid 8930 <exe>

The wizard can take a minute to appear and may not be raised to the foreground under Wayland. A 64-bit WINEPREFIX warning is expected and documented — Civ V is 32-bit inside a 64-bit prefix.

Step 7 · Work the wizard

	Page	Action
★	License · Information	Next
★	Select Destination Location	LEAVE UNCHANGED. Must read C:\users\steamuser\Documents\My Games\Sid Meier's Civilization 5
★	Setup Type / Components	Choose one variant – table below
★	Select the Civilization V folder	Browse to S:\steamapps\common\Sid Meier's Civilization V, or Z:\home\<you>\.local\share\Steam\steamapps\common\Sid Meier's Civilization V
	Start Menu folder	May be skipped; irrelevant under Proton, Next
	Ready to Install	CHECK "Civilization V path" shows the S:\ or Z:\ path, not C:\Program Files (x86)\...
	Installing · Finished	Wait, Finish

Vox Populi (with EUI)	Full VP + Enhanced User Interface – the usual choice
Vox Populi (no EUI)	Full VP, stock interface
Community Patch only	AI and bugfix base mod. NOT compatible with EUI
43 Civ ... (three variants)	Same options with a DLL supporting 43 major civs
Uninstall all	Removal path – \$11

If the Ready page shows a C:\Program Files (x86) path, go back and fix it rather than copying files afterwards. The installer also fails if the MODS folder has been moved out of the Documents tree — under Proton that only happens if you change the Documents page yourself.

Step 8 · Verify placement

```
ls "$CIV5_DOCS/MODS" # (1)...(5) for your variant
ls "$CIV5_GAME/Assets/DLC" | rg -i 'VPUI|UI_bc1' # VPUI, + UI_bc1 for EUI
ls "$CIV5_PFX/Program Files (x86)/Steam/steamapps/common/Sid Meier's Civilization V/Assets/DLC" 2>/dev/null
```

The third command must print nothing — that is the pass/fail test for Step 7. If it lists VPUI or UI_bc1, re-run the installer with the correct path. Fallback if you would rather not:

```
rsync -a --dry-run \
"$CIV5_PFX/Program Files (x86)/Steam/steamapps/common/Sid Meier's Civilization V/Assets/" \
"$CIV5_GAME/Assets/"
```

Inspect, then re-run without --dry-run. Note there is no Assets/DLC/Vox Populi folder — the installer creates VPUI and, for EUI variants, UI_bc1.

5. Stage C — first run

1. Launch Civ V from Steam.
2. Main menu → **MODS**; accept the prompt about DLC being disabled and the game restarting.
3. The first entry into the mods menu runs a long "configuring game data" pass — from under a minute to 5–15 minutes. Not a hang.
4. Enable the VP mods the installer placed in MODS.
5. Press **NEXT**, never **Back**.
6. **Single Player** → **Set Up Game**.

CRITICAL — Back returns to the main menu and silently deactivates the mod set. The installer's own finish screen says to enable all installed mods and click Next, not Back. This is the most common "I installed VP and nothing changed" report.

(2) Vox Populi	Requires (1) Community Patch
(3a) VP - EUI Compat Files	MUST be enabled on any EUI install, or VP will not function
(3b) 43 Civs Community Patch	Only for 43-civ variants
(4a) Squads for VP	Optional QoL – RTS-style control groups, CTRL+number
(5) Modpack Maker for VP	Leave off for normal play; builds modpacks (§9)

Check: the main menu lists active mods in the lower right. EUI working but no new units, luxuries, or advanced-setup options means the base game with EUI only — redo from the MODS menu without pressing Back.

6. Settings and stability

Setting	Single player	Multiplayer
Autosave frequency	1 turn	1 turn
Max autosaves	0 (unlimited)	500
Leader Scene Quality	Minimum	Minimum
Yield icons	Off from the Industrial era	Off from the Industrial era – every player must do it

The single-player figures are what the install thread and the project's bug-report form both ask for; the modpack thread asks for 500 in multiplayer. The purpose is the same either way: the bug form wants a save from the turn *before* the problem, which only exists if autosaves are frequent and not being rotated away.

Late-game crashes are a memory problem, not a Vox Populi bug. Civ V is a 32-bit executable and the project attributes most late-game CTDs to address-space exhaustion. Mitigations, the first being the one the project calls most important for solo play: Leader Scene Quality on Minimum; yield icons off from the Industrial era (avoid zooming far out if you keep them); standard or small maps; lower in-game resolution. Ultrawide and 4K panels sit at the demanding end of that last point.

Proton helps here: `PROTON_FORCE_LARGE_ADDRESS_AWARE` is **on by default**, giving the 32-bit executable a 4 GB address space instead of 2 GB. Leave it alone.

Late-game turn times are AI-bound, not GPU-bound. Treat graphics settings as a memory lever rather than a frame-rate one, and cap the frame rate at the panel's refresh rate with V-Sync.

7. Adding other mods

Any mod that ships its own DLL is incompatible. VP replaces the Civ V DLL entirely, and the Community Patch cannot coexist with another DLL mod. Steam Workshop subscriptions do not reliably land in the right place under Proton. Download from CivFanatics or GitHub and extract manually. Mods go in \$CIV5_DOCS/MODS – inside the prefix, beside the VP folders. After ANY mod change, delete cache/ and ModUserData/ before launching. Stale cache is the single most common reason mods look broken after a change. Filenames do not need lowercasing under Proton; that applies to the native build.

```
rm -rf "$CIV5_DOCS/cache" "$CIV5_DOCS/ModUserData"
```

Check the CivFanatics "MODS compatible with Vox Populi (VP)" thread before adding anything; VP reworks most systems, so mods that touch game components are often only partly compatible. Reported working on Linux under Proton: Community Events, Improved City View (Gazebo's version), most of WHoward's Pick'N'Mix, and Info Addict (which needs an extra patch alongside EUI).

8. Optional tuning

8.1 Community Patch options file

Open this file in your editor:

```
$CIV5_DOCS/MODS/(1) Community Patch/Database Changes/NewCustomModOptions.xml
```

Rules from the file's own header: an option with a **"See also:"** comment must be enabled through its mod, not here; one listing **"Defines:"** or **"PostDefines:"** needs those defines verified first; anything else is enabled by changing Value from 0 to 1.

Each row carries a Class saying what kind of option it is, not how safe it is:

0	Data	Values consumed by other options
1	Bugfix	Unused – bugfixes are always on in the Community Patch
2	API	Extensions with no effect unless another mod uses them
3	Events	Gamecore triggers – significant overhead even when unused
4	Minor	Limited gameplay changes
5	Moderate	Noticeable gameplay changes
6	Major	Significant gameplay changes

Leave Class 3 alone unless you need it; the header warns that those run triggers from the gamecore whether or not anything consumes them. The file holds the mod's entire option set — 29 API-class rows alone — of which these four are the ones most people want:

ENABLE_ACHIEVEMENTS	Steam achievements in modded single-player. Marked "FUNCTIONALITY NOT GUARANTEED" and it changes the savegame format – set it before a campaign, not during
DIPLO_DEBUG_MODE (+ ..._SETTING)	Reveals the AI's true opinion, approach and Congress voting; at setting 2 the AI accepts every Discuss request. The best window into how VP scores you
SQLITE_LOGGING	Writes gameplay statistics to a queryable stats.db
CORE_DEBUGGING	Extra gamecore debugging; slows the game, leave off

Clear the cache after editing, and keep a copy — the installer rewrites these folders on every update.

Use ENABLE_ACHIEVEMENTS rather than the executable-patching method circulated for other modded Civ V setups; it is unnecessary here. Related: map-type achievements are broken on the native Linux build regardless of mods, but work under Proton.

8.2 Back up before updating

```
set stamp (date +%Y%m%d)
set dest "$HOME/civ5-backup-$stamp"
mkdir -p "$dest"
rsync -a "$CIV5_DOCS/Saves" "$CIV5_DOCS/MODS" "$dest"/
```

Saves live inside the Wine prefix, so a full prefix reset destroys them too.

9. Multiplayer

VP cannot be played in multiplayer through the MODS menu; it must be packaged as a modpack that loads automatically as a DLC.

Preferred — a prebuilt modpack. The CivFanatics modpack thread tracks current releases (5.4.6), including one generated on Linux under Proton. Extract so the modpack folder sits directly under \$CIV5_GAME/Assets/DLC/, then `rm -rf "$CIV5_DOCS/cache"`. Modpacks also work in single player and are easier to update than a mods-menu install.

Or build your own: enable (5) Modpack Maker for VP plus every mod to include → start or load a game → **Ctrl-Shift-M** → check \$CIV5_DOCS/Logs/Lua.log for errors → exit → `rm -rf "$CIV5_DOCS/cache"` → relaunch and start from Single Player or Multiplayer, never the MODS menu.

```
Modpacks cannot be combined with mods activated through the MODS menu
Every player must use byte-identical modpacks
Every player must delete cache/ BEFORE EVERY LAUNCH, or the game will most likely
crash after the first turn
Do not hand-edit Assets\DLC\VP_MODPACK – rebuild instead
Saves do not record which modpack was used; a mismatch crashes
Multiplayer autosaves live in Saves\multi\auto – collect them for desync reports
```

Remove with `rm -rf "$CIV5_GAME/Assets/DLC/VP_MODPACK" "$CIV5_DOCS/cache"`.

MPPatch, which would allow modded multiplayer without modpacks, has had no release since December 2023, and a forum report describes crashes when combined with VP plus EUI. Modpacks remain the supported route.

10. Updating

Run the newer `Vox.Populi.<version>.exe` exactly as in Steps 6–7. It deletes the old mod folders and cache before writing; no manual cleanup. Take the §8.2 backup first if you have edited anything under `MODS`.

By the project's versioning rule, saves are compatible when only the third version component changes: 5.4.4 → 5.4.6 keeps them, 5.4.x → 5.5.0 does not.

WARNING — Steam's *Verify integrity of game files* restores the stock `Expansion2.Civ5Pkg`, which VP replaces to fix city-state audio (including the BNW bug where Cape Town uses Almaty's clip). Re-run the VP installer after any verify.

11. Uninstalling

Preferred, because it restores the stock `Expansion2.Civ5Pkg`: re-run the installer, choose **Uninstall all**, and point the Civilization V folder path at the same real install.

Manual fallback. Swap `rm -rf` for `ls -d` first and confirm the list resolves as expected.

```
rm -rf "$CIV5_DOCS/MODS/(1) Community Patch" \  
"$CIV5_DOCS/MODS/(2) Vox Populi" \  
"$CIV5_DOCS/MODS/(3a) VP - EUI Compatibility Files" \  
"$CIV5_DOCS/MODS/(3b) 43 Civs Community Patch" \  
"$CIV5_DOCS/MODS/(4a) Squads for VP" \  
"$CIV5_DOCS/MODS/(5) Modpack Maker for VP" \  
"$CIV5_GAME/Assets/DLC/VPUI" \  
"$CIV5_GAME/Assets/DLC/UI_bc1" \  
"$CIV5_GAME/Assets/DLC/VP_MODPACK" \  
"$CIV5_DOCS/cache" "$CIV5_DOCS/ModUserData" \  
"$CIV5_DOCS/Text/VPUI_tips_en_us.xml"
```

Then verify game files in Steam to restore the stock `Expansion2` package and sound XML.

Full prefix reset (destroys in-prefix saves — back up first): `rm -rf "$CIV5_LIB/steamapps/compatdata/8930"`

12. Troubleshooting

Ordered by when the failure appears.

Symptom	Cause and fix
protontricks does not list Civ V protontricks-launch: winetricks environment error Flatpak: "library folder not found" "Invalid file magic number" "Unknown option --no-bwrap" "warning: 64-bit WINEPREFIX" Wizard never appears "You don't have all required DLCs" "did not provide the correct path" VP absent from the in-game mod list Missing textures, broken UI EUI works, no other VP features Mods stale, duplicated or missing CustomModOption change has no effect Still broken after all of the above Crash to desktop in the late game Multiplayer crashes after turn 1 DX9 starts despite choosing DX11	Prefix absent. Launch once via Proton (Step 3). Compat tool is a Steam Linux Runtime entry, not Proton. Re-select a real Proton build (Step 1). flatpak override --user --filesystem=<path> ...protontricks Protontricks too old for the Steam client; extra's 1.14.1-1 is current. Protontricks options go BEFORE the app ID. Expected. Civ V is 32-bit. Ignore. Wayland focus or a broken Proton build. Check other windows, then try Proton Experimental or proton-cachyos-slr. Missing DLC under the chosen path. Enable every DLC in Steam and re-run the Step 2 loop. Chosen folder has no Assets\DLC child. Point at the game root, not Assets or DLC. Documents page was changed; mods are outside the prefix. Re-run with the default Documents path. Civ V folder page pointed inside the prefix. Re-run, or copy across per Step 8. Back was pressed in MODS, or (3a) is not enabled on an EUI install. Re-enable all mods, press NEXT. rm -rf cache/ and ModUserData/ (§7). Then check for Workshop subscriptions sharing mod IDs, or a mod shipping its own DLL. Cache not cleared, or the option needed its defines. §8.1. Minimal install – VP without EUI, no other mods – then add EUI, then other mods, one layer at a time. 32-bit address-space exhaustion. Apply §6 in order, and keep \$CIV5_GAME/crashlogs for a report (§14). Cache not cleared before launch by every player (§9). Known Proton report #8327. Not a VP fault.

13. Alternative installer

github.com/Alpakinator/civ5vp-installer — a single-file native Linux binary (v0.1.5, Apache-2.0, asset `civ5vp-installer-linux-x86_64`) that installs VP without Protontricks and understands Proton prefixes directly. It writes only to the game's MODS, DLC and Text folders, offers modpack mode and one-click uninstall, and can install unofficial or in-development versions — those it compiles locally, which costs about 1.1 GB of toolchain once and roughly a 5 GB data dir. Its documentation states the same Proton-only constraint as §1. Newer and less battle-tested than the Protontricks route; a reasonable fallback if the Inno wizard misbehaves.

14. Bug reporting

Bugs in Vox Populi go to the project's GitHub issue tracker, not the forum, which is likely to be ignored; errors in this guide belong on this repository's tracker. Blank issues are disabled upstream, so the bug form is the only route. It requires the mod version and the components you installed — note the setup type you chose in Step 7 — and asks you to always attach three things where possible:

Save from one turn before the problem Logs Crash artifacts, when reporting a crash	\$CIV5_DOCS/Saves – the reason for the autosave settings in §6 \$CIV5_DOCS/Logs – useless unless logging was already on \$CIV5_GAME/crashlogs for crashes.log and the .dmp, per the issue form. The minidump guide instead says dumps land beside the game executable as CvMiniDump_*.dmp – check both; the command below covers them.
--	--

Logging is off by default and must be on *before* the problem occurs. Enable it once per game installation in `$CIV5_DOCS/config.ini` by setting `ValidateGameDatabase`, `LoggingEnabled`, `MessageLog`, `AILog`, `AIPerfLog`, `BuilderAILog` and `PlayerAndCityAILogSplit` to 1. (The project's developer docs write this path with "Civilization V"; the folder is "Civilization 5".) Collect the logs *before* loading a game — most are erased on load.

```
cd "$CIV5_DOCS"; and zip -r ~/civ5-vp-logs.zip Logs
cd "$CIV5_GAME"; and zip -r ~/civ5-vp-crash.zip crashlogs
cd "$CIV5_GAME"; and find . -maxdepth 1 -name 'CvMiniDump_*.dmp' -exec zip ~/civ5-vp-crash.zip {} +
```

Dump generation is not guaranteed under Proton: the DLL loads `dbghelp.dll` from the prefix's `System32`, so it depends on Wine's implementation rather than the Windows one the feature was written against. If no dump appears after a crash, say so in the report and attach the logs and save instead.

Turn logging back off when you are not chasing a bug; it rewrites a large directory continuously.

The project wiki carries its own guidance on writing a useful report, a full changelog, a Lua API reference for modders, and a page explaining the linked and group movement that (4a) Squads for VP builds on.

15. Command appendix

```
set -g CIV5_LIB "$HOME/.local/share/Steam"
set -g CIV5_GAME "$CIV5_LIB/steamapps/common/Sid Meier's Civilization V"
set -g CIV5_PFX "$CIV5_LIB/steamapps/compatdata/8930/pfx/drive_c"
set -g CIV5_DOCS "$CIV5_PFX/users/steamuser/Documents/My Games/Sid Meier's Civilization 5"

sudo pacman -S protontricks yad zenity

# [Steam] Compatibility > force a Proton build (not a Linux Runtime)
# [Steam] DLC > enable everything
# [Steam] optional launch option: PROTON_SET_GAME_DRIVE=1 %command%

for d in DLC_01 DLC_02 DLC_03 DLC_04 DLC_05 DLC_06 DLC_07 DLC_Deluxe Expansion Expansion2
do
    test -d "$CIV5_GAME/Assets/DLC/$d"; and echo "ok $d"; or echo "MISS $d"
end

# [Steam] launch once, reach the main menu, quit
ls "$CIV5_PFX"
ls -l "$CIV5_LIB/steamapps/compatdata/8930/pfx/dosdevices"
protontricks -s civilization

curl -L -o "$HOME/Downloads/Vox.Populi.5.4.6.exe" \
    https://github.com/LoneGazebo/Community-Patch-DLL/releases/download/Release-5.4.6/Vox.Populi.5.4.6.exe
sha256sum "$HOME/Downloads/Vox.Populi.5.4.6.exe"
# 31679423e55d7f64ba9693d8252d9e29f824fd9f8da043af547470068f98ba8a

# Documents page unchanged; Civ V folder browsed to S:\ or the Z:\ real install
protontricks-launch --appid 8930 "$HOME/Downloads/Vox.Populi.5.4.6.exe"

ls "$CIV5_DOCS/MODS"
ls "$CIV5_GAME/Assets/DLC" | rg -i 'VPUI|UI_bc1'
ls "$CIV5_PFX/Program Files (x86)/Steam/steamapps/common/Sid Meier's Civilization V/Assets/DLC" 2>/dev/null

# [Game] MODS > enable the VP mods > NEXT (never Back) > Single Player
# [Game] Options > Leader Scene Quality: Minimum; autosave every 1 turn
```

16. Path reference

Wine prefix root	\$CIV5_PFX
Drive mappings	\$CIV5_LIB/steamapps/compatdata/8930/pfx/dosdevices
Mods	\$CIV5_DOCS/MODS
CP options file	\$CIV5_DOCS/MODS/(1) Community Patch/Database Changes/ NewCustomModOptions.xml
Cache · per-mod user data	\$CIV5_DOCS/cache · \$CIV5_DOCS/ModUserData
Logs · logging switches	\$CIV5_DOCS/Logs · \$CIV5_DOCS/config.ini
Saves (single · multi)	\$CIV5_DOCS/Saves · \$CIV5_DOCS/Saves/multi/auto
EUI tooltip text	\$CIV5_DOCS/Text/VPUI_tips_en_us.xml
Real game install	\$CIV5_GAME
Crash artifacts	\$CIV5_GAME/crashlogs, and CvMiniDump_*.dmp beside the game executable in \$CIV5_GAME
VP UI · EUI · modpack	\$CIV5_GAME/Assets/DLC/VPUI · UI_bc1 · VP_MODPACK
Replaced BNW package	\$CIV5_GAME/Assets/DLC/Expansion2/Expansion2.Civ5Pkg
Phantom tree (stays empty)	\$CIV5_PFX/Program Files (x86)/Steam/steamapps/common/ Sid Meier's Civilization V

17. Sources

Installer behaviour: two-path wizard, setup types, DLC gate, cache and legacy-folder deletion, mod folders rewritten on install, Uninstallable=no, Expansion2.Civ5Pkg swap, Inno Setup, savegame compatibility rule, Installer v1.2 requirement list
Mod dependencies, EUI rules, VPUI/UI_bc1 destinations, audio rationale; Squads is QoL CustomModOptions rules and toggles

1.0.3.279 + all DLC; logging keys; minidumps

Option Class legend and the Events overhead
Minidump filename pattern, location beside the executable, dbghelp.dll dependency
Blank issues disabled; required fields; the three attachments; crashlogs path; the 0/1 autosave rationale
Report-writing guidance, Lua API, group movement page
5.4.6 stable, asset name, sha256
Modpack: Ctrl-Shift-M, cache rules, removal
Prebuilt modpacks incl. Linux/Proton build; MP autosave and log-collection guidance
Late-game CTD from 32-bit memory; Leader Scene Quality, yield icons, maps, resolution; beta vs stable naming
Autosave recommendation; Workshop and DLL conflicts; don't delete after the installer; minimal-install triage; compatibility list
Linux mod handling: DLL exclusivity, Workshop unreliability under Proton, MODS location, cache + ModUserData, known-good mods; Documents-path warning; launch first Achievements via VP's own option; native Linux map-achievement breakage
LARGE_ADDRESS_AWARE default; GAME_DRIVE; DX9/DX11 launch report
Protontricks CLI, option order, prefix warning, Flatpak overrides
Package versions and repos
Steam default dir and ~/.steam/root
Steam Linux Runtime breaks protontricks
Alternative installer
MPPatch last release Dec 2023
Original copy-the-Assets workaround

LoneGazebo/Community-Patch-DLL – VPSetupData.iss, scripts/release.py, Opener.rtf

(1)/(2)/(3a) INSTRUCTIONS.txt and MANUAL INSTALL.txt; (4a) Squads modinfo
(1) Community Patch/Database Changes/NewCustomModOptions.xml

VP README.md, DEVELOPMENT.md, docs/minidumps.md

NewCustomModOptions.xml header
docs/minidumps.md

.github/ISSUE_TEMPLATE/bug_report_v5.yml and config.yml

Community-Patch-DLL wiki

GitHub releases + release feed, 2026-08-31
(5) Modpack Maker modinfo, ModpackMaker.lua
CivFanatics modpack thread 685164

CivFanatics "Welcome to the Community Patch sub – Start Here" thread 701813

CivFanatics "What is Vox Populi – How To Install" thread 528034; "MODS compatible with Vox Populi" thread 542679
CivFanatics thread 702075 (schubman, 2026-02-13 → 2026-03-19), now stickied

bmaupin/civ5-cheevos-with-mods README, citing Community-Patch-DLL issue #12965
ValveSoftware/Proton README (proton_9.0); Proton issue #8327
Matoking/protontricks README + TROUBLESHOOTING.md; flathub manifest docs
archlinux.org package DB; mirror.cachyos.org Arch Wiki: Steam
TeaDrinkingProgrammer guide issue #3
Alpakinator/civ5vp-installer README + feed
Lymia/MPPatch release feed
TeaDrinkingProgrammer GitHub guide

18. Limits

- **Thread 702075 was never readable verbatim** — CivFanatics serves only page metadata to automated fetchers, so its content here comes from indexed excerpts. Everything structural is taken from the Vox Populi source tree instead, which is why this document contradicts the thread on the Assets/DLC folder name and treats the copy step as avoidable.
- **PROTON_SET_GAME_DRIVE is an untested convenience.** Documented by Proton, but whether the S: mapping persists into a later protontricks-launch session was not tested; the Step 1 check settles it, and Z: always works.

- **§8.1 toggles were read from the source file, not exercised.** `ENABLE_ACHIEVEMENTS` carries the project's own "functionality not guaranteed" marking and changes the savegame format.
- **The two upstream sources disagree on where crash dumps land** — the issue form says `crashlogs`, the minidump guide says beside the game executable. Both are covered rather than resolved.
- **Written against 5.4.6.** Wizard page order and setup-type names have been stable across recent releases but are not guaranteed; the sha256 is for 5.4.6 only, and VP ships betas alongside stable releases.
- **Untested paths:** Flatpak Steam (procedure holds, paths move), the 43-civ variants, and MPPatch.