Beyond Cultural Competency Training: Cultural Fluency as Structural Clinical Infrastructure and Its Effects on Diagnostic Accuracy, Patient Trust, Treatment Adherence, and Health Disparities in Black and Minority Patient Populations in the United States

Ryan Peeler

Abstract

Racial and ethnic health disparities persist in the United States despite decades of cultural competency training in medical education. This literature review argues that these disparities are maintained not primarily by deficits in individual provider knowledge or attitudes, but by the structural conditions of care delivery—resource allocation, workflow design, workforce composition, and institutional accountability—within which individual providers operate. Drawing on 38 sources across health disparities research, structural competency theory, implicit bias literature, patient-provider communication studies, and medical education scholarship, this paper introduces *cultural fluency as structural clinical infrastructure*: a dual-level framework integrating individual provider capacity with institutional systems to create clinical environments capable of delivering equitable care. Cultural fluency, defined as the capacity of both individual providers and institutional systems to navigate cultural difference with the automaticity and adaptive flexibility characteristic of linguistic fluency, is distinguished from cultural competency (individual knowledge and attitudes), cultural humility (individual reflective disposition), and structural

competency (diagnostic awareness of structural determinants). The review examines evidence across four outcome domains—diagnostic accuracy, patient trust, treatment adherence, and health disparities—finding that individual-level training consistently improves provider knowledge but produces weak effects on patient outcomes, while structural conditions shape the ceiling of what individual competency can achieve. The paper's central contribution is a dual-axis framework proposing that equitable care is an emergent property of culturally fluent individuals operating within structurally supportive institutions, and that neither dimension can substitute for the other. Implications for medical education, health system design, telehealth equity, and measurable infrastructure assessment are discussed.

Keywords: cultural fluency, cultural competency, structural competency, health disparities, implicit bias, patient trust, medical education, clinical infrastructure, intersectionality, telehealth equity

1 Introduction

Racial and ethnic health disparities remain among the most persistent and well-documented failures of the United States healthcare system. Black Americans experience higher rates of maternal mortality (Petersen et al., 2019), receive less adequate pain management (Hoffman et al., 2016), face lower rates of cardiovascular intervention referral, and report lower satisfaction with clinical encounters than their white counterparts (Smedley et al., 2003). These disparities are not uniform across all Black and minority patients: they are shaped by the intersection of race with gender, socioeconomic class, disability status, immigration status, and other dimensions of social position, producing heterogeneous patterns of clinical exclusion that resist one-dimensional analysis (Krieger, 2012). Yet despite more than three decades of cultural competency training initiatives in medical schools, residency programs, and continuing medical education, these disparities persist—and in some domains, they have widened.

The cultural competency paradigm, first systematically articulated by Cross et al. (1989) and refined by Betancourt et al. (2003), has become a standard feature of medical

education in the United States. Accreditation bodies including the Liaison Committee on Medical Education (LCME) and the Accreditation Council for Graduate Medical Education (ACGME) mandate cultural competency content in their training standards. Yet the evidence base for these interventions reveals a troubling pattern: systematic reviews consistently find that cultural competency training improves provider knowledge and self-reported attitudes but fails to produce reliable improvements in patient health outcomes (Beach et al., 2005; Lie et al., 2011; Truong et al., 2014). This gap between attitudinal change and outcome change suggests that the problem is not merely one of training quality or dosage, but of the paradigm itself.

This paper argues that the limitations of cultural competency training are fundamentally structural rather than pedagogical. The dominant model treats cultural competency as an individual provider attribute—a skill to be acquired, assessed, and maintained through educational intervention. This framing locates the problem of health disparities primarily in the knowledge deficits and biases of individual clinicians, and correspondingly locates the solution in individual-level training. What this framing obscures is the degree to which clinical disparities are produced and maintained by institutional structures: resource allocation patterns that systematically disadvantage the physicians who serve Black patients (Bach et al., 2004), clinical decision-making environments that amplify rather than constrain implicit bias (Hall et al., 2015), and organizational cultures that treat cultural responsiveness as a compliance requirement rather than a core operational capacity.

To address these limitations, this paper introduces the concept of *cultural fluency as structural clinical infrastructure*. A terminological clarification is necessary, as this concept operates at two distinct but interdependent levels. **Individual cultural fluency** refers to a provider's practiced, adaptive capacity to navigate cultural difference in clinical encounters—not merely knowledge of cultural facts, but the real-time communicative flexibility analogous to linguistic fluency. **Institutional cultural fluency** refers to the structural conditions—diverse workforce, decision support systems, community engagement, data monitoring, accountability mechanisms—that enable individual fluency to be

expressed reliably and that provide systemic safeguards against the failures of individual judgment. *Cultural fluency as infrastructure* describes the emergent property that arises when both levels operate in concert: an institutional capacity for equitable care that exceeds what either individual training or structural design can produce alone. This terminological distinction is maintained throughout the paper; when the unmodified term "cultural fluency" appears, it refers to the integrated, dual-level concept.

This literature review examines the evidence across four clinical outcome domains: diagnostic accuracy, patient trust, treatment adherence, and health disparities. For each domain, the review synthesizes the available evidence on the limitations of individual-level interventions and the necessity of structural supports, building toward the paper's central thesis: that cultural fluency must be operationalized as clinical infrastructure—embedded in the structural conditions of care delivery—to achieve the equitable outcomes that cultural competency training alone has failed to produce.

2 From Cultural Competence to Cultural Fluency: Definitional Landscape

2.1 Cultural Competence: The Foundational Framework

The concept of cultural competence in healthcare emerged from the child mental health services literature, most influentially in the work of Cross et al. (1989), who proposed a developmental continuum ranging from cultural destructiveness through cultural incapacity, cultural blindness, and cultural pre-competence to cultural competence and cultural proficiency. Betancourt et al. (2003) translated cultural competence into a practical healthcare framework, identifying three levels of intervention: organizational, structural, and clinical. This tripartite framework recognized that cultural competence operates beyond the individual provider, but in practice, the clinical level—individual provider training—came to dominate implementation (Jernigan et al., 2016; Dogra et al., 2010).

2.2 Cultural Humility: The Relational Turn

Tervalon and Murray-García (1998) introduced cultural humility as a corrective, emphasizing ongoing self-reflection, recognition of power asymmetries, and a lifelong commitment to learning from patients and communities. Cultural humility represented an important advance in its attention to power dynamics and its resistance to essentializing cultural knowledge. However, like cultural competence, it remained primarily an individual-level construct without substantially addressing institutional conditions.

2.3 Structural Competency: The Systems Turn

Metzl and Hansen (2014) introduced structural competency, arguing that clinical training must address the structural determinants—policies, economic systems, institutional practices—that produce health disparities. Metzl et al. (2018) developed pedagogical frameworks, and Neff et al. (2020) produced curriculum materials translating structural analysis into clinical education. However, structural competency was primarily a diagnostic framework—a way of seeing structural determinants—rather than an operational model for building structurally responsive clinical systems. This gap between structural diagnosis and structural implementation is the space that cultural fluency as infrastructure occupies.

2.4 Cultural Fluency: Definition and Distinction

Cultural fluency, as proposed here, is defined as the capacity of both individual providers and institutional systems to navigate cultural difference with the automaticity, adaptive flexibility, and contextual responsiveness characteristic of linguistic fluency. It differs from predecessor concepts in three key respects. First, it is explicitly dual-level. Second, it is explicitly operational rather than merely diagnostic. Third, it is explicitly emergent: it describes a property arising from the interaction between fluent individuals and supportive structures.

An important caveat: the empirical evidence cited—particularly the systematic re-

views (Beach et al., 2005; Lie et al., 2011; Truong et al., 2014)—largely evaluates cultural competency training, not cultural fluency interventions as defined here. Cultural fluency as infrastructure is a conceptual framework synthesizing existing evidence from multiple research traditions; it has not itself been subjected to controlled evaluation. This paper calls attention to this gap while arguing that the converging evidence makes the theoretical case compelling enough to warrant both practical implementation and rigorous empirical testing.

3 Diagnostic Accuracy and Clinical Decision-Making

3.1 Implicit Bias in Clinical Decision-Making

Hall et al. (2015), in a systematic review of 42 studies, found that the majority of healthcare professionals harbor implicit racial and ethnic biases associated with differential clinical recommendations. Hoffman et al. (2016) demonstrated that 50% of medical students and residents endorsed false beliefs about biological differences between Black and white patients, and these beliefs were associated with lower pain ratings and less accurate treatment recommendations. van Ryn and Burke (2000) documented that physicians rated Black patients as less intelligent and less likely to adhere to medical advice than white patients with equivalent presentations. Cooper et al. (2006) showed that clinicians' implicit attitudes predicted communication quality.

These biases do not operate identically across all patients within racial categories. The intersection of race with gender produces differential diagnostic patterns: Black women's pain reports are discounted at rates reflecting both racial and gender bias simultaneously (Hoffman et al., 2016).

3.2 Structural Dimensions of Diagnostic Disparities

Time pressure, cognitive load, and decision complexity amplify the influence of implicit bias (Penner et al., 2010). Bach et al. (2004) demonstrated that Black patients systematically receive care from physicians with less access to clinical resources, specialist referral

networks, and ancillary services.

3.3 Cultural Fluency as a Pathway to Diagnostic Accuracy

The cultural fluency framework suggests two complementary mechanisms. The first is individual-level: culturally fluent providers are better equipped to elicit information across cultural difference and to engage in self-monitoring that interrupts biased reasoning. The second is structural: institutional cultural fluency infrastructure includes decision support systems, diverse clinical teams, standardized assessment protocols, and data monitoring—creating *institutional redundancy against bias*.

4 Patient Trust and Therapeutic Alliance

4.1 Historical and Contemporary Medical Mistrust

Gamble (1997) situated contemporary mistrust within the legacy of the Tuskegee syphilis study and compulsory sterilization programs. Armstrong et al. (2013) documented significant racial differences in physician distrust. Boulware et al. (2003) found lower institutional trust among Black Americans. Williamson and Bigman (2019) identified the multidimensional nature of mistrust. Blanchard and Lurie (2004) documented that minority patients report significantly higher rates of disrespectful treatment, and that perceived disrespect is associated with lower adherence and delayed care-seeking—direct evidence that contemporary clinical experiences sustain mistrust.

4.2 Racial Concordance and Trust

Saha et al. (1999) found racial concordance associated with higher care quality ratings. Alsan et al. (2019), in a randomized field experiment, demonstrated that Black men assigned to Black physicians were more likely to agree to preventive services, with effects largest for invasive procedures. Greenwood et al. (2020) found concordance associated with halved newborn mortality penalties for Black infants.

The concordance evidence reveals both the potential and limitations of demographic solutions. Cultural fluency offers a complementary approach, though the concordance-fluency substitution is likely incomplete—some effects rooted in shared lived experience cannot be replicated through fluency alone, underscoring workforce diversity as a structural component of cultural fluency infrastructure.

4.3 Cultural Fluency as Trust Infrastructure

Trust rebuilding requires both interpersonal and institutional intervention. Cultural fluency as infrastructure requires fluent providers within trustworthy institutions—neither dimension alone suffices.

5 Treatment Adherence and Shared Decision-Making

5.1 Racial Disparities in Treatment Adherence

Traylor et al. (2010) found concordance associated with improved cardiovascular medication adherence among minority patients. The adherence literature has been critiqued for locating non-adherence in patient behavior while underattending to system-side barriers (Fiscella et al., 2000). Johnson et al. (2004) documented communication deficits in cross-racial encounters that predict reduced adherence.

5.2 Shared Decision-Making as a Structural Practice

Charles et al. (1997) defined shared decision-making (SDM) as involving information exchange, deliberation, and joint agreement. Johnson et al. (2004) found Black patients received less information and were less invited to participate. Cooper et al. (2003) found racially concordant encounters characterized by more patient-centered communication.

5.3 Cultural Fluency and Adherence Infrastructure

The cultural fluency framework reframes adherence as a system design challenge: communication training, workflow allocation, decision support tools, and community health worker programs constitute the structural conditions in which individual fluency translates into adherence outcomes.

6 Health Disparities: Structural Determinants

6.1 The Structural Landscape of Disparities

Smedley et al. (2003) established that racial minorities receive lower-quality healthcare even controlling for access-related factors. Bach et al. (2004) showed physicians serving Black patients have less access to clinical resources. Petersen et al. (2019) documented Black women are approximately three times more likely to die from pregnancy-related causes. Krieger (2012) argued for an ecosocial approach that foregrounds intersectionality.

6.2 The Limits of Individual-Level Interventions

Beach et al. (2005) found training improved provider knowledge but showed limited patient outcome effects. Lie et al. (2011) and Truong et al. (2014) confirmed the pattern. These findings suggest a ceiling effect: individual training within unchanged structural conditions can accomplish only so much.

6.3 Structural Competency Applied: From Diagnosis to Infrastructure

Cultural fluency as infrastructure extends structural competency from diagnosis to operation. Existing structural models—patient-centered medical homes, community health worker programs, language access programs—provide building blocks that the cultural fluency framework argues for extending and integrating.

6.4 Maternal Mortality as Illustrative Case

Black maternal mortality illustrates the convergence of structural factors, implicit bias, and intersectional exclusion. A cultural fluency infrastructure approach would include standardized obstetric protocols, diverse team structures, institutional outcome monitoring by race, community doula programs, and accountability structures treating disparities as sentinel events.

7 The Individual-Structural Tension: A Critical Analysis

7.1 Evidence That Training Alone Is Insufficient

The cultural fluency framework adopts the structural explanation as primary: individual training fails to produce patient outcomes not because training is poorly designed but because it operates within structural conditions not designed to support its goals.

7.2 Evidence That Structural Change Alone Is Insufficient

Structural interventions require culturally fluent implementation. Decision support systems are only effective if providers understand and respond appropriately to their flags. Equity policies are only effective if implemented by culturally fluent staff.

7.3 The Integration Thesis

Cultural fluency as infrastructure proposes that cultural fluency is an emergent property of the interaction between fluent individuals and supportive structures. Individual-level components include sustained cross-cultural engagement, reflective practice, adapted communication skills, and structural knowledge. Structural-level components include diverse workforce, decision support, data monitoring, community engagement, workflow design, and accountability mechanisms. Emergent properties include normative responsiveness, team redundancy against bias, trusting patient relationships, and continuous

improvement processes.

7.4 Summary of Evidence Across Outcome Domains

Table 1 synthesizes the evidence reviewed in Sections 3–6, organized by outcome domain and mechanism level.

Table 1: Evidence synthesis across outcome domains by mechanism level. In each domain, individual-level interventions are necessary but insufficient; structural conditions set the ceiling for what individual competency can achieve.

Outcome Domain	**Individual Mechanisms**	**Structural Mechanisms**	**Key Evidence**
Diagnostic Accuracy	Implicit bias in symptom interpretation; false biological beliefs; biased pain assessment	Time pressure amplifying bias; resource disparities; lack of decision support	Hall et al., 2015; Hoffman et al., 2016; Bach, 2004
Patient Trust	Communication quality; cultural humility; acknowledgment of historical harms	Institutional histories; workforce homogeneity; absence of community governance	Gamble, 1997; Alsan et al., 2019; Greenwood et al., 2020
Treatment Adherence	Cross-cultural communication deficits; reduced shared decision-making	Insufficient encounter time; lack of follow-up infrastructure; no CHW programs	Johnson et al., 2004; Cooper et al., 2003; Traylor et al., 2010
Health Disparities	Training improves knowledge but not outcomes	Resource allocation disadvantaging minority-serving providers; intersectional exclusion	Smedley et al., 2003; Beach et al., 2005; Petersen et al., 2019

7.5 The Dual-Axis Framework

The paper proposes a dual-axis framework with individual fluency capacity on one axis and structural infrastructure on the other, creating four quadrants:

1. **Low individual / Low structural:** Culturally unresponsive care.
2. **High individual / Low structural:** Competent providers constrained by inequitable structures.

3. **Low individual / High structural:** Equitable structures with inexperienced providers; formal but not substantive equity.

4. **High individual / High structural:** Cultural fluency as infrastructure—reliably equitable care.

7.6 Institutional Variation and Implementation Heterogeneity

The framework must account for variation among healthcare institutions. Urban academic medical centers, rural critical access hospitals, and federally qualified health centers face fundamentally different implementation landscapes. The framework identifies functional components that must be adapted to specific contexts rather than prescribing a single model.

8 Medical Education, Workforce, and Emerging Contexts

8.1 Current Curricular Approaches and Their Limitations

Jernigan et al. (2016) documented proliferation of cultural competency requirements. Dogra et al. (2010) found variation in depth and integration. Much content takes forms—didactic presentations, single-session workshops—poorly suited to fluency development. Kumagai and Lypson (2009) argued for critical consciousness over cultural facts.

8.2 Beyond Competency Modules: Toward Fluency Development

Cultural fluency development requires longitudinal clinical experiences in diverse communities, mentoring by fluent clinicians, structured reflection, and assessment of practiced fluency rather than knowledge recall. Neff et al. (2020) developed structural competency materials that should be integrated with the operational components the cultural fluency

framework adds.

8.3 Workforce Diversity as Structural Infrastructure

Saha and Shipman (2008) argued workforce diversity policies should be understood as health policy interventions. Within the cultural fluency framework, workforce diversity serves as a bridge between individual and structural dimensions: it provides institutional redundancy against bias, enriches collective cultural knowledge, creates normative cross-cultural engagement, and signals institutional commitment. The underrepresentation of Black, Hispanic, and Native American physicians is a structural infrastructure deficit constraining the system's capacity for cultural fluency.

8.4 Telehealth and Digital Health: Emerging Dimensions

Telehealth introduces new structural dimensions of cultural fluency. Algorithmic triage systems may incorporate biased training data. Video-based encounters reduce nonverbal cues. Digital access disparities disproportionately affect minority populations. Cultural fluency infrastructure in telehealth requires algorithmic audit, equitable technology design, digital literacy support, adapted encounter protocols, and hybrid care models.

9 Limitations and Future Directions

The concept of cultural fluency as infrastructure has not been directly tested as an integrated intervention. The structural evidence base is less developed than the individual evidence base. Despite intersectional analysis, the heterogeneous needs created by identity intersections require further research. The telehealth discussion is preliminary. Cost-effectiveness evidence is lacking, though related structural interventions (language access programs, community health worker integration, patient-centered medical homes) show promising cost-effectiveness.

9.1 Toward Measurable Structural Indicators

Proposed measurement domains include:

1. **Workforce composition:** Diversity at clinical, administrative, and leadership levels; retention and promotion rates; community representation ratios.

2. **Structural processes:** Interpreter services, decision support tools, standardized protocols, community advisory boards.

3. **Outcome monitoring:** Routine stratification by race, ethnicity, and intersecting demographics; disparity detection thresholds; trend data.

4. **Accountability:** Equity metrics in quality dashboards; leadership accountability; credentialing integration.

5. **Patient experience:** Disaggregated satisfaction data; reported respect and cultural responsiveness; community trust assessments.

Expanding LCME, ACGME, and Joint Commission standards to include structural cultural fluency indicators would create institutional incentives for infrastructure investment.

10 Conclusion

This literature review has argued that cultural fluency must be understood as structural clinical infrastructure rather than as a trainable individual provider skill alone. The dual-axis framework proposes that equitable care is an emergent property of culturally fluent individuals operating within structurally supportive institutions. Neither dimension can substitute for the other.

As healthcare incorporates telehealth and algorithmic decision support, cultural fluency infrastructure must expand to address new forms of structural exclusion. As understanding of disparities deepens to reflect intersectional complexity, infrastructure must be correspondingly differentiated.

The persistence of racial health disparities despite decades of cultural competency training is not evidence that culture does not matter in clinical care. It is evidence that culture matters too much to be addressed by training alone. Cultural fluency as infrastructure offers a framework for taking culture as seriously in the design of clinical systems as it is taken in the experience of clinical care—and for building the measurable, accountable, structurally embedded institutional capacity that equitable care requires.

References

Alsan, M., Garrick, O., and Graziani, G. (2019). Does diversity matter for health? experimental evidence from oakland. *American Economic Review*, 109(12):4071–4111.

Armstrong, K., Ravenell, K. L., McMurphy, S., and Putt, M. (2013). Racial/ethnic differences in physician distrust in the united states. *American Journal of Public Health*, 97(7):1283–1289.

Bach, P. B., Pham, H. H., Schrag, D., Tate, R. C., and Hargraves, J. L. (2004). Primary care physicians who treat blacks and whites. *New England Journal of Medicine*, 351(6):575–584.

Beach, M. C., Price, E. G., Gary, T. L., Robinson, K. A., Gozu, A., Palacio, A., Smarth, C., Jenckes, M. W., Feuerstein, C., Bass, E. B., Powe, N. R., and Cooper, L. A. (2005). Cultural competence: A systematic review of health care provider educational interventions. *Medical Care*, 43(4):356–373.

Betancourt, J. R., Green, A. R., Carrillo, J. E., and Ananeh-Firempong, O. (2003). Defining cultural competence: A practical framework for addressing racial/ethnic disparities in health and health care. *Public Health Reports*, 118(4):293–302.

Blanchard, J. and Lurie, N. (2004). R-E-S-P-E-C-T: Patient reports of disrespect in the health care setting and its impact on care. *Journal of Family Practice*, 53(9):721–730.

Boulware, L. E., Cooper, L. A., Ratner, L. E., LaVeist, T. A., and Powe, N. R. (2003). Race and trust in the health care system. *Public Health Reports*, 118(4):358–365.

Charles, C., Gafni, A., and Whelan, T. (1997). Shared decision-making in the medical encounter: What does it mean? (or it takes at least two to tango). *Social Science & Medicine*, 44(5):681–692.

Cooper, L. A., Roter, D. L., Carson, K. A., Beach, M. C., Sabin, J. A., Greenwald, A. G., and Inui, T. S. (2006). The associations of clinicians' implicit attitudes about race with medical visit communication and patient ratings of interpersonal care. *Social Science & Medicine*, 62(6):1434–1443.

Cooper, L. A., Roter, D. L., Johnson, R. L., Ford, D. E., Steinwachs, D. M., and Powe, N. R. (2003). Patient-centered communication, ratings of care, and concordance of patient and physician race. *Annals of Internal Medicine*, 139(11):907–915.

Cross, T. L., Bazron, B. J., Dennis, K. W., and Isaacs, M. R. (1989). Towards a culturally competent system of care: A monograph on effective services for minority children who are severely emotionally disturbed. *CASSP Technical Assistance Center, Georgetown University Child Development Center*, 1:1–78.

Dogra, N., Reitmanova, S., and Carter-Pokras, O. (2010). Teaching cultural diversity: Current status in UK, US, and Canadian medical schools. *Medical Education*, 44(1):58–67.

Fiscella, K., Franks, P., Gold, M. R., and Clancy, C. M. (2000). Inequality in quality: Addressing socioeconomic, racial, and ethnic disparities in health care. *JAMA*, 283(19):2579–2584.

Gamble, V. N. (1997). Under the shadow of tuskegee: African americans and health care. *American Journal of Public Health*, 87(11):1773–1778.

Greenwood, B. N., Hardeman, R. R., Huang, L., and Sojourner, A. (2020). Physician-patient racial concordance and disparities in birthing mortality for newborns. *Proceedings of the National Academy of Sciences*, 117(35):21194–21200.

Hall, W. J., Chapman, M. V., Lee, K. M., Merino, Y. M., Thomas, T. W., Payne, B. K., Eng, E., Day, S. H., and Coyne-Beasley, T. (2015). Implicit racial/ethnic bias among health care professionals and its influence on health care outcomes: A systematic review. *American Journal of Public Health*, 105(12):e60–e76.

Hoffman, K. M., Trawalter, S., Axt, J. R., and Oliver, M. N. (2016). Racial bias in pain assessment and treatment recommendations, and false beliefs about biological differences between blacks and whites. *Proceedings of the National Academy of Sciences*, 113(16):4296–4301.

Jernigan, V. B. B., Hearod, J. B., Tran, K., Norris, K. C., and Buchwald, D. (2016). An examination of cultural competence training in US medical education guided by the tool for assessing cultural competence training. *Journal of Health Disparities Research and Practice*, 9(3):150–167.

Johnson, R. L., Roter, D., Powe, N. R., and Cooper, L. A. (2004). Patient race/ethnicity and quality of patient-physician communication during medical visits. *American Journal of Public Health*, 94(12):2084–2090.

Krieger, N. (2012). Methods for the scientific study of discrimination and health: An ecosocial approach. *American Journal of Epidemiology*, 176(4):S97–S105.

Kumagai, A. K. and Lypson, M. L. (2009). Beyond cultural competence: Critical consciousness, social justice, and multicultural education. *Academic Medicine*, 84(6):782–787.

Lie, D. A., Lee-Rey, E., Gomez, A., Bereknyei, S., and Braddock, C. H. (2011). Does cultural competency training of health professionals improve patient outcomes? a systematic review and proposed algorithm for future research. *Journal of General Internal Medicine*, 26(3):317–325.

Metzl, J. M. and Hansen, H. (2014). Structural competency: Theorizing a new medical engagement with stigma and inequality. *Social Science & Medicine*, 103:126–133.

Metzl, J. M., Petty, J., and Olowojoba, O. V. (2018). Using a structural competency framework to teach structural racism in pre-health education. *Social Science & Medicine*, 199:189–201.

Neff, J., Holmes, S. M., Knight, K. R., Strong, S., Thompson-Lastad, A., McGuinness, C., Duncan, L., Saxena, N., Harvey, M. J., Langford, A., Metzl, J. M., and Nelson, R. G. (2020). Structural competency: Curriculum for medical students, residents, and interprofessional teams on the structural factors that produce health disparities. *MedEdPORTAL*, 16:10888.

Penner, L. A., Dovidio, J. F., West, T. V., Gaertner, S. L., Albrecht, T. L., Dailey, R. K., and Markova, T. (2010). Aversive racism and medical interactions with black patients: A field study. *Journal of Experimental Social Psychology*, 46(2):436–440.

Petersen, E. E., Davis, N. L., Goodman, D., Cox, S., Syverson, C., Seed, K., Shapiro-Mendoza, C., Callaghan, W. M., and Barfield, W. (2019). Racial/ethnic disparities in pregnancy-related deaths — united states, 2007–2016. *MMWR Morbidity and Mortality Weekly Report*, 68(35):762–765.

Saha, S., Komaromy, M., Koepsell, T. D., and Bindman, A. B. (1999). Patient-physician racial concordance and the perceived quality and use of health care. *Archives of Internal Medicine*, 159(9):997–1004.

Saha, S. and Shipman, S. A. (2008). Race-neutral versus race-conscious workforce policy to improve access to care. *Health Affairs*, 27(1):234–245.

Smedley, B. D., Stith, A. Y., and Nelson, A. R. (2003). *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. National Academies Press.

Tervalon, M. and Murray-García, J. (1998). Cultural humility versus cultural competence: A critical distinction in defining physician training outcomes in multicultural education. *Journal of Health Care for the Poor and Underserved*, 9(2):117–125.

Traylor, A. H., Schmittdiel, J. A., Uratsu, C. S., Mangione, C. M., and Subramanian, U. (2010). Adherence to cardiovascular disease medications: Does patient-provider race/ethnicity and language concordance matter? *Journal of General Internal Medicine*, 25(11):1172–1177.

Truong, M., Paradies, Y., and Priest, N. (2014). Interventions to improve cultural competency in healthcare: A systematic review of reviews. *BMC Health Services Research*, 14:99.

van Ryn, M. and Burke, J. (2000). The effect of patient race and socio-economic status on physicians' perceptions of patients. *Social Science & Medicine*, 50(6):813–828.

Williamson, L. D. and Bigman, C. A. (2019). A systematic review of medical mistrust measures. *Patient Education and Counseling*, 101(10):1786–1794.