



# Writing Pseudocode

DESN 24427 Design Strategy & Computation


**What is pseudocode?**

```
// How do we get our ideas into code?
```

```
// Draw the face, an oval in the center
```

```
// Draw the two eyes, two ovals, about 2/3 up the face, and 1/5 the size of the face
```

```
// Draw the mouth, a line going halfway across the face
```



-2:00

Edit

Save as a spin-off

Restart







Remember back to your **design requirements**;  
these will help generate the pseudocode  
organize **observations** and **findings** around  
a person's **experience**

Design Requirements	Object (and properties)	Action	Context
<i>Take from your list</i>	<i>List the name and properties required for each object.</i>	<i>Describe what the objects need to do.</i>	<i>Describe how/where objects or actions must be able to interaction</i>
<b>Alok calls</b> their <b>spouse</b> <b>directly from the text conversation</b>	<b>Alok:</b> <ul style="list-style-type: none"><li>• Cell #</li><li>• IMEI #</li><li>• Sim #</li><li>• Location</li></ul> <b>Spouse:</b> <ul style="list-style-type: none"><li>• Name</li><li>• Cell #</li><li>• Office #</li><li>• Email</li><li>• WhatsApp</li><li>• Age</li><li>• Birthday</li><li>• Location</li><li>• Photo</li><li>• Anniversary</li><li>• Relationship to Norm</li></ul>	<b>Call:</b> create a connection between the user’s mobile device and another <b>contact</b> to transmit real-time audio over a cellular network. The devices are connected using the ‘ <b>phone number</b> ’ property	<b>directly from the text conversation:</b> user must be able to access a <b>contact</b> ‘ <b>phone number</b> ’ property within a text message thread

# To learn more

Check out these resources

- **How to write a Pseudo Code** (article)
  - Link: <https://www.geeksforgeeks.org/how-to-write-a-pseudo-code/>
- **Psuedocode 101** (article)
  - Link: <https://towardsdatascience.com/pseudocode-101-an-introduction-to-writing-good-pseudocode-1331cb855be7>

