Dynamic Abstractions: Building the Next Generation of Cognitive Tools and Interfaces

Sangho Suh
University of Toronto
sangho.suh@utoronto.ca

Hai Dang
University of Bayreuth
hai.dang@uni-bayreuth.de

Ryan Yen
Massachusetts Institute of Technology
ryanyen2@mit.edu

Josh Pollock
Massachusetts Institute of Technology
jopo@mit.edu

Ian Arawjo
University de Montreal
ian.arawjo@gmail.com

Rubaiat Habib
Adobe Research
rhabib@adobe.com

Hari Subramonyam
Stanford University
harihars@stanford.edu

Jingyi Li
Pomona College
jingyi.li@pomona.edu

Nazmus Saquib
Universal Machine Inc.
nzm.saquib@gmail.com

Arvind Satyanarayan
Massachusetts Institute of Technology
arvindsatya@mit.edu

ABSTRACT

This workshop aims to provide a forum for discussion, brainstorming, and prototyping of the next generation of interfaces that leverage the dynamic experiences enabled by recent advances in AI and the generative capabilities of foundation models. These models simplify complex tasks by generating outputs in various representations (e.g., text, images, videos) through natural language interactions and diverse input modalities like voice and sketch. They interpret user intent, generate, and transform representations, potentially changing how we interact with information and express ideas. Inspired by this potential, technologists, theorists, and researchers are exploring new forms of interaction by building demos and communities dedicated to concretizing and advancing this vision. Our workshop at UIST provides a timely space to discuss AI's impact on designing and using cognitive tools (e.g., languages, notations, diagrams) dynamically. We will explore use cases, implications across various domains, and the associated challenges and opportunities.

CCS CONCEPTS

• **Human-centered computing** → **Human computer interaction (HCI)**; **Interaction design**; **Visualization**; **Interaction paradigms**; **Graphical user interfaces**; **Interaction techniques**.

KEYWORDS

dynamic abstractions

1 INTRODUCTION

The human mind is dynamic, constantly weaving abstract ideas and navigating various levels of abstraction. For example, software programmers transition between high-level functional requirements and low-level implementation details. Scientists develop theories based on empirical data, forming and testing hypotheses to explain natural phenomena. Mathematicians move from abstract theorems to practical applications, creating models that solve real-world problems. Artists transform abstract concepts into tangible art forms through their chosen mediums. Every day, individuals parse the hierarchies and networks of concepts presented in various representations such as texts, equations, and diagrams. Overall, our minds continuously operate on multiple levels of abstraction, integrating and synthesizing complex ideas [5, 18, 22, 25].

To externalize and act on these ideas, humans invented powerful cognitive tools––representations such as languages, symbols, notations (e.g., number systems), and diagrams. For centuries, they have supported our complex cognitive processes, enabling us to think the unthinkable, solve intricate problems, and grasp and articulate highly complex ideas [9, 23]. Supporting the integration of technologies that enable dynamic mediums is crucial for better alignment with the fluid and dynamic nature of human thought. This support will make our interactions with information more intuitive and less laborious.

Recent advances in AI and the generative capabilities of foundation models present an opportunity to design the next generation of dynamic interfaces and interactions that extend the capabilities of traditional cognitive tools [3, 6, 15–17, 19, 25]. We can now build

the next generation of interfaces and interactions that adapt fluidly to our intents and dynamically transform representations in real-time to support our cognitive processes (e.g., [7, 8, 12, 13, 16, 18, 20, 21, 24]). We are already witnessing a surge of innovative tools showcasing this potential. One example is tldraw, an open-source whiteboarding tool that allows users to instantly create and update interactive websites by simply sketching interfaces and providing annotations as instructions [14]. Researchers, research labs, and technologists can be seen actively exploring and pursuing similar visions such as malleable software [2, 4, 10, 11].

This workshop[1] aims to build on the success of the recent Dynamic Abstractions group meetup (https://dynamicabstractions.github.io/) at CHI 2024, where over 120 participants gathered to show interest in a community dedicated to exploring ways to develop the next generation of interfaces and interactions. This workshop will contribute to energizing this interest and fostering collaboration among researchers and industry professionals to bridge the gap and advance the vision of dynamic abstractions.

2 WORKSHOP PLANS & GOALS

Our one-day workshop will include in-person activities, including two keynote talks, two group discussions, and a prototyping session. Below, we describe each session in detail.

2.1 Preparatory Activities

2.1.1 Survey. Prior to the workshop, to engage the broader community of technologists, industry professionals, and researchers interested in this space, we will use social media platforms and the Discord channel (90+ members) already set up for the Dynamic Abstractions group to survey topics and themes they want the workshop attendees to discuss.

2.2 Workshop Activities

Opening and introductions (9:00 - 10:00). The workshop will begin with the organizers introducing themselves and outlining the activities and goals for the day. This will be followed by 1-minute lightning talks from each attendee, where they will share their research interests and any relevant work related to the workshop topics. This session aims to familiarize participants with one another and set the stage for collaborative discussions.

Activity 1: Keynote 1 (10:00 - 11:00). The first keynote session will feature a 50-minute presentation followed by a 10-minute Q&A session moderated by one of the organizers. We plan to invite a keynote speaker from the industry who has worked on similar problems and is building tools with the same goal. This industry perspective is crucial as it provides practical insights and real-world applications that complement academic research. The keynote speaker will share the latest developments and future directions in dynamic interfaces, setting the tone for the workshop's themes.

Activity 2: Group Brainstorming & Discussion (11:00 - 12:00). In this session, attendees will be assigned to tables focused on pre-selected domains such as programming, creative writing, and data science. Participants will engage in brainstorming compelling applications and use cases for these domains, as well as answering key questions related to dynamic abstractions:

- What examples of dynamic abstractions exist?
- What design methods can we use to build dynamic abstractions?
- What new challenges or opportunities do they introduce?
- Which domains can benefit from dynamic abstractions?

The first half of the session will involve using post-its and a poster board to pin ideas, followed by group discussions. In the last 15 minutes, groups will present their results and insights, followed by a one-hour lunch break.

Activity 3: Prototyping (13:00 - 14:30). Attendees will prototype ideas that leverage the concept of dynamic abstractions. This hands-on session aims to translate brainstorming ideas into tangible prototypes, encouraging them to prototype, for example, dynamic and intelligent interfaces for diverse domains such as programming and data visualization. Organizers will participate in each group as facilitators to foster discussion, provide assistance, and manage time. At the end of the session, participants will present their prototypes to the group, reflecting on the challenges encountered during the process and identifying new opportunities and design patterns for applying these concepts to other domains and tasks.

Activity 4: Keynote 2 (14:30 - 15:30). The second keynote speaker will deliver a 50-minute talk on a relevant topic, providing further insights and inspiration. The session will also include a 10-minute Q&A moderated by one of the organizers, allowing attendees to engage with the speaker and delve deeper into the subject matter.

Activity 5: Group Discussion - Research Agenda (15:30 - 16:30). Participants will engage in a group discussion to identify and prioritize research agendas related to dynamic abstractions. Building on previous activities, such as keynotes, prototyping, and group discussion sessions, this session will focus on defining key research questions, exploring potential methodologies, and identifying collaborative opportunities. The goal is to create a clear roadmap for future research efforts and foster collaboration.

Activity 6: Summary and Future Plans (16:30 - 17:00). The final session will summarize the day's discussions and activities. Organizers will outline future plans, including potential collaborations, follow-up meetings, and next steps for advancing the research on dynamic abstractions. Participants will be encouraged to share their thoughts and feedback. The workshop will conclude with closing remarks from the organizers, thanking participants for their contributions and encouraging collaboration within the newly formed community. Attendees will also be encouraged to join the dynamic abstractions Discord server to continue the conversation.

3 POST-WORKSHOP PLANS & GOALS

We will write an article summarizing the outcomes of the workshop and post it on the Dynamic Abstractions website [1]. This article will highlight key insights from the keynote and discussions, as well as the next steps. To ensure this workshop can serve as a bridge to a wider community, we will also publicize this article across social media platforms and the Dynamic Abstractions group

---

[1]https://dynamicabstractions.github.io/uist24-workshop

Discord channel, engaging our community and inviting further discussion and feedback.

REFERENCES

[1] 2024. Dynamic Abstractions. https://dynamicabstractions.github.io/ Accessed: 2024-07-10.

[2] 2024. Ink and Switch. https://www.inkandswitch.com/ Accessed: 2024-07-10.

[3] Michel Beaudouin-Lafon and Wendy E Mackay. 2000. Reification, polymorphism and reuse: three principles for designing visual interfaces. In *Proceedings of the working conference on Advanced visual interfaces*. 102–109.

[4] Camille Gobert and Michel Beaudouin-Lafon. 2023. Lorgnette: Creating Malleable Code Projections. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (San Francisco, CA, USA) *(UIST '23)*. Association for Computing Machinery, New York, NY, USA, Article 71, 16 pages. https://doi.org/10.1145/3586183.3606817

[5] Devamardeep Hayatpur, Brian Hempel, Kathy Chen, William Duan, Philip Guo, and Haijun Xia. 2024. Taking ASCII Drawings Seriously: How Programmers Diagram Code. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*. 1–16.

[6] Jeffrey Heer, Matthew Conlen, Vishal Devireddy, Tu Nguyen, and Joshua Horowitz. 2023. Living papers: A language toolkit for augmented scholarly communication. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*. 1–13.

[7] Peiling Jiang, Jude Rayan, Steven P Dow, and Haijun Xia. 2023. Graphologue: Exploring large language model responses with interactive diagrams. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*. 1–20.

[8] Rubaiat Habib Kazi, Tovi Grossman, Hyunmin Cheong, Ali Hashemi, and George W Fitzmaurice. 2017. DreamSketch: Early Stage 3D Design Explorations with Sketching and Generative Design.. In *UIST*, Vol. 14. 401–414.

[9] David Kirsh. 2010. Thinking with external representations. *AI & society* 25, 4 (2010), 441–454.

[10] Jingyi Li, Eric Rawn, Jacob Ritchie, Jasper Tran O'Leary, and Sean Follmer. 2023. Beyond the Artifact: Power as a Lens for Creativity Support Tools. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*. 1–15.

[11] Geoffrey Litt. 2023. Malleable software in the age of LLMs. https://www.geoffreylitt.com/2023/03/25/llm-end-user-programming.html Accessed: 2024-07-10.

[12] Damien Masson. 2023. Transforming the Reading Experience of Scientific Documents with Polymorphism. (2023).

[13] Karl Toby Rosenberg, Rubaiat Habib Kazi, Li-Yi Wei, Haijun Xia, and Ken Perlin. 2024. DrawTalking: Building Interactive Worlds by Sketching and Speaking. *arXiv preprint arXiv:2401.05631* (2024).

[14] Steve Ruiz. 2024. make real, the story so far. https://tldraw.substack.com/p/make-real-the-story-so-far Accessed: 2024-07-10.

[15] Nazmus Saquib, Rubaiat Habib Kazi, Li-Yi Wei, and Wilmot Li. 2019. Interactive body-driven graphics for augmented video performance. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. 1–12.

[16] Nazmus Saquib, Rubaiat Habib Kazi, Li-yi Wei, Gloria Mark, and Deb Roy. 2021. Constructing Embodied Algebra by Sketching. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–16.

[17] Sangho Suh, Bryan Min, Srishti Palani, and Haijun Xia. 2023. Sensecape: Enabling multilevel exploration and sensemaking with large language models. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*. 1–18.

[18] Sangho Suh, Jian Zhao, and Edith Law. 2022. CodeToon: Story Ideation and Auto Comic Generation for Code-Driven Storytelling. In *Proceedings of the 35th Annual ACM Symposium on User Interface Software and Technology*.

[19] Masaki Suwa and Barbara Tversky. 2002. External representations contribute to the dynamic construction of ideas. In *Diagrammatic Representation and Inference: Second International Conference, Diagrams 2002 Callaway Gardens, GA, USA, April 18–20, 2002 Proceedings 2*. Springer, 341–343.

[20] Ryo Suzuki, Rubaiat Habib Kazi, Li-Yi Wei, Stephen DiVerdi, Wilmot Li, and Daniel Leithinger. 2020. Realitysketch: Embedding responsive graphics and visualizations in AR through dynamic sketching. In *Proceedings of the 33rd Annual ACM Symposium on User Interface Software and Technology*. 166–181.

[21] Priyan Vaithilingam, Ian Arawjo, and Elena L Glassman. 2024. Imagining a future of designing with ai: Dynamic grounding, constructive negotiation, and sustainable motivation. In *Proceedings of the 2024 ACM Designing Interactive Systems Conference*. 289–300.

[22] Bret Victor. 2011. http://worrydream.com/LadderOfAbstraction/. Accessed: 2022-05-04.

[23] Bret Victor. 2014. Humane representation of thought: a trail map for the 21st century. In *Proceedings of the companion publication of the 2014 ACM SIGPLAN conference on Systems, Programming, and Applications: Software for Humanity*. 5–5.

[24] Haijun Xia, Ken Hinckley, Michel Pahud, Xiao Tu, and Bill Buxton. 2017. WritLarge: Ink Unleashed by Unified Scope, Action, & Zoom.. In *CHI*. 3227–3240.

[25] Ryan Yen, Jiawen Zhu, Sangho Suh, Haijun Xia, and Jian Zhao. 2024. Coladder: Manipulating Code Generation via Multi-Level Blocks. In *The 37th Annual ACM Symposium on User Interface Software and Technology* (Pittsburgh, PA, USA) *(UIST '24)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3654777.3676357