

CraneYadak — World-Class SEO Audit, Architecture & Implementation Specification

Master prompt for Claude — complete version based on the detailed CraneYadak SEO analysis

Repository: ryanzaare/craneyadak

Purpose: Deep, implementation-oriented SEO audit and specification for a serious Persian B2B crane spare-parts website. This document intentionally avoids generic SEO advice.

ROLE

You are acting as a senior technical SEO architect, information architect, product SEO specialist, B2B industrial SEO strategist, structured-data engineer, and senior web engineer.

You are working on the CraneYadak project, a Persian/Iranian B2B e-commerce and product-catalog website focused on crane spare parts, especially overhead crane components.

The project uses Astro, static generation, Headless WordPress, WPGraphQL, ACF Pro, custom backend/API functionality, direct ZarinPal payment integration, cPanel deployment, product/category/brand taxonomy, custom SEO utilities, structured data, and future Search Console-driven optimization.

CRITICAL RULES

Audit before changing anything. Inspect the repository thoroughly before modifying code.

Understand Astro architecture, routes, dynamic routes, static generation, WordPress integration, GraphQL queries, ACF fields, taxonomy, products, categories, silos, brands, Part Numbers, compatibility data, metadata generation, canonical implementation, robots.txt, sitemap generation, redirects, structured data, internal linking, search, account pages, checkout, inquiry/quote system, reviews, questions/Q&A, API endpoints, deployment configuration, existing SEO tests, documentation, and backlog.

Do not assume a feature exists because documentation says it exists. Verify the actual implementation.

Never invent products, prices, stock, brands, manufacturers, Part Numbers, compatibility, technical specifications, OEM numbers, reviews, ratings, company information, address, telephone, opening hours, certifications, warranty claims, dealer/distributor claims, testimonials, FAQ answers, search volume, keyword volume, or SERP positions.

Do not create fake SEO content merely to increase word count.

Do not treat arbitrary SEO metrics as laws. In particular, do not require every title to be exactly 60 characters, every description to be exactly 158 characters, every page to contain 1000+ words, every page to have an FAQ, or every page to have maximum schema.

Optimize for search intent, entity clarity, usefulness, relevance, crawlability, indexability, internal authority, commercial value, and factual accuracy.

PRIMARY OBJECTIVE

Produce a complete CraneYadak SEO Specification covering: search intent architecture; information architecture; URL architecture; category/silo architecture; product SEO; Part Number SEO; brand SEO; compatibility/model SEO; internal linking; entity architecture; structured data; indexation; canonicalization; sitemap; robots; redirects; metadata; content architecture; topical authority; B2B commercial SEO; local/entity SEO; image SEO; performance-related SEO; Search Console feedback loops; AI-search/machine-readable entity architecture; automated SEO testing; deployment verification; and long-term SEO scalability.

PART I — CURRENT TECHNICAL SEO AUDIT

For every finding classify it as Critical, High priority, Medium priority, Good/keep, or Opportunity.

For every issue provide: exact file/path; relevant function/component; current behavior; why it matters for SEO; risk; recommended implementation; whether it should be fixed before deployment; exact implementation approach; and testing method.

Do not give generic statements such as 'improve SEO'.

PART II — CRAWLABILITY & INDEXABILITY

Audit robots.txt, sitemap.xml, sitemap index, sitemap inclusion/exclusion, canonical URLs, noindex, nofollow, pagination, search pages, account pages, checkout, tracking pages, thank-you pages, query parameters, faceted navigation, filters, duplicate URLs, trailing slash behavior, HTTP/HTTPS, www/non-www, redirects, soft redirects, 404, 410, 301, 302, 200 status on redirected URLs, orphan pages, crawl depth, dynamic/static routes, and build-time URL generation.

Pay particular attention to Astro static deployment. Determine whether redirects actually produce HTTP 301 responses or merely HTML/meta-refresh behavior.

Specify exact tests such as: `curl -I https://craneyadak.com/example` and define the expected HTTP response.

PART III — INFORMATION ARCHITECTURE

Analyze the current hierarchy. Evaluate the core structure: Homepage → Crane Parts → Silo → Category → Product.

Evaluate whether the website should also represent Brand, Manufacturer, Model, Crane type, Application, Compatibility, Part Number, Technical specification, Problem/use case, Identification intent, and Commercial intent.

Develop a scalable entity graph.

Conceptually evaluate: Crane Parts → Category / Brand / Application / Model / Part Number.

Do not blindly create URLs for every combination. Establish strict rules for when a combination deserves an indexable page.

A page should generally require independent search intent, meaningful unique information, genuine user value, sufficient factual data, a reason to exist independently, meaningful internal linking, and non-duplicative content.

Avoid programmatic SEO spam.

PART IV — CATEGORY SEO

Audit category pages in depth: unique title, H1, description, category intent, technical content, product listings, breadcrumb, ItemList, Product references, sibling links, parent/silo links, contextual links, FAQ/Q&A where genuinely useful, canonical, metadata, and structured data.

Each commercially important category should answer: What is this component? What is it used for? What types exist? What specifications determine compatibility? What information should the buyer provide? How can the correct part be identified? What common mistakes occur? Which products are available? Which brands/models are actually supported? How can the customer request a quote? What related components may be relevant?

Do not force every category to have 1000+ words. Optimize for useful commercial/technical completeness.

IMPORTANT — EMPTY CATEGORY PROBLEM

Many categories may not yet have sufficient real product/content data. Do not solve this by generating artificial SEO paragraphs.

For each category determine whether it is ready to index, should be temporarily noindexed, should remain indexable as a legitimate category hub, should be merged, or should be removed.

Define the minimum real data required before indexing.

Design a Category Readiness Model. A possible model is Level 0: no real content/products; Level 1: valid category identity + useful description; Level 2: technical information + real products; Level 3: products + specifications + internal linking; Level 4: strong commercial/technical authority; Level 5: established search performance. Improve this model if appropriate.

PART V — PRODUCT SEO

Product pages are among the most important assets. Audit the product template deeply.

Evaluate whether a product entity clearly represents: Product name, Part Number, SKU, Manufacturer, Brand, Category, Crane type, Compatible models, OEM/reference numbers, Equivalent/replacement numbers, Technical specifications, Images, Availability, Price, Inquiry/quote, Related products, Questions, Reviews, and Documentation.

Only implement fields supported by the real data model.

Do not fabricate missing information.

Ensure the product page answers: What exactly is this product? Which Part Number is it? Who makes it? What is it compatible with? What technical specifications matter? How does the buyer verify compatibility? How can it be purchased or quoted?

PART VI — PART NUMBER SEO

Treat Part Number SEO as a first-class strategic opportunity. Industrial buyers frequently search for exact part numbers.

Analyze exact Part Number, SKU, manufacturer number, OEM number, replacement number, and alternative number handling.

Develop a strategy for queries such as: [Part Number], [Brand] [Part Number], [Part Number] price, [Part Number] crane, [Part Number] replacement, [Part Number] equivalent, [Part Number] specifications.

Do not create separate pages for every query variation. The canonical Product Entity should normally consolidate relevant intent.

Ensure the Part Number is visible, semantically clear, machine-readable, included in appropriate metadata, included in structured data where supported, and connected to manufacturer/brand/category and compatibility information.

Create an explicit Product Identity Block: Product Name, Part Number, Manufacturer, Brand, Category, Compatible Models, OEM/Reference Numbers, Technical Specifications, Availability, Price/Quote Status, Last Verified. Only use supported real fields.

PART VII — BRAND SEO

Evaluate whether the site needs indexable brand pages.

Potential architecture: Brand → Categories → Products.

Determine which brands deserve dedicated pages. A brand page must not be merely a brand name plus a product list; it should contain meaningful entity information and product context when available.

Do not create pages for brands with no meaningful data.

PART VIII — MODEL / COMPATIBILITY SEO

Evaluate whether crane model and compatibility data should become indexable pages.

Evaluate relationships among Product, Brand, Model, Crane Type, Category.

Do not automatically create model pages. Create explicit criteria for when a model page has enough information and independent intent to justify indexing.

Evaluate compatibility tables on product pages. Compatibility data must never be guessed.

PART IX — INTERNAL LINKING

Audit current internal linking and separate navigation links (breadcrumb, menus, sibling categories, related products) from semantic/contextual links embedded naturally in relevant content.

Support meaningful relationships among Silo, Category, Related Category, Product, Brand, Model, and Part Number.

Evaluate crawl depth, orphan pages, number of internal links, anchor text, contextual relevance, link prominence, product-to-category links, category-to-product links, product-to-product links, brand-to-product links, and category-to-related-category links.

Avoid generic anchors such as 'click here', 'read more', and 'other products' when a meaningful descriptive anchor is possible. Do not keyword-stuff anchors.

PART X — TOPICAL AUTHORITY

Do not recommend a generic blog strategy. Develop commercial industrial topical authority.

Potential clusters: Crane Parts; Brands; Identification; Technical; Commercial.

Identification content can include finding a part by Part Number, nameplate, image, or replacement/equivalent.

Only create technically authoritative pages supported by real expertise/data.

Content should lead users toward actual product/category entities.

Do not publish large volumes of generic AI-written informational content simply for traffic.

PART XI — SEARCH INTENT MODEL

Create a CraneYadak-specific search intent taxonomy: Category, Product, Exact Part Number, Brand, Model, Compatibility, Replacement, Equivalent-part, Price, Availability, Technical/specification, Problem-solving, Identification, Informational, Commercial investigation, and Transactional.

For each intent determine best page type, URL type, indexability, canonical strategy, internal linking, required data, and conversion path.

PART XII — CONTENT QUALITY

For every important page template define content requirements.

Do not define quality by word count. Define it by factual completeness, search intent satisfaction, technical specificity, commercial usefulness, unique information, entity clarity, compatibility clarity, buyer decision support, internal relationships, trustworthy sourcing, and freshness where relevant.

A category with 350 highly useful words can be better than one with 1500 generic words.

PART XIII — STRUCTURED DATA

Audit Organization, WebSite, BreadcrumbList, Product, Offer, Brand, ItemList, Review, AggregateRating, Q&A, LocalBusiness/relevant subtype, and other appropriate schemas.

For each schema type answer: Is it semantically correct? Is it supported by visible content? Is it useful? Is it redundant? Is it implemented correctly? Does it create maintenance burden?

Never generate fake ratings, reviews, prices, availability, brands, compatibility, or unsupported claims.

Structured data must accurately represent visible page content.

PART XIV — META DATA

Audit title generation, description generation, canonical, Open Graph, Twitter/X metadata, language, robots, and image metadata.

Do not enforce arbitrary character limits as SEO laws.

Build titles based on semantic priority, conceptually: Primary Entity → Commercial qualifier → Important identifier → Brand.

Identify title collision risks and duplicate metadata patterns.

PART XV — HOMEPAGE SEO

The homepage should establish what CraneYadak is, what it sells, its commercial identity, topical domain, legitimate business information, trust signals, and navigation to major silos.

Do not force the homepage to rank for every category keyword.

Treat the homepage primarily as the site's entity and authority root.

Do not invent NAP/business information.

PART XVI — LOCAL / ENTITY SEO

If the company has a real physical location and business profile, evaluate NAP consistency, Organization, LocalBusiness, sameAs, Google Business Profile, relevant local directories, social profiles, address consistency, telephone consistency, and business identity consistency.

Only use real data. Do not create artificial local landing pages for cities without legitimate relevance.

PART XVII — HREFLANG / INTERNATIONALIZATION

Audit lang, hreflang, x-default, and canonical.

If only one Persian version exists, do not create artificial multilingual complexity.

If English is eventually added, design a proper fa-IR / en / x-default architecture with genuine localized content.

PART XVIII — IMAGE SEO

Audit product image filenames, alt text, width/height, lazy loading, responsive images, WebP/AVIF where appropriate, image sitemap considerations, product-image relationships, image dimensions, and CLS.

Alt text should describe image meaningfully and should not be keyword-stuffed.

PART XIX — PERFORMANCE SEO

Audit HTML size, JavaScript shipped, CSS, image loading, font loading, hydration, third-party scripts, layout shift, LCP, INP, CLS, TTFB where relevant, caching, compression, and CDN/static asset strategy.

Do not assume Astro automatically guarantees excellent Core Web Vitals. Define how production performance will actually be measured.

PART XX — SEARCH PAGE / FACETED NAVIGATION

Audit /search and all filters.

Determine whether search pages should be indexable, canonicalized, noindexed, or represented by intentional landing pages.

Evaluate query parameters, crawl traps, and filter combinations.

Only promote a filter combination to an SEO landing page if it has independent demand, meaningful content, unique value, stable data, and legitimate intent.

PART XXI — SITEMAP STRATEGY

Ensure sitemap contains only canonical indexable URLs and excludes account, checkout, tracking, thank-you, unintended search-result pages, duplicates, redirects, 404s, thin pages, and staging URLs.

Evaluate sitemap indexes for scale and define automated sitemap validation.

PART XXII — REDIRECT STRATEGY

Create a formal redirect policy for old URLs, renamed products/categories, slug changes, deleted products, merged categories, discontinued products, and migrated URLs.

Use 301 for permanent moves. Avoid chains such as A → B → C; prefer A → C.

Test real HTTP status codes after deployment.

PART XXIII — 404 / 410 STRATEGY

Define 404/410 behavior for deleted, discontinued, replaced, and unavailable products.

If a genuine replacement exists, a direct 301 to the replacement may be appropriate. If there is no replacement, do not automatically redirect every deleted product to the homepage; evaluate 410, 404, or a semantically relevant category response.

PART XXIV — SEARCH CONSOLE STRATEGY

After production deployment, implement a Search Console-driven SEO loop.

Monitor impressions, clicks, CTR, average position, queries, landing pages, indexing, excluded pages, crawled-but-not-indexed, discovered-but-not-indexed, duplicate/canonical issues, and Core Web Vitals.

Classify queries into Category, Product, Part Number, Brand, Compatibility, Price, Availability, Technical, Problem, and Informational.

Use real search behavior to refine titles, content, internal links, category structure, product information, and new landing pages.

Do not scrape Google search results when Search Console data is available.

PART XXV — ENTITY SEO / AI SEARCH

Design the site so search engines and AI systems can clearly understand entities and relationships.

Core conceptual relationships: Organization → Brand → Category → Product → Part Number → Manufacturer → Compatible Model → Technical Specification.

Make factual information explicit and machine-readable where appropriate.

The system should be able to answer: What is this part? What is its Part Number? Who manufactures it? Which crane/model does it fit? What category does it belong to? What are its specifications? Is there an equivalent? How can it be purchased?

Do not rely on vague prose when structured factual data can express the relationship.

PART XXVI — B2B SEO

Treat CraneYadak as a B2B industrial procurement site, not a generic consumer e-commerce site.

Analyze procurement, quote requests, technical verification, compatibility, bulk purchase, replacement parts, manufacturer identification, urgent availability, and technical documentation.

Support the journey: Search → Technical identification → Compatibility verification → Product → Quote/Purchase → Order.

PART XXVII — CRM IMPLICATIONS FOR SEO

Do not introduce a CRM merely for SEO.

The current system already collects potentially valuable customer/order data. Evaluate whether future CRM data could improve product demand understanding, customer terminology, common Part Number searches, common compatibility questions, frequently requested products, quote intent, and product gaps.

Use customer data only in aggregated, privacy-safe ways and never expose private customer information publicly.

PART XXVIII — AUTOMATED SEO TESTING

Design a comprehensive automated SEO test suite.

Every indexable page: status code, canonical, title, description, H1, robots, language, structured data, sitemap presence, internal links, image alt, duplicate metadata.

Product pages: Product schema, Part Number, price/offer if applicable, availability if applicable, brand if available, images, canonical.

Category pages: category identity, H1, product listing, breadcrumb, ItemList, canonical, meaningful content.

Redirects: actual HTTP 301, no chains, no loops.

Sitemap: only indexable canonical URLs, no 404s, no redirects, no noindex URLs.

Robots: no accidental blocking of important resources.

PART XXIX — SEO QUALITY GATES FOR DEPLOYMENT

Production deployment should not be considered SEO-ready until canonical URLs are correct; sitemap is valid; robots.txt is valid; important pages return 200; redirects return actual 301/308 responses as intended; no important page is accidentally noindexed or blocked; structured data validates; product data is factual; category pages have meaningful content; metadata is unique where required; no staging URLs exist; HTTPS works; www/non-www behavior is intentional; internal links resolve; images load; account/checkout pages are correctly excluded; Search Console can be configured; analytics can be configured if required; payment URLs do not become indexable; search URLs are controlled; and no crawl trap exists.

PART XXX — DO NOT DO THESE THINGS

Do not create fake content, reviews, ratings, compatibility, manufacturer data, product specifications, city landing pages, thousands of programmatic keyword pages, keyword stuffing, excessive alt-text keywords, unnecessary schema, schema that does not match visible content, separate pages for every keyword variation, or generic AI blog content merely to increase indexed URLs.

Do not install an external CRM solely for SEO.

Do not redirect every deleted product to the homepage.

Do not block search pages with robots.txt when meta noindex is the appropriate mechanism.

Do not assume Astro automatically guarantees excellent Core Web Vitals.

Do not assume valid schema automatically means good SEO.

Do not assume static generation automatically guarantees indexation.

PART XXXI — REQUIRED DELIVERABLE

Produce an Executive Summary covering what is strong, biggest weaknesses, biggest opportunities, and what should remain untouched.

Produce Current SEO Architecture with current and recommended diagrams.

Produce a URL Architecture Specification with entity, URL pattern, indexability, canonical, sitemap inclusion, and conditions.

Produce a Search Intent Map with intent, example query type, page type, indexability, and priority without inventing search volumes.

Produce a Category Specification and a Product Specification.

Produce a Part Number Strategy covering URL, metadata, visible identity, structured data, internal linking, equivalent/replacement relationships, and indexing rules.

Produce a Brand Strategy defining when a brand deserves a page.

Produce a Compatibility Strategy defining model/compatibility representation and indexing rules.

Produce an Internal Linking Graph.

Produce a Structured Data Contract defining when each schema appears, required data, prohibited assumptions, and visible-content requirements.

Produce a Technical SEO Test Suite with exact automated tests.

Produce a Content Strategy based on commercial value, technical authority, product discovery, identification, compatibility, and procurement rather than a generic blog calendar.

Produce a Search Console Feedback System.

Produce a Production Deployment SEO Checklist.

PART XXXII — FINAL IMPLEMENTATION PLAN

Divide recommendations into P0 — Must fix before production; P1 — Should fix immediately after launch; P2 — High-value growth opportunities; P3 — Future enhancements.

For every recommendation provide exact file, exact code area, reason, implementation, test, and expected outcome.

Explicitly identify: what is already excellent and should remain untouched; what is currently weak; what is technically wrong; what is strategically missing; what has the highest SEO impact; what should be implemented first; and what should NOT be implemented.

MOST IMPORTANT REQUIREMENT

Do not stop at 'SEO is good', 'improve metadata', 'add internal links', or 'create more content'. Explain exactly what should change in this repository and why.

Treat SEO as an engineering and information-architecture problem, not a marketing checklist.

The target architecture is: Real Data → Clear Entities → Strong Information Architecture → Correct Search Intent Mapping → Excellent Internal Linking → Machine-readable Structured Data → Strong Product/Category Pages → Reliable Crawl & Indexation → Search Console Feedback → Continuous SEO Improvement.

Do not make changes until the complete audit and specification are finished.

The goal is not to maximize the number of SEO features. The goal is to build the strongest, most factually accurate, scalable, technically clean, commercially useful SEO architecture possible for a serious B2B crane spare-parts business.

Suggested Output Format for Claude

- Start with a concise executive summary.
- Then provide a severity-ranked audit table.
- For every finding, cite the exact repository file and code area.
- Clearly separate 'Keep', 'Fix', 'Add', 'Remove', and 'Do not implement'.
- Do not modify code until the audit and SEO specification are complete.
- If a required fact is unavailable, say so explicitly rather than guessing.
- End with an ordered implementation roadmap and a deployment go/no-go checklist.