AdminData

~ MENU : Path

~ STOCKS : Path

~ ROOMS : Path

~ TENANTS : Path

~ PINGS : Path

~ SALES : Path

~ PAYMENTS : Path

~ ACCOUNTS : Path

- importOldFile(file: Path) : void

~ clean(s: String) : String

~ read(file: Path) : List<String>

~ write(file: Path, lines: List<String>) : List<String>

~ defaultSubcategory(name: String, category: String) : String

~ defaulBestSeller(name: String) : boolean

~ getItems() : ArrayList<Item>

~ addItem(name: String, category: String, price: BigDecimal, quantity: int) : void

~ addItem(name: String, category: String, subcategory: String, bestseller: boolean, price: BigDecimal, quantity: int) : void

~ getStocks() : Map<String, Integer>

~ saveStocks(stock: Map<String, Integer>) : void

~ restock(name: String, extra: int) : void

~ checkStock(needed: Map<String, Integer>) : void

~ removeStock(needed: Map<String, Integer>) : void

~ getRooms() : ArrayList<RoomInfo>

~ saveRooms(rooms: List<RoomInfo>) : void

~ changeRooms(room: int, status: String, tenant: String) : void

~ removeRooms(number: int) : void

~ addRooms() : int


~ sendPing(message: String) : void


~ getSales() : ArrayList<SaleInfo>

~ isValidUsername(name: String) : boolean


~ addAccount(name: String, password: char[], role: String) : void

~ hashPassword(password: char[]) : String


Admin
- tabs : JTabbedPane
- totalMoney : JLabel
- notificationCount : JLabel
- menuTable : JTable
- notifications : JTextArea
- overviewRooms : DefaultTableModel
- menuModel : DefaultTableModel
- roomModel : DefaultTableModel
- salesModel : DefaultTableModel
- seenPingCount : int
- page() : JPanel
- bigText(text: String) : JLabel
- metric(heading: String, value: JLabel) : JPanel
- topBar(title: String, button: JLabel, action: Runnable) : JPanel
- createOverview() : JPanel
- createMenu() : JPanel
- addMenuItem(type: String) : void
- createInventory() : JPanel
- createNotifications() : JPanel
- createRooms() : JPanel
- chosenRoom() : AdminData.RoomInfo
- createAccounts() : JPanel
- createStaff() : void
- createSales() : JPanel
- refresh() : void
- refreshOverview() : void
- refreshMenu() : void
- refreshInventory() : void
- refreshPings() : void
- refreshRooms() : void
- refreshAccounts() : void
- refreshSales() : void
- error() : void
+ Admin()
CheckoutArea
- MODEL : DefaultTableModel
- TABLE : JTable
- TOTALLABEL : JLabel
- STATUSLABEL : JLabel
- total : double
- changeQuantity(amount: int) : void
- updateTotal() : void
+ CheckoutArea()
+ hasRoomInCart(roomNumber: int) : boolean
+ addItem(name: String, price: double) : void
+ clearCart() : void
Dashboard
- NORMAL : Color
- SELECTED : Color
- backg1 : ImageIcon
~ checkoutPanel : CheckoutArea
~ menuPanel : Menu
~ recent : RecentTransaction
~ icon : ImageIcon
~ food : JButton
~ drink : JButton
~ rent : JButton
~ dashboard : JButton
~ room : JButton
~ inventory : JButton
~ transaction : JButton
~ employee : JButton
- resetTopButtons() : void
- resetSideButtons() : void
+ Dashboard()
+ actionPerformed(e: ActionEvent) : void


Employee
- NORMAL : Color
- SELECTED : Color
- RED : Color
- backg1 : ImageIcon
- bg1 : JLabel
~ icon : ImageIcon
~ logout : JButton
~ dashboard : JButton
~ room : JButton
~ inventory : JButton
~ transaction : JButton
~ employee : JButton
~ employeeInitial : JLabel
~ employeeName : JLabel
~ account : String
~ sales : ArrayList
- resetSideButtons() : void
- showTransactions() : void
- refreshTransactions() : void
- showSummary() : void
- showProfile() : void
+ Employee()
+ windowActivated(e: WindowEvent) : void
+ actionPerformed(e: ActionEvent) : void
+ isCellEditable(row: int, column: int) : boolean
EmployeeSession
~ username : String
~ role : String
~ loginTime : LocalDateTime
+ login(name: String, userRole: String) : void
+ getUsername() : String
+ getRole() : String
+ getLoginTime() : LocalDateTime
+ logout() : void
Inventory
- NORMAL : Color
- SELECTED : Color
- bg1 : JLabel
- backg1 : ImageIcon
~ employee : JButton
~ transaction : JButton
~ inventory : JButton
~ room : JButton
~ dashboard : JButton
~ icon : ImageIcon
~ allFood : JButton
~ allDrinks : JButton
~ sortStock : JButton
~ pingAdmin : JButton
~ mode : DefaultTableModel
~ table : JTable
~ selected : JLabel
~ category : String
~ ascending : boolean
- resetSideButtons() : void
+ Inventory()
+ isCellEditable(row: int, col: int) : boolean
+ showItems() : void
+ actionPerformed(e: ActionEvent) : void
+ getStock(name: String) : int
+ checkStock(cart: javax.swing.table.TableModel) : String
+ reduceStock(cart: javax.swing.table.TableModel) : void


LogIn
~ backg : ImageIcon
~ icon : ImageIcon
~ bg : JLabel
~ bg : JLabel
~ pWord : JLabel
~ username : JTextField
~ pass : JPasswordField
~ login : JButton
+ LogIn()
+ actionPerformed(e: ActionEvent) : void
Main
+ main(args: String[]): void
Receipt
- soldItems : DefaultTableModel
- paymentField : JTextField
- changeAmountLabel : JLabel
- orderIdLabel : JLabel
- grandTotal : BigDecimal
- TAX_RATE : BigDecimal
- amountRow(name: String, amount: String) : JPanel
- paymentAmount() : BigDecimal
- updateChange() : void
- proceed() : void
- money(amount: BigDecimal) : String
+ Receipt(owner: Window, model: DefaultTableModel, clearCartAction: Runnable)
+ isCellEditable(row: int, col: int) : boolean
+ insertUpdate(e: javax.swing.event.DocumentEvent) : void
+ removeUpdate(e: javax.swing.event.DocumentEvent) : void
+ changedUpdate(e: javax.swing.event.DocumentEvent) : void
Menu
- NORMAL : Color
- SELECTED : Color
- MENU : JPanel
- CATEGORYPANEL : JPanel
- CHECKOUT : CheckoutArea
- scrollMenu : JScrollPane
- currentCategory : String
- currentFilter : String
- rentRoom(number: int, price: int) : void
- createFoodCard(name: String, stock: int, price: double) : JPanel
- createCategories(categories: String...) : void
- showCategory(category: String) : void
+ Menu(area: CheckoutArea)
+ showRents() : void
+ showFoods() : void
+ showDrinks() : void
+ refreshMenu() : void
+ getCategoryPanel() : JPanel
+ getScrollMenu() : JScrollPane
RecentTransaction
~ model : DefaultTableModel
~ account : String
+ FILE : Path
+ ITEMS : Path
+ PAYMENTS : Path
+ SAVED_DATE : DateTimeFormatter
+ SHOWN_DATE : DateTimeFormatter
+ nextNumber : int
+ panels : ArrayList<RecentTransaction>
- loadItems() : HashMap<Integer, int[]>
- loadNextNumber() : void
+ RecentTransaction()
+ isCellEditable(row: int, col: int) : boolean
+ refresh() : void
+ nextOrderId() : String
+ recordSale(total: BigDecimal) : String
+ getSalesFor(username: String) : ArrayList<Sale>
+ money(amount: BigDecimal) : String


Room
- NORMAL : Color
- SELECTED : Color
- VACANT : Color
- OCCUPIED : Color
- OVERDUE : Color
- backg1 : ImageIcon
- bg1 : JLabel
- roomBoxes : ArrayList<JButton>
- roomList : ArrayList<AdminData.RoomInfo>
- roomGrid : JPanel
- selectedLabel : JLabel
- markOverdue : JButton
- pingAdmin : JButton
- addRoom : JButton
- selectedRoom : int
~ icon : ImageIcon
~ dashboard : JButton
~ employee : JButton
~ transaction : JButton
~ inventory : JButton
~ room : JButton
- resetSideButtons(): void
- selectRoom(number: int) : void
- refreshBonus() : void
- markRoomOverdue() : void
- addNewRoom() : void
- sendPing() : void
- error(e: Exception) : void
+ Room()
+ windowGainedFocus(e: WindowEvent) : void
+ actionPerformed(e: ActionEvent) : void
TransactionHistory
- NORMAL : Color
- SELECTED : Color
- backg1 : ImageIcon
- bg1 : JLabel
~ icon : ImageIcon
~ sortId : JButton
~ sortAmount : JButton
~ sortDate : JButton
~ filterBy : JButton
~ dashboard : JButton
~ room : JButton
~ inventory : JButton
~ transaction : JButton
~ employee : JButton
- resetTopButtons() : void
- resetSideButtons() : void
+ TransactionHistory()
+ actionPerformed(e: ActionEvent) : void

TransactionSorting

- rows : JPanel
- order : String
- filter : String
- reverse : boolean
- ~ COUNTS : Path
- ~ PAYMENTS : Path
- ~ TRANSACTIONS : Path
- ~ OLD_TRANSACTIONS : Path
- ~ OLD_COUNTS : Path
- ~ OLD_PAYMENTS : Path

- setOrder(by: String) : void
- showTransaction() : void
- makeSaleRow(s: Sale, c: int[], paid: BigDecimal, change: BigDecimal) : JPanel
- makeLabel(text: String, alignment: int) : JLabel
- money(value: BigDecimal) : String
- makeCell(text: String, alignment: int) : JPanel
- loadSales() : ArrayList<Sale>
- readSalesFile(file: Path, found: LinkedHashMap<String, Sale>) : ArrayList<Sale>
- loadCounts() : HashMap<String, int[]>
- readCountsFile(file: Path,result: HashMap<String, int[]>) : void
- loadPayments() : HashMap<String, BidDecimal[]>
- readPaymentsFile(file: Path, result: HashMap<String, BigDecimal[]>) : void
+ TransactionSorting(history: TransactionHistory)
+ windowGainedFocus(e: WindowEvent) : void
+ savePaymentDetails(orderId: String, paid: BigDecimal, change: BigDecimal) : void
+ saveOrderItems(orderId: String, model: TableModel) : void
+ saveCounts(orderId: String, food: int, drinks: int, rents: int) : void