Admin

- tabs : JTabbedPane
- totalMoney : JLabel
- notificationCount : JLabel
- menuTable : JTable
- notifications : JTextArea
- overviewRooms : DefaultTableModel
- menuModel : DefaultTableModel
- roomModel : DefaultTableModel
- salesModel : DefaultTableModel
- seenPingCount : int

- page() : JPanel
- bigText(text: String) : JLabel
- metric(heading: String, value: JLabel) : JPanel
- topBar(title: String, button: JLabel, action: Runnable) : JPanel
- createOverview() : JPanel
- createMenu() : JPanel
- addMenuItem(type: String) : void
- createInventory() : JPanel
- createNotifications() : JPanel
- createRooms() : JPanel
- chosenRoom() : AdminData.RoomInfo
- createAccounts() : JPanel
- createStaff() : void
- createSales() : JPanel
- refresh() : void
- refreshOverview() : void
- refreshMenu() : void
- refreshInventory() : void
- refreshPings() : void
- refreshRooms() : void
- refreshAccounts() : void
- refreshSales() : void
- error() : void

+ Admin()

AdminData

~ MENU : Path

~ STOCKS : Path

~ ROOMS : Path

~ TENANTS : Path

~ PINGS : Path

~ SALES : Path

~ PAYMENTS : Path

~ ACCOUNTS : Path

- importOldFile(file: Path) : void

~ clean(s: String) : String

~ read(file: Path) : List<String>

~ write(file: Path, lines: List<String>) : List<String>

~ defaultSubcategory(name: String, category: String) : String

~ defaulBestSeller(name: String) : boolean

~ getItems() : ArrayList<Item>

~ addItem(name: String, category: String, price: BigDecimal, quantity: int) : void

~ addItem(name: String, category: String, subcategory: String, bestseller: boolean,

~ getStocks() : Map<String, Integer>

~ saveStocks(stock: Map<String, Integer>) : void

~ restock(name: String, extra: int) : void

~ checkStock(needed: Map<String, Integer>) : void

~ removeStock(needed: Map<String, Integer>) : void

~ getRooms() : ArrayList<RoomInfo>

~ saveRooms(rooms: List<RoomInfo>) : void

~ changeRooms(room: int, status: String, tenant: String) : void

~ removeRooms(number: int) : void

~ addRooms() : int

~ sendPing(message: String) : void

~ getSales() : ArrayList<SaleInfo>

~ isValidUsername(name: String) : boolean

~ addAccount(name: String, password: char[], role: String) : void

~ hashPassword(password: char[]) : String

Item

~ name: String


~ category: String

~ subcategory: String

~ bestseller: boolean

~ price: BigDecibal

~ Item (n: String, c: String, p: BigDecimal, sc: String, best: boolean)



CheckoutArea


- MODEL : DefaultTableModel
- TABLE : JTable
- TOTALLABEL : JLabel
- STATUSLABEL : JLabel
- total : double


- changeQuantity(amount: int) : void
- updateTotal() : void
+ CheckoutArea()
+ hasRoomInCart(roomNumber: int) : boolean
+ addItem(name: String, price: double) : void
+ clearCart() : void


Dashboard


- NORMAL : Color
- SELECTED : Color
- backg1 : ImageIcon
~ checkoutPanel : CheckoutArea
~ menuPanel : Menu
~ recent : RecentTransaction
~ icon : ImageIcon
~ food : JButton
~ drink : JButton
~ rent : JButton
~ dashboard : JButton
~ room : JButton
~ inventory : JButton
~ transaction : JButton
~ employee : JButton


- resetTopButtons() : void
- resetSideButtons() : void
+ Dashboard()
+ actionPerformed(e: ActionEvent) : void






Employee
L : Color
ED : Color
olor
ImageIcon
abel
mageIcon
JButton
ard : JButton
Button
y : JButton
ion : JButton
ee : JButton
eeInitial : JLabel
eeName : JLabel
: String
rrayList
eButtons() : void
nsactions() : void
ransactions() : void
mmary() : void
file() : void
ee()
Activated(e: WindowEvent) : void
erformed(e: ActionEvent) : void
itable(row: int, column: int) : boolean
EmployeeSession
~ username : String
~ role : String
~ loginTime : LocalDateTime
+ login(name: String, userRole: String) : void
+ getUsername() : String
+ getRole() : String
+ getLoginTime() : LocalDateTime
+ logout() : void
Inventory
- NORMAL : Color
- SELECTED : Color
- bg1 : JLabel
- backg1 : ImageIcon
~ employee : JButton
~ transaction : JButton
~ inventory : JButton
~ room : JButton
~ dashboard : JButton
~ icon : ImageIcon
~ allFood : JButton
~ allDrinks : JButton
~ sortStock : JButton
~ pingAdmin : JButton
~ mode : DefaultTableModel
~ table : JTable
~ selected : JLabel
~ category : String
~ ascending : boolean
- resetSideButtons() : void
+ Inventory()
+ isCellEditable(row: int, col: int) : boolean
+ showItems() : void
+ actionPerformed(e: ActionEvent) : void
+ getStock(name: String) : int
+ checkStock(cart: javax.swing.table.TableModel) : String
+ reduceStock(cart: javax.swing.table.TableModel) : void


LogIn
~ backg : ImageIcon
~ icon : ImageIcon
~ bg : JLabel
~ bg : JLabel
~ pWord : JLabel
~ username : JTextField
~ pass : JPasswordField
~ login : JButton
+ LogIn()
+ actionPerformed(e: ActionEvent) : void
Main
+ main(args: String[]): void
Menu
- NORMAL : Color
- SELECTED : Color
- MENU : JPanel
- CATEGORYPANEL : JPanel
- CHECKOUT : CheckoutArea
- scrollMenu : JScrollPane
- currentCategory : String
- currentFilter : String
- rentRoom(number: int, price: int) : void
- createFoodCard(name: String, stock: int, price: double) : JPanel
- createCategories(categories: String...) : void
- showCategory(category: String) : void
+ Menu(area: CheckoutArea)
+ showRents() : void
+ showFoods() : void
+ showDrinks() : void
+ refreshMenu() : void
+ getCategoryPanel() : JPanel
+ getScrollMenu() : JScrollPane


Receipt
soldItems : DefaultTableModel
paymentField : JTextField
changeAmountLabel : JLabel
orderIdLabel : JLabel
grandTotal : BigDecimal
TAX_RATE : BigDecimal
amountRow(name: String, amount: String) : JPanel
paymentAmount() : BigDecimal
updateChange() : void
proceed() : void
money(amount: BigDecimal) : String
+ Receipt(owner: Window, model: DefaultTableModel, clearCartAction: Runnable)
+ isCellEditable(row: int, col: int) : boolean
+ insertUpdate(e: javax.swing.event.DocumentEvent) : void
+ removeUpdate(e: javax.swing.event.DocumentEvent) : void
+ changedUpdate(e: javax.swing.event.DocumentEvent) : void


RecentTransaction
~ model : DefaultTableModel
~ account : String
+ FILE : Path
+ ITEMS : Path
+ PAYMENTS : Path
+ SAVED_DATE : DateTimeFormatter
+ SHOWN_DATE : DateTimeFormatter
+ nextNumber : int
+ panels : ArrayList<RecentTransaction>
- loadItems() : HashMap<Integer, int[]>
- loadNextNumber() : void
+ RecentTransaction()
+ isCellEditable(row: int, col: int) : boolean
+ refresh() : void
+ nextOrderId() : String
+ recordSale(total: BigDecimal) : String
+ getSalesFor(username: String) : ArrayList<Sale>
+ money(amount: BigDecimal) : String


Sale
+ id : String
+ date : LocalDateTime
+ total : BigDecimal
+ change : BigDecimal
+ food : int
+ drinks : int
+ rent : int


- NORMA
- SELEC
- VACAN
- OCCUP
- OVERD
- backg1
- bg1 : JL
- roomBo
- roomLis
- roomGr
- selecte
- markOv
- pingAdr
- addRoo
- selecte
~ icon : I
~ dashbo
~ employ
~ transac
~ invento
~ room :
- resetSi
- selectR
- refresh
- markRo
- addNew
- sendPi
- error(e:
+ Room(
+ windo
+ actionP

Room

AL : Color
CTED : Color
NT : Color
PIED : Color
DUE : Color
L : ImageIcon
Label
oxes : ArrayList<JButton>
st : ArrayList<AdminData.RoomInfo>
rid : JPanel
dLabel : JLabel
verdue : JButton
min : JButton
om : JButton
edRoom : int
ImageIcon
oard : JButton
yee : JButton
ction : JButton
ory : JButton
JButton

deButtons(): void
Room(number: int) : void
Bonus() : void
oomOverdue() : void
wRoom() : void
ng() : void
: Exception) : void
()
wGainedFocus(e: WindowEvent) : void
Performed(e: ActionEvent) : void

TransactionHistory

- NORMAL : Color
- SELECTED : Color
- backg1 : ImageIcon
- bg1 : JLabel
~ icon : ImageIcon
~ sortId : JButton
~ sortAmount : JButton
~ sortDate : JButton
~ filterBy : JButton
~ dashboard : JButton
~ room : JButton
~ inventory : JButton
~ transaction : JButton
~ employee : JButton

- resetTopButtons() : void
- resetSideButtons() : void
+ TransactionHistory()
+ actionPerformed(e: ActionEvent) : void

TransactionSorting


- rows : JPanel
- order : String
- filter : String
- reverse : boolean
~ COUNTS : Path
~ PAYMENTS : Path
~ TRANSACTIONS : Path
~ OLD_TRANSACTIONS : Path
~ OLD_COUNTS : Path
~ OLD_PAYMENTS : Path

- setOrder(by: String) : void
- showTransaction() : void
- makeSaleRow(s: Sale, c: int[], paid: BigDecimal, change: BigD
- makeLabel(text: String, alignment: int) : JLabel
- money(value: BigDecimal) : String
- makeCell(text: String, alignment: int) : JPanel
- loadSales() : ArrayList<Sale>
- readSalesFile(file: Path, found: LinkedHashMap<String, Sale>
- loadCounts() : HashMap<String, int[]>
- readCountsFile(file: Path,result: HashMap<String, int[]>) : void
- loadPayments() : HashMap<String, BidDecimal[]>
- readPaymentsFile(file: Path, result: HashMap<String, BigDeci
+ TransactionSorting(history: TransactionHistory)
+ windowGainedFocus(e: WindowEvent) : void
+ savePaymentDetails(orderId: String, paid: BigDecimal, chang
+ saveOrderItems(orderId: String, model: TableModel) : void
+ saveCounts(orderId: String, food: int, drinks: int, rents: int) : vo


Sale


~ id: String
~ date: String
~ employee: String
~ total: BigDecimal
~ change: BigDecimal

~ Sale(id: String, date: String, total: BigDecimal, change: BigDe


Decimal) : JPanel
>) : ArrayList<Sale>
d
imal[]>) : void
ge: BigDecimal) : void
oid


ecimal, employee: String)


RoomInfo
~ number: int
~ Statuc: String
~ tenant: String
~ RoomInfo(n: int, s: String, t: String)


RoomInfo
~ number: int
~ Status: String
~ tenant: String
~ RoomInfo(n: int, s: String, t: String)