

<div><div>✓</div><div>Data Connection</div></div>	Connection	MOBILE
Connection type		MOBILE
Device interface		rmnet_data4

<div><div>✓</div><div>Mobile Network</div></div>	Primary serving cell	MOBILE/LTE/26006/203/2372130
Technology		LTE
Home network name		Play
HPLMN		26002
Primary serving cell		
Serving network name		Play
VPLMN		26006
TAC		203
ECI		2372130
PCI		246

<div><div>✓</div><div>Mobile Spectrum</div></div>	Primary serving cell frequency	1832MHz
E-UTRA band (duplex)		3 (FDD)
Primary serving cell		
E-UTRA band (duplex)		3 (FDD)
EARFCN		1474
Frequency		1832MHz
Spectrum region		Mid (Traditional) 1GHz ~ 2.6GHz

<div><div>⚠</div><div>Mobile Quality</div></div>	Average signal level	MODERATE
Signal level		MODERATE
Signal strength		41ASU
Signal strength		-99dBm
LTE Signal level		MODERATE
LTE Signal strength (ASU)		41ASU
LTE Signal strength (dBm)		-99dBm
LTE RSRP		-99dBm
LTE RSRQ		-12dB
LTE RSSNR		0dB

<div><div>✓</div><div>IP Connection</div></div>	Device IP	100.108.140.112
DHCP Server		N/A
Device IP		100.108.140.112
Default IP Gateway		<a href="#">100.108.140.113</a>
ALL ROUTES		
Default		0.0.0.0/0 → 100.108.140.113
Destination specific		100.108.140.96/27 → 0.0.0.0





✓

DNS Name Query RTT (dhcp)

▼

Min/median/jitter42/50/22 ms

Target213.158.199.1:DNS

Requests10

Responses10

Success100%

Loss0%

Min42 ms

5th Percentile42 ms

25th Percentile45 ms

Median50 ms

Mean (Average)65.3 ms

75th Percentile57 ms

95th Percentile61 ms

Max189 ms

Jitter22 ms

The graph displays the cumulative distribution of DNS Name Query RTT (dhcp) results. The x-axis represents time in milliseconds (0ms to 180ms), and the y-axis represents the percentage of successful queries (0% to 100%). A line graph shows the cumulative distribution, starting at approximately 10% at 42ms and reaching 100% at 189ms. Below the line graph, a bar chart shows individual query results as green and orange bars, mostly clustered between 40ms and 60ms.

✓

Internet Connection

▼

Public IP46.204.0.99

ISPAS12912 T-Mobile Polska S.A./PL🇵🇱

Public IP46.204.0.99

ISPAS12912 T-Mobile Polska S.A./PL🇵🇱

DNS Servers213.158.199.1, 213.158.199.5

✓

TCP Connection Setup RTT (www.google.com:443)

▼

Min/median/jitter22/43/92 ms

Targetwww.google.com:HTTPS

Attempts10

Connections10

Success100%

Loss0%

Min22 ms

5th Percentile22 ms

25th Percentile30 ms

Median43 ms

Mean (Average)79.6 ms

75th Percentile53 ms

95th Percentile67 ms

Max388 ms

Jitter92 ms

The graph displays the cumulative distribution of TCP Connection Setup RTT (www.google.com:443) results. The x-axis represents time in milliseconds (0ms to 300ms), and the y-axis represents the percentage of successful connections (0% to 100%). A line graph shows the cumulative distribution, starting at approximately 10% at 22ms and reaching 100% at 388ms. Below the line graph, a bar chart shows individual connection setup results as green and orange bars, mostly clustered between 20ms and 60ms.



