

| | |
|---|--|
| <div><div>!</div><div>Data Connection</div></div> <div>Unexpected connection type</div> <div>Connection type Device interface</div> | <div>MOBILE</div> <div>MOBILE rmnet_data4</div> |
| <div><div>✗</div><div>WiFi Network</div></div> <div>Unexpected data connection</div> <div></div> | <div>MOBILE</div> |
| <div><div>✗</div><div>WiFi Spectrum</div></div> <div>Unexpected data connection</div> <div></div> | <div>MOBILE</div> |
| <div><div>✗</div><div>WiFi Signal Quality</div></div> <div>Unexpected data connection</div> <div></div> | <div>MOBILE</div> |
| <div><div>✓</div><div>IP Connection</div></div> <div>Device IPs</div> <div>DHCP Server</div> <div>Device IPs</div> <div>Default IP Gateway</div> <div>ALL ROUTES</div> <div>Default</div> <div>Default</div> <div>Destination specific</div> <div>Destination specific</div> | <div>[192.0.0.2, 2a00:f41:28ad:e343:b835:40ff:fee5:2a4d]</div> <div>N/A</div> <div>[192.0.0.2, 2a00:f41:28ad:e343:b835:40ff:fee5:2a4d]</div> <div>192.0.0.1</div> <div>0.0.0.0/0 → 192.0.0.1</div> <div>::/0 → fe80::d089:5373:acea:8b62</div> <div>192.0.0.0/27 → 0.0.0.0</div> <div>2a00:f41:28ad:e343::/64 → ::</div> |
| <div><div>!</div><div>Ping RTT (gateway)</div></div> <div>No response</div> <div>Target</div> <div>Sent</div> <div>Received</div> <div>Success</div> <div>Loss</div> <div>Min</div> <div>5th Percentile</div> <div>25th Percentile</div> <div>Mean (Average)</div> <div>Median</div> <div>75th Percentile</div> <div>95th Percentile</div> <div>Max</div> <div>Jitter</div> | <div>100%</div> <div>192.0.0.1:ECHO</div> <div>10</div> <div>0</div> <div>0%</div> <div>100%</div> <div>0 ms</div> <div>0 ms</div> <div>0 ms</div> <div>0.0 ms</div> <div>0 ms</div> <div>0 ms</div> <div>0 ms</div> <div>0 ms</div> <div>0 ms</div> |

100%

80%

60%

40%

20%





