

<div><div>✓</div><div>Data Connection</div></div> <div>Connection</div> <div>MOBILE</div> <div>Connection typeMOBILE</div> <div>Device interfacermnet_data1</div>
<div><div>✓</div><div>Mobile Network</div></div> <div>Primary serving cellMOBILE/LTE/26006/203/2461221</div> <div>TechnologyLTE</div> <div>Home network namePlay</div> <div>HPLMN26006</div> <div>Primary serving cell</div> <div>Serving network namePlay</div> <div>VPLMN26006</div> <div>TAC203</div> <div>ECI2461221</div> <div>PCI457</div>
<div><div>✓</div><div>Mobile Spectrum</div></div> <div>Primary serving cell frequency2163MHz</div> <div>E-UTRA bandBand 1</div> <div>Primary serving cell</div> <div>E-UTRA bandBand 1</div> <div>EARFCN525</div> <div>Frequency2163MHz</div> <div>Spectrum regionMid (Traditional) 1GHz ~ 2.6GHz</div>
<div><div>✓</div><div>Mobile Quality</div></div> <div>Average signal levelGOOD</div> <div>Signal levelGOOD</div> <div>Signal strength54ASU</div> <div>Signal strength-86dBm</div> <div>LTE Signal levelGOOD</div> <div>LTE Signal strength (ASU)54ASU</div> <div>LTE Signal strength (dBm)-86dBm</div> <div>LTE RSRP-86dBm</div> <div>LTE RSRQ-16dB</div> <div>LTE RSSNR0dB</div>
<div><div>✓</div><div>IP Connection</div></div> <div>Device IP100.125.51.148</div> <div>DHCP ServerN/A</div> <div>Device IP100.125.51.148</div> <div>Default IP Gateway<a href="#">100.125.51.149</a></div> <div>ALL ROUTES</div> <div>Default0.0.0.0 → 100.125.51.149</div> <div>Destination specific100.125.51.144/29 → 0.0.0.0</div>





!

DNS Name Query RTT (dhcp)

▼

Loss

Min/median/jitter

40%

29/61/70 ms

Target

Requests

Responses

Success

Loss

Min

5th Percentile

25th Percentile

Median

Mean (Average)

75th Percentile

95th Percentile

Max

Jitter

185.89.185.2:DNS

10

6

60%

40%

29 ms

29 ms

29 ms

61 ms

127.3 ms

86 ms

206 ms

345 ms

70 ms

✓

Internet Connection

▼

Public IP

ISP

5.173.112.150

AS39603 P4 Sp. z o.o./PL

Public IP

ISP

DNS Servers

5.173.112.150

AS39603 P4 Sp. z o.o./PL

89.108.202.20, 185.89.185.2

!

TCP Connection Setup RTT (www.google.com:443)

▼

Loss

Min/median/jitter

60%

38/50/40 ms

Target

Attempts

Connections

Success

Loss

Min

5th Percentile

25th Percentile

Median

Mean (Average)

75th Percentile

95th Percentile

Max

Jitter

www.google.com:HTTPS

10

4

40%

60%

38 ms

38 ms

38 ms

50 ms

66.7 ms

74 ms

74 ms

104 ms

40 ms





