

<div><div>!</div><div>Data Connection</div></div> <div>Unexpected connection type</div> <div>Connection type Device interface</div>	<div>MOBILE</div> <div>MOBILE rmnet_data3</div>
<div><div>✗</div><div>WiFi Network</div></div> <div>Unexpected data connection</div> <div></div>	<div>MOBILE</div> <div></div>
<div><div>✗</div><div>WiFi Spectrum</div></div> <div>Unexpected data connection</div> <div></div>	<div>MOBILE</div> <div></div>
<div><div>✗</div><div>WiFi Signal Quality</div></div> <div>Unexpected data connection</div> <div></div>	<div>MOBILE</div> <div></div>
<div><div>✓</div><div>IP Connection</div></div> <div>Device IP</div> <div>DHCP Server Device IP Default IP Gateway ALL ROUTES Default Destination specific</div>	<div>100.119.76.7</div> <div>N/A 100.119.76.7 <a href="#">100.119.76.8</a> 0.0.0.0/0 → 100.119.76.8 100.119.76.0/28 → 0.0.0.0</div>
<div><div>!</div><div>Ping RTT (gateway)</div></div> <div>No response</div> <div>Target Sent Received Success Loss Min 5th Percentile 25th Percentile Mean (Average) Median 75th Percentile 95th Percentile Max Jitter</div>	<div>100%</div> <div>100.119.76.8:ECHO 10 0 0% 100% 0 ms 0 ms 0 ms 0.0 ms 0 ms 0 ms 0 ms 0 ms 0 ms</div> <div><div>100% 80% 60% 40% 20%</div><div></div></div>





!

DNS Name Query RTT (dhcp)

Min/median/jitter

29/71/40 ms

Target185.89.185.2:DNS

Requests10

Responses10

Success100%

Loss0%

Min29 ms

5th Percentile29 ms

25th Percentile29 ms

Median71 ms

Mean (Average)71.4 ms

75th Percentile77 ms

95th Percentile105 ms

Max125 ms

Jitter40 ms

The graph displays the cumulative distribution of DNS Name Query RTT (dhcp) results. The x-axis represents time in milliseconds (0ms to 120ms), and the y-axis represents the percentage of queries completed (0% to 100%). A line graph shows the cumulative distribution, starting at approximately 20% at 30ms and reaching 100% at 125ms. Individual query results are shown as red vertical bars at the bottom of the graph, indicating the RTT for each of the 10 queries.

✓

Internet Connection

Public IP

ISP

5.173.104.185  
AS39603 P4 Sp. z o.o./PL

Public IP5.173.104.185  
ISPAS39603 P4 Sp. z o.o./PL  
DNS Servers89.108.202.20, 185.89.185.2

✓

TCP Connection Setup RTT (www.google.com:443)

Min/median/jitter

31/76/32 ms

Targetwww.google.com:HTTPS

Attempts10

Connections10

Success100%

Loss0%

Min31 ms

5th Percentile31 ms

25th Percentile41 ms

Mean (Average)75.3 ms

Median76 ms

75th Percentile82 ms

95th Percentile115 ms

Max124 ms

Jitter32 ms

The graph displays the cumulative distribution of TCP Connection Setup RTT (www.google.com:443) results. The x-axis represents time in milliseconds (0ms to 120ms), and the y-axis represents the percentage of connections completed (0% to 100%). A line graph shows the cumulative distribution, starting at approximately 10% at 31ms and reaching 100% at 124ms. Individual connection setup results are shown as vertical bars at the bottom of the graph, colored green for successful connections and orange for failed connections. There are 10 successful connections (green) and 0 failed connections (orange).





